

HRVATSKI ZAVOD ZA JAVNO ZDRAVSTVO

Registar za rak


CROATIAN INSTITUTE OF PUBLIC HEALTH

Croatian National Cancer Registry

INCIDENCIJA RAKA U HRVATSKOJ

CANCER INCIDENCE IN CROATIA

2014.



Zagreb, 2016.

Bilten br. 39

Bulletin No. 39

HRVATSKI ZAVOD ZA JAVNO ZDRAVSTVO

Registar za rak

CROATIAN INSTITUTE OF PUBLIC HEALTH

Croatian National Cancer Registry

INCIDENCIJA RAKA U HRVATSKOJ

CANCER INCIDENCE IN CROATIA

2014.

Zagreb, 2016.

**Bilten br. 39
Bulletin No. 39**

Glavni i odgovorni urednik: Dr. sc. Mario Šekerija, dr. med.
Editor-in-chief: Mario Šekerija, MD, PhD

Osoblje Registra za rak Hrvatske i suradnici u izradi biltena:
Croatian National Cancer Registry staff and technical associates:

Mario Šekerija
Ljubica Bubanović
Petar Novak
Đurđa Šelendić
Jelena Lončar
Petra Čukelj

**MOLIMO KORISNIKE OVE PUBLIKACIJE DA PRILIKOM
KORIŠTENJA PODATAKA OBVEZNO NAVEDU IZVOR**

PLEASE QUOTE THE DATA SOURCE

Hrvatski zavod za javno zdravstvo, Registar za rak Republike Hrvatske.
Incidenција raka u Hrvatskoj 2014., Bilten 39, Zagreb, 2016.

Izdao: Hrvatski zavod za javno zdravstvo
Rockefellerova 7
10000 Zagreb
Hrvatska
Tel. (01) 48-63-280
Web-stranice: <http://hzjz.hr/sluzbe/sluzba-za-epidemiologiju/odjel-za-nadzor-i-istrazivanje-ne-zaraznih-bolesti/odsjek-za-zlocudne-bolesti-s-registrom-za-rak/>

Publisher: Croatian Institute of Public Health
Rockefellerova 7
HR-10000 Zagreb
Croatia
Tel. 385 1 48 63 280
Web-site: <http://hzjz.hr/sluzbe/sluzba-za-epidemiologiju/odjel-za-nadzor-i-istrazivanje-ne-zaraznih-bolesti/odsjek-za-zlocudne-bolesti-s-registrom-za-rak/>

Ravnatelj: doc. dr. sc. Krunoslav Capak, prim. dr. med.
Director: Asst Prof Krunoslav Capak, MD, PhD

ISSN 1333-7777

SADRŽAJ - CONTENTS

STRANA - Page

UVOD		
INTRODUCTION		1
Slika 1. Figure 1.	STOPE INCIDENCIJE I MORTALITETA OD RAKA U HRVATSKOJ OD 1990. DO 2014. GODINE CANCER INCIDENCE AND MORTALITY RATES IN CROATIA 1990–2014	5
Slika 2. Figure 2.	STOPE INCIDENCIJE RAKA U HRVATSKOJ PREMA SPOLU, 1968 – 2014. CANCER INCIDENCE RATES IN CROATIA BY SEX, 1968–2014	5
Slika 3. Figure 3.	NAJČEŠĆA SIJELA RAKA U HRVATSKOJ PREMA SPOLU U 2014. GODINI MOST COMMON CANCER SITES IN CROATIA BY SEX IN 2014	6
Slika 4. Figure 4.	RASPODJELA NOVOBOLJELIH OD RAKA PREMA SIJELIMA U 2014. GODINI DISTRIBUTION OF NEW CANCER CASES IN 2014 BY SITE	7
Slika 5. Figure 5.	INCIDENCIJA NAJČEŠĆIH SIJELA RAKA U HRVATSKOJ PREMA SPOLU, 1990 – 2014., DOBNO-STANDARDIZIRANE STOPE MOST COMMON CANCER SITES INCIDENCE BY SEX, CROATIA, 1990–2014, AGE-STANDARDISED RATES	8
Slika 6. Figure 6.	INCIDENCIJA NAJČEŠĆIH SIJELA RAKA 2014. GODINE U HRVATSKOJ PREMA DOBI I SPOLU MOST COMMON CANCER SITES INCIDENCE BY AGE AND SEX, CROATIA, 2014	9
Slika 7. Figure 7.	NAJČEŠĆA SIJELA RAKA U HRVATSKOJ 2014. GODINE PREMA SPOLU MOST COMMON CANCER SITES BY SEX, CROATIA, 2014	10
Slika 8.0 Figure 8.0	INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2014. GODINI - MUŠKI CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2014, MALES	11
Slika 8.1 Figure 8.1	INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2014. GODINI - ŽENE CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2014, FEMALES	12
Tablica B 1. Table B 1.	POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2014. DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2014	13
Tablica B 2.0 Table B 2.0	BROJ NOVIH SLUČAJEVA RAKA U HRVATSKOJ 2010 - 2014. GODINE, PREMA SPOLU I PRIMARNOM SIJELU NUMBER OF NEW CANCER CASES IN CROATIA BY SEX AND PRIMARY SITE, 2010–2014	15
Tablica B 2.1 Table B 2.1	NOVI SLUČAJEVI RAKA U HRVATSKOJ 2014. GODINE NAJČEŠĆA SIJELA - BROJ, POSTOTAK, STOPE INCIDENCIJE, KUMULATIVNE STOPE NEW CANCER CASES IN CROATIA IN 2014 MOST COMMON SITES: NUMBER OF CASES, PERCENTAGE, INCIDENCE RATES AND CUMULATIVE RATES	17
Tablica B 3.0 Table B 3.0	BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2014. NEW CANCER CASES IN CROATIA IN 2014 BY SEX, AGE AND PRIMARY SITE	18
Tablica B 3.1 Table B 3.1	STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2014. CANCER INCIDENCE RATES IN CROATIA IN 2014 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE	22
Tablica B 4.1 Table B 4.1	BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2014. (BEZ GINEKOLOŠKOG RAKA I HEMOBLASTOZA) NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2014 (EXCEPT GYNECOLOGICAL CANCER AND HEMOBLASTOSES)	26
Tablica B 4.2 Table B 4.2	BROJ NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI I PRIMARNOM SIJELU ZA GINEKOLOŠKI RAK I HEMOBLASTOZE (OSIM LEUKEMIJA) – RH 2014. NUMBER OF NEW CANCER CASES IN CROATIA IN 2014 BY STAGE AND PRIMARY SITE FOR GYNECOLOGICAL CANCER AND HEMOBLASTOSES (EXCEPT LEUKEMIAS)	29
Tablica B 5.1 Table B 5.1	BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2014. NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2014	30
Tablica B 5.2 Table B 5.2	STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2014. CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2014	32
Tablica B 6.1 Table B 6.1	DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2014. GODINE AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2014	34
PROJEKTI, ZNANSTVENI I STRUČNI RADOVI, IZLAGANJA PROJECTS, SCIENTIFIC AND PROFESSIONAL PAPERS AND CONFERENCE PRESENTATIONS		38

UVOD

Rak je značajan javnozdravstveni problem stanovništva Hrvatske. Drugi je najvažniji uzrok smrti iza bolesti srca i krvnih žila, pa je vrlo važno raspolagati odgovarajućim podacima koji će pomoći u izradi strategije za prevenciju i odgovarajuću onkološku službu i zaštitu. Samo dobro organizirana registracija raka može omogućiti dobivanje takvih podataka. Incidenciju raka u Hrvatskoj prati i proučava Državni registar za rak, populacijski registar pri Hrvatskom zavodu za javno zdravstvo.

Registar za rak Hrvatske osnovan je 1959. godine. Najprije su se prikupljali samo podaci o umrlima, a od 1962. godine obrađuju se podaci o novooboljelima od raka. Počevši od 1968. godine podaci se obrađuju elektronički.

Izvori podataka su prijava iz bolnice za otpuštene bolesnike - Bolesničko-statistički list - Onko tip (obrazac JZ-ONK), vanbolnička Prijava maligne neoplazme (obrazac JZ-NEO) i kopije histološkog / citološkog nalaza. Te su prijave dužne Hrvatskom zavodu za javno zdravstvo slati, prema Programu statističkih istraživanja kojeg donosi Sabor, zdravstvene ustanove i zdravstveni djelatnici privatne prakse. Prijava se ispunjava nakon postavljanja dijagnoze. Izvor podataka o umrlima od raka je mortalitetna baza Državnog zavoda za statistiku i Hrvatskog zavoda za javno zdravstvo koja je jedini u potpunosti elektronski izvor podataka. Kao dopunski izvor podataka koristi se i baza podataka Bolesničko-statističkih obrazaca Odjela za zdravstvenu statistiku Hrvatskog zavoda za javno zdravstvo.

Bilten br.39 sadrži: pokazatelje kvalitete podataka Registra – postotak histološki potvrđenih slučajeva, postotak registriranih samo iz potvrda o smrti (DCO) i omjer mortaliteta i incidencije za muške i žene (Tablica B1); broj novih slučajeva raka prema spolu i sijelima za razdoblje 2010-2014. godine (Tablica B2.0); broj, postotak, stope incidencije (grube i dobnostandardizirane na standardno europsko i svjetsko stanovništvo) i kumulativne stope za najčešća sijela u 2014. godini (Tablica B2.1); incidenciju (apsolutni broj i stopu) raka (osim raka kože) u Hrvatskoj prema spolu, dobi, primarnom sijelu, stadiju bolesti prilikom postavljanja dijagnoze (Tablice B3.0, B3.1, B4.1, B4.2), te incidenciju najučestalijih sijela raka (apsolutni broj i stopa) prema županijama i prema spolu (Tablica B5.1, B5.2) i incidenciju najučestalijih sijela raka (apsolutni broj) prema gradovima stalnog boravka i prema spolu (Tablica B5.3).

U Tablici B6.1 prikazane su dobnostandardizirane stope, standardne pogreške i kumulativne stope (0-64 i 0-74 godina) incidencije prema pojedinim sijelima te prema spolu.

Slika 1 prikazuje broj novooboljelih od raka i umrlih od raka od 1990. do 2014. godine, a slika 2 kretanje stopa incidencije ukupnog raka u Hrvatskoj prema spolu od

INTRODUCTION

Cancer poses a major public health problem in Croatia. It is the second cause of death after cardiovascular diseases, so it is very important to have adequate data that will help in the elaboration of a strategy for cancer prevention and the development of an adequate oncological service and care. Such data can only be made available by a well-organised cancer registration system. In Croatia, cancer incidence is monitored and studied by the Croatian National Cancer Registry, a population-based registry by the Croatian Institute of Public Health.

The Croatian National Cancer Registry was founded in 1959. Originally, it only collected data relating to cancer deaths. Since 1962, it has been processing data on cancer incidence. Electronic data processing was introduced in 1968.

The data sources for cancer registration are hospital discharge notifications called "Onco type forms" (form JZ-ONK), outpatient "Malignant neoplasm notification" (form JZ-NEO), and copies of the histological/cytological findings. Under the Statistical Research Program promulgated by the Parliament, health institutions and private health practitioners are required to submit these notifications to the Croatian National Cancer Registry. The form is completed on establishing a diagnosis. The data source on cancer mortality is the National Bureau of Statistics and Croatian Institute of Public Health mortality database, which is the only completely electronic data source. The electronic hospital discharge data file from the Statistics Department, Croatian Institute of Public Health has also been used as a supplementary data source.

Bulletin no. 39 contains the Registry data quality indicators. They are: percentage of histologically confirmed cases; percentage of cases recorded based on death certificates only (DCO); mortality-incidence ratio for males and females (Table B1), number of new cancer cases by sex and cancer sites for the 2010-2014 period (Table B2.0); number of cases, percentage and incidence rates (crude and age-standardised per standard European and World populations) and cumulative rates for the most common cancer sites in 2014 (Table B2.1); cancer incidence (absolute number and rate) in Croatia by sex, age, primary site, cancer stage at the time of diagnosis (Tables B3.0, B3.1, B4.1, B4.2), as well as the incidence of the most common cancer sites by county and sex (Tables B5.1, B5.2), and the incidence of the most common cancer sites (absolute number) by town of residence and sex (Table B5.3).

Shown in Table B6.1 are age-standardised incidence rates, standard errors and cumulative incidence rates (0-64 and 0-74 years) by individual sites and sex.

Whereas Fig. 1 illustrates the number of new cancer cases and cancer deaths from 1990-2014 in Croatia, Fig. 2 illustrates the trends of overall cancer incidence for Croatia by sex in the

1968. do 2014. godine. Slike 3 i 4 prikazuju najčešća sjela raka te raspodjelu novooboljelih od raka prema sjelima u 2014. za muškarce i za žene.

Kretanje incidencije najčešćih sjela raka za muškarce i žene od 1990. do 2014. godine te dobna raspodjela najčešćih sjela raka u 2014. prikazane su na slikama 5 i 6. Incidencija i mortalitet za 10 najčešćih sjela raka u Hrvatskoj u 2014. godini prikazani su posebno za muškarce (Slika 7.0) i za žene (Slika 7.1). Dobno-standardizirane stope incidencije prema spolu prikazane su i za županije (Slika 8.0 i 8.1).

Za šifriranje dijagnoza koristila se X. revizija Međunarodne klasifikacije bolesti, povreda i uzroka smrti (MKB). Stope incidencije računane su na popis stanovništva Hrvatske za 2011. godinu. Objavljeni podaci odnose se na stanje po završenoj obradi za 2014. godinu. S obzirom na kontinuirani rad na kvaliteti i obuhvatu podatka te korištenje za brojna istraživanja, baza Registra za rak podložna je manjim promjenama već obrađenih podataka.

Zahvaljujemo djelatnicima u zdravstvu i županijskim zavodima za javno zdravstvo koji u Registar šalju prijave za bolesnike od raka.

Od 1994. godine Registar za rak Hrvatske punopravni je član Međunarodne udruge registara za rak (IACR). Podaci Registra uključeni su u baze podataka o incidenciji, prevalenciji i mortalitetu od raka u Europi (ECO) i svijetu (GLOBOCAN).

U 2014. godini Međunarodna agencija za istraživanje raka (IARC) Svjetske zdravstvene organizacije i Međunarodna udruga registara za rak (IACR) iz Lyona objavili su X. volumen publikacije "Incidencija raka na pet kontinenata" (IARC Scientific Publications No. 164). Podaci se odnose na razdoblje od 2003.-2007. godine. To je četvrti za redom volumen te publikacije koji sadrži podatke za Hrvatsku.

Tijekom 2014. i 2015. godine objavljeni su rezultati velikih međunarodnih istraživanja o preživljenju od raka na europskoj (EUROCORE-5) i svjetskoj (CONCORD-2) razini. Po prvi put, podaci hrvatskog Registra za rak su uključeni u međunarodne, standardizirane usporedbe.

Novodijagnosticirani i umrli od raka u 2014. godini

Ukupan broj novodijagnosticiranih bolesnika s invazivnim rakom (šifre C00-C97 MKB, bez raka kože - š. C44) bio je 21 434 i to 11 389 muškaraca i 10 045 žena. Stopa incidencije je iznosila 500,2/100 000; 551,2/100 000 za muškarce i 452,8/100 000 za žene. Odnos M:Ž je 53:47.

U Hrvatskoj je 2014. godine od raka umrlo 13 939 osoba, 7 911 muškaraca i 6 028 žena. Stope mortaliteta bile su 325,3/100 000; odnosno 382,9/100 000 (M) i 271,7/100 000 (Ž). Odnos M:Ž je 57:43.

period 1968-2014. Figs. 3 and 4 show the most common cancer sites and new cancer case distribution by site in males and females for 2014.

Figs. 5 and 6 show the incidence trends for the most common cancer sites in males and females in 1990-2014 and the age distribution of the most common cancer sites in 2014. Cancer incidence and mortality for 10 most common cancer sites in 2014 are shown for males and females separately, Figs. 7.0 respectively 7.1. Age-standardised incidence rates by sex for counties are presented as well (Figs. 8.0, 8.1.).

In coding the diagnoses, we used the International Classification of Diseases, Injuries and Causes of Death, 10th Revision (ICD-10). The calculation of incidence rates was based on the Croatian population census for 2011.

The published data refer to the state of the Cancer registry database after processing of data for 2014. Due to continuous efforts on data quality and coverage improvement, as well as use of data for research purposes, the Cancer registry database is subject to minor changes of already processed data.

We extend our thanks to the staffs of the Health Service and of county public health institutes who submit notifications to our Registry.

The Croatian National Cancer Registry has been a full member of the International Association of Cancer Registries (IACR) since 1994. The Registry data have been included in the databases of cancer incidence, prevalence and mortality in Europe (European Cancer Observatory, ECO), and in the world (GLOBOCAN).

In 2014, WHO's International Agency for Research on Cancer (IARC) and the International Association of Cancer Registries (IACR) in Lyon published Volume X of the "Cancer Incidence in Five Continents" (IARC Scientific Publications, No. 164), for the 2003-2007 period. Cancer incidence data from Croatia was included, for the fourth time.

During 2014 and 2015 results of two major international studies on cancer survival were published. The EUROCORE-5 study evaluated survival in selected European population-based cancer registries, while the CONCORD-2 study investigated cancer survival worldwide. For the first time, data from Croatian National Cancer Registry was also included and standardised comparisons of cancer survival for Croatia are now available.

Newly diagnosed cancer cases and cancer deaths in 2014

There were 21,434 newly diagnosed cancer cases (ICD-10 codes C00-C97, excluding skin cancer, C44) 11,389 males and 10,045 females. The incidence rate was of 500.2/100,000; 551.2/100,000 for males and 452.8/100,000 for females. The male to female ratio was 53:47.

In 2014, there were 13,939 cancer deaths (7,911 males and 6,028 females). Total cancer mortality rate was 325.3/100,000 (382.9/100,000 for males and 271.7/100,000 for females). The male to female ratio is 57:43.

Najčešća sijela

Pet najčešćih sijela raka čine ukupno 58% novih slučajeva raka u muškaraca: traheja, bronh i pluća (19%), prostata (15%), kolon (10%), rektum, rektosigma i anus (7%) i mokraćni mjehur (7%). Pet najčešćih sijela raka u žena: dojka (26%), traheja, bronh i pluća (8%), kolon (8%), tijelo maternice (6%) i štitnjača (5%), čine 53% novih slučajeva raka u žena.

Kolon, rektum, rektosigma i anus zajedno u incidenciji sudjeluju s 17% u muškaraca i 12% u žena (Tablica B2.1, Slika 3).

Dob i spol

Najčešća sijela raka u muškaraca prema dobi bila su:

- 0-9 godina: limfatična leukemija i mozak
- 10-19 godina: testisi, mozak i Hodgkinova bolest
- 20-29 godina: testisi, Hodgkinova bolest i mozak
- 30-39 godina: testisi, melanom i štitnjača
- 40-49 godina: traheja, bronh i pluća, bubreg i kolon
- 50-59 godina: traheja, bronh i pluća, prostata i kolon
- 60-69 godina: traheja, bronh i pluća, prostata i kolon
- 70-79 godina: prostata, traheja, bronh i pluća i kolon
- 80 i više: prostata, kolon i traheja, bronh i pluća

Najčešća sijela raka u žena prema dobi bila su:

- 0-9 godina: limfatična leukemija i mozak
- 10-19 godina: štitnjača, Hodgkinova bolest i limfatična leukemija i mozak
- 20-29 godina: štitnjača, vrat maternice i dojka
- 30-39 godina: dojka, štitnjača i vrat maternice
- 40-49 godina: dojka, štitnjača i vrat maternice
- 50-59 godina: dojka, traheja, bronh i pluća i tijelo maternice
- 60-69 godina: dojka, traheja, bronh i pluća i tijelo maternice
- 70-79 godina: dojka, kolon i traheja, bronh i pluća
- 80 i više godina: dojka, kolon i želudac

Za ca in situ vrata maternice stope incidencije su najviše u dobi 30-34 godine. Odnos između ca in situ i invazivnog raka vrata maternice je u 2014. godini u Hrvatskoj bio 1:1.

Most common cancer sites

The five most common cancer sites making up 58% of new male cancer cases involved the trachea, bronchus and lungs (19%), prostate (15%), colon (10%), rectum, rectosigmoid and anus (7%) and urinary bladder (7%). In females, the five most common cancer sites, namely the breast (26%), trachea, bronchus and lungs (8%), colon (8%), uterine body (6%) and thyroid (5%), accounted for 53% of new cancer cases in females.

Combined, colon, rectum, rectosigmoid and anal cancers represented 17% in the male and 12% in the female cancer incidence (Table B2.1, Fig. 3).

Age and sex

The most common cancer sites for males by age were:

- 0-9 years: lymphatic leukaemias and brain
- 10-19 years: testis, brain and Hodgkin disease
- 20-29 years: testis, Hodgkin disease and brain
- 30-39 years: testis, melanoma and thyroid
- 40-49 years: trachea, bronchus and lungs, kidney and colon
- 50-59 years: trachea, bronchus and lung, prostate and colon
- 60-69 years: trachea, bronchus and lung, prostate and colon
- 70-79 years: prostate, trachea, bronchus and lung, and colon
- 80 and above: prostate, colon and trachea, bronchus and lung

The most common cancer sites for females by age were:

- 0-9 years: lymphatic leukaemias and brain
- 10-19 years: thyroid, Hodgkin disease, lymphatic leukaemias and brain
- 20-29 years: thyroid, uterine cervix and breast
- 30-39 years: breast, thyroid and uterine cervix
- 40-49 years: breast, thyroid and uterine cervix
- 50-59 years: breast, trachea, bronchus and lungs and corpus uteri
- 60-69 years: breast, trachea, bronchus and lungs and corpus uteri
- 70-79 years: breast, colon and trachea, bronchus and lungs
- 80 and above: breast, colon and ventriculus

The highest cervical Ca in situ incidence rates were at ages 30-34 years. Ca in situ - invasive cancer ratio was 1:1 in 2014 in Croatia.

Dobno-standardizirane stope

Za međunarodne usporedbe koriste se dobno-standardizirane stope, jer grube stope mogu biti odraz razlika u dobnoj strukturi stanovništva. U tablici B6.1 prikazane su grube i dobno-standardizirane stope prema primarnom sijelu i spolu. Za dobnu standardizaciju korišteno je standardno svjetsko i europsko stanovništvo, a prikazana je i standardna pogreška (SE), te standardizirane stope za dob 35-64 godine (eng. truncated rate) i kumulativne stope 0-64 i 0-74 godine.

Dobno standardizirane stope na Standardno europsko stanovništvo iznosile su u 2014. godini za Hrvatsku 365,8/100 000 za incidenciju i 216,2/100 000 za mortalitet.

Indikatori kojima se prate ostvarenja HFA strategije za Europu "Zdravlje za sve" prikazani su za 2014. u tablici ispod.

	Grube stope / 100 000	Stand. stope (EU) / 100 000
INCIDENCIJA RAKA		
• Ukupna	500,2	365,8
• Muški	551,2	444,5
• Žene	452,8	315,5
INCIDENCIJA RAKA VRATA MATERNICE	13,8	11,9
INCIDENCIJA RAKA DOJKE	119,2	89,4
INCIDENCIJA RAKA TRAHEJE, BRONHA I PLUĆA		
• Ukupno	68,0	48,6
• Muški	103,0	81,6
• Žene	35,5	23,2
MORTALITET OD RAKA		
• Ukupni	325,3	216,2
• Muški	382,9	304,8
• Žene	271,7	156,7
MORTALITET OD RAKA VRATA MATERNICE	5,9	4,4
MORTALITET OD RAKA DOJKE	48,3	28,7
MORTALITET OD RAKA TRAHEJE, BRONHA I PLUĆA		
• Ukupno	66,0	46,0
• Muški	100,4	78,6
• Žene	33,9	21,9

Kumulativna stopa incidencije (od 0 do 74 godina) bila je 30,1% za oba spola. Viša je za muškarce – 36,4% nego za žene – 25,4%. Kumulativna stopa mortaliteta bila je 15,7%; odnosno 21,7% za muškarce i 10,9% za žene.

Age-standardised rates

Since crude rates may reflect differences in a population's age pattern, for international comparisons age-standardised rates are used. Table B6.1 shows crude and age-standardised rates by cancer site and sex. Age-standardised rates were calculated per Standard World and European Populations. Truncated rates for ages 35-64 years and cumulative rates for ages 0-64 and 0-74 years are also shown.


In 2014, age-standardised rates using the standard European population were 365.8/100,000 for incidence and 216.2/100,000 for mortality.

The indicators used to monitor the achievements of the "Health for All" (HFA) strategy for Europe are shown for 2014 in the table below.


	Crude rates / 100,000	Stand. rates (EU) / 100,000
CANCER INCIDENCE		
• Total	500.2	365.8
• Male	551.2	444.5
• Female	452.8	315.5
CERVICAL CANCER INCIDENCE	13.8	11.9
BREAST CANCER INCIDENCE	119.2	89.4
TRACHEA, BRONCHUS AND LUNG CANCER INCIDENCE		
• Total	68.0	48.6
• Male	103.0	81.6
• Female	35.5	23.2
CANCER MORTALITY		
• Total	325.3	216.2
• Male	382.9	304.8
• Female	271.7	156.7
CERVICAL CANCER MORTALITY	5.9	4.4
BREAST CANCER MORTALITY	48.3	28.7
TRACHEA, BRONCHUS AND LUNG CANCER MORTALITY		
• Total	66.0	46.0
• Male	100.4	78.6
• Female	33.9	21.9

Cumulative incidence rate for 0-74 years was 30.1% for both sexes, being higher in males (36.4%), than females (25.4%). Cumulative mortality rate (0-74) was 15.7%, respectively 21.7% for males and 10.9% for females.

Slika 1. **STOPE INCIDENCIJE I MORTALITETA OD RAKA U HRVATSKOJ OD 1990. DO 2014. GODINE**
 Figure 1. **CANCER INCIDENCE AND MORTALITY RATES IN CROATIA 1990-2014**




Slika 2. **STOPE INCIDENCIJE RAKA U HRVATSKOJ PREMA SPOLU, 1968 – 2014.**
 Figure 2. **CANCER INCIDENCE RATES IN CROATIA BY SEX, 1968-2014**




Slika 3. **NAJČEŠĆA SIJELA RAKA U HRVATSKOJ PREMA SPOLU U 2014. GODINI**
 Figure 3. **MOST COMMON CANCER SITES IN CROATIA BY SEX IN 2014**

MUŠKI - Males all ages (n = 11389)




ŽENE - Females all ages (n = 10045)





Slika 4. RASPODJELA NOVOOBOLJELIH OD RAKA PREMA SIJELIMA U 2014. GODINI

Figure 4. DISTRIBUTION OF NEW CANCER CASES IN 2014 BY SITE





Slika 5. **INCIDENCIJA NAJČEŠĆIH SIJELA RAKA U HRVATSKOJ PREMA SPOLU, 1990 – 2014., DOBNO-STANDARDIZIRANE STOPE (STANDARDNO EUROPSKO STANOVNIŠTVO)**

Figure 5. **MOST COMMON CANCER SITES INCIDENCE BY SEX, CROATIA, 1990-2014, AGE-STANDARDISED RATES (EUROPEAN STANDARD POPULATION)**





Slika 6. **INCIDENCIJA NAJČEŠĆIH SIJELA RAKA 2014. GODINE U HRVATSKOJ PREMA DOBI I SPOLU**
 Figure 6. **MOST COMMON CANCER SITES INCIDENCE RATES BY AGE AND SEX, CROATIA, 2014**




Slika 7. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ 2014. GODINE PREMA SPOLU

Figure 7. MOST COMMON CANCER SITES BY SEX, CROATIA, 2014



Slika 8.0 **INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2014. GODINI - MUŠKI***

Figure 8.0 **CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2014, MALES***




* STANDARDIZIRANO NA HRVATSKO STANOVNIŠTVO PREMA POPISU STANOVNIŠTVA 2011.

* STANDARDISED PER CROATIAN POPULATION CENSUS FOR 2011

Slika 8.1 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2014. GODINI - ŽENE*

Figure 8.1 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2014, FEMALES*



* STANDARDIZIRANO NA HRVATSKO STANOVNIŠTVO PREMA POPISU STANOVNIŠTVA 2011.

* STANDARDISED PER CROATIAN POPULATION CENSUS FOR 2011

Tablica B1.

POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2014.**DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2014**

MUŠKI – Males	% HV	% DCO	M / I
LABIUM ORIS	93	3	0.10
OESOPHAGUS	67	8	1.01
VENTRICULUS	70	8	0.92
INTESTINUM CRASSUM EXCL. RECTUM	77	7	0.71
RECTUM, RECTOSIGMA ET ANUS	81	5	0.58
VESICA FELLEA ET VIAE BILIARES EXTERNAE	46	12	0.79
PANCREAS	40	14	1.06
LARYNX	87	4	0.62
TRACHEA, BRONCHUS ET PULMO (PRIM.)	56	11	0.97
MELANOMA MALIGNUM CUTIS	97	3	0.39
PROSTATA	81	7	0.44
TESTIS	86	1	0.07
VESICA URINARIA	83	4	0.42
REN ET ORGANA URIN. ALTERA ET NON SPEC. (URETER, URETHRA. URACHUS ET GL. PARAURETH)	77	4	0.55
CEREBRUM	65	7	0.87
GLANDULA THYREOIDEA	90	3	0.10
SVI LIMFOMI - ALL LYMPHOMAS	94	4	0.47
MYELOMA MULTIPLEX ET MALIGNOMATA ALTERA IMUNO-PROLIFERATIVA	93	3	0.81
SVE LEUKEMIJE - ALL LEUKEMIAS	89	9	0.94
SVA SIJELA - ALL CANCERS	72	8	0.68

% HV = UDIO HISTOLOŠKI POTVRĐENIH SLUČAJEVA (PROPORTION OF NEW CASES HISTOLOGICALLY VERIFIED)

% DCO = UDIO REGISTRIRANIH SAMO IZ PODATAKA O SMRTI (PROPORTION NOTIFIED BY DEATH CERTIFICATE ONLY)

M / I = OMJER MORTALITETA I INCIDENCIJE (MORTALITY – INCIDENCE RATIO)

Tablica B1.

POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2013.
DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2013

ŽENE - Females	% HV	% DCO	M / I
LABIUM ORIS	94	0	0.18
OESOPHAGUS	75	7	0.86
VENTRICULUS	72	12	0.94
INTESTINUM CRASSUM EXCL. RECTUM	77	8	0.71
RECTUM, RECTOSIGMA ET ANUS	77	6	0.66
VESICA FELLEA ET VIAE BILIARES EXTERNAE	48	15	0.91
PANCREAS	36	16	1.01
LARYNX	77	9	0.45
TRACHEA, BRONCHUS ET PULMO (PRIM.)	53	11	0.96
MELANOMA MALIGNUM CUTIS	93	7	0.30
MAMMA FEMININA	75	6	0.41
CERVIX UTERI	81	2	0.42
CORPUS	83	5	0.40
OVARIUM, TUBA FALLOPI ET ADNEXA	61	8	0.77
VESICA URINARIA	79	6	0.51
REN ET ORGANA URIN. ALTERA ET NON SPEC. (URETER, URETHRA, URACHUS ET GL. PARAURETH)	64	14	0.53
CEREBRUM	41	13	0.96
GLANDULA THYREOIDEA	93	0	0.07
SVI LIMFOMI - ALL LIMPHOMAS	96	2	0.42
MYELOMA MULTIPLEX ET MALIGNOMATA ALTERA IMUNO-PROLIFERATIVA	95	4	0.73
SVE LEUKEMIJE - ALL LEUKEMIAS	89	8	0.80
SVA SIJELA - ALL CANCERS	71	8	0.59

% HV = UDIO HISTOLOŠKI POTVRĐENIH SLUČAJEVA (PROPORTION OF NEW CASES HISTOLOGICALLY VERIFIED)

% DCO = UDIO REGISTRIRANIH SAMO IZ PODATAKA O SMRTI (PROPORTION NOTIFIED BY DEATH CERTIFICATE ONLY)

M / I = OMJER MORTALITETA I INCIDENCIJE (MORTALITY – INCIDENCE RATIO)

Tablica B2.0

BROJ NOVIH SLUČAJEVA RAKA U HRVATSKOJ 2010 - 2014. GODINE, PREMA SPOLU I PRIMARNOM SIJELU**NUMBER OF NEW CANCER CASES IN CROATIA, BY SEX AND PRIMARY SITE, 2010 – 2014**

MUŠKI - Males					
SIJELO - SITE	2010	2011	2012	2013	2014
LABIUM ORIS	52	45	52	43	40
LINGUA	110	103	90	98	81
GLANDULAE SALIVALES	23	28	28	32	20
GINGIVA	13	16	13	10	12
BASIS ORIS	41	30	43	24	37
PARTES ALTERAE ORIS	21	26	22	25	12
OROPHARYNX	97	79	107	94	92
EPIPHARYNX	17	27	25	16	20
HYPOPHARYNX	104	87	92	101	109
PHARYNX NON SPEC.	7	12	2	2	10
OESOPHAGUS	145	196	145	153	168
VENTRICULUS	539	605	538	531	503
INTESTINUM TENUE INC. DUODENUM	21	33	19	26	23
INTESTINUM CRASSUM EXCL. RECTUM	1028	950	978	1105	1101
RECTUM, RECTOSIGMA ET ANUS	780	705	685	730	783
HEPAR (PRIM. ET NON SPEC.)	291	318	338	328	283
VESICA FELLEA	106	125	115	105	113
PANCREAS	346	332	356	360	308
TRACTUS DIGESTIVUS NON SPEC.	27	15	15	15	21
NASUS, CAVUM NASI, AURIS MEDIA ET SINUS PARANAS.	28	29	31	16	23
LARYNX	317	295	295	288	291
TRACHEA, BRONCHUS ET PULMO (PRIM.)	2031	2175	2088	2050	2128
MESOTHELIOMA	62	51	51	74	71
THYMUS, COR ET MEDIASTINUM	3	4	2	4	2
ORGANA RESPIRATORIA NON SPEC.	2	1	1	2	3
THELAE OSSIUM	21	17	18	26	22
THELAE CONNECTIVAE	52	55	63	44	56
MELANOMA MALIGNUM CUTIS	296	294	279	281	305
MAMMA MASCULINA	21	30	26	29	24
PROSTATA	1786	1704	1772	1718	1708
TESTIS	180	180	184	180	194
PENIS ET ORGANA GENITALIA NON SPEC.	28	37	39	25	34
VESICA URINARIA	746	814	794	795	757
REN ET ORGANA URIN. ALTERA	440	453	513	488	525
OCULUS	21	11	12	21	20
CEREBRUM	213	250	227	217	255
MENINGES	14	6	6	7	3
GLANDULA THYREOIDEA	94	98	107	142	115
GLANDULAE ENDOCRINES ALTERAE	6	5	4	4	5
REGIONES ALTERAE ET NON SATIS SPEC.	47	42	31	45	45
MALIGNOMATA SINE REGIONE SPEC.	76	101	111	107	135
MORBUS HODGKIN	47	51	52	43	60
MALIGNOMATA ALTERA SYSTEMATIS LYMPHATICI	223	263	277	287	300
MYELOMA MULTIPLEX	114	115	102	127	125
LEUKAEMIA LYMPHATICA	158	141	148	165	124
LEUKAEMIA MYELOICA	118	104	102	122	84
LEUKAEMIA MONOCITARIA	5	4	14	6	5
LEUKAEMIA ALTERA SPEC.	-	1	4	7	2
LEUKAEMIA NON SPEC.	7	12	10	18	12
SVA SIJELA - ALL SITES	11229	11382	11290	11386	11389

Tablica B2.0

BROJ NOVIH SLUČAJEVA RAKA U HRVATSKOJ 2010 - 2014. GODINE, PREMA SPOLU I PRIMARNOM SIJELU**NUMBER OF NEW CANCER CASES IN CROATIA, BY SEX AND PRIMARY SITE, 2010 – 2014**

ŽENE - Females					
SIJELO - SITE	2010	2011	2012	2013	2014
LABIUM ORIS	25	25	25	20	17
LINGUA	30	18	20	19	17
GLANDULAE SALIVALES	19	21	18	24	15
GINGIVA	11	16	16	6	16
BASIS ORIS	6	4	5	6	7
PARTES ALTERAE ORIS	9	7	8	8	8
OROPHARYNX	10	14	13	21	16
EPIPHARYNX	10	1	4	7	10
HYPOPHARYNX	9	9	11	11	14
PHARYNX NON SPEC.	-	1	-	1	1
OESOPHAGUS	49	39	31	40	28
VENTRICULUS	355	389	348	400	325
INTESTINUM TENUE INC. DUODENUM	25	21	23	26	28
INTESTINUM CRASSUM EXCL. RECTUM	770	715	783	781	779
RECTUM, RECTOSIGMA ET ANUS	471	454	475	474	464
HEPAR (PRIM. ET NON SPEC.)	158	167	169	164	165
VESICA FELLEA	198	177	146	162	164
PANCREAS	308	328	327	353	350
TRACTUS DIGESTIVUS NON SPEC.	26	33	18	21	23
NASUS, CAVUM NASI, AURIS MEDIA ET SINUS PARANAS.	8	16	13	6	9
LARYNX	29	26	27	18	22
TRACHEA, BRONCHUS ET PULMO (PRIM.)	660	772	691	730	787
MESOTHELIOMA	16	10	10	11	8
THYMUS, COR ET MEDIASTINUM	4	6	1	4	6
ORGANA RESPIRATORIA NON SPEC.	1	1	2	1	0
THELAE OSSIUM	14	12	13	18	17
THELAE CONNECTIVAE	49	50	45	52	44
MELANOMA MALIGNUM CUTIS	259	268	258	249	282
MAMMA FEMININA	2500	2401	2450	2562	2644
MALIGNOMA UTERI NON SPEC.	20	29	20	30	32
CERVIX UTERI	320	324	315	339	307
CHORIONEPITHELIOMA	1	1	1	-	-
CORPUS UTERI	651	636	651	595	635
OVARIUM, TUBA FALLOPII ET ADNEXA	491	453	449	454	402
ORGANA GENIT. FEM. ALTERA	8	8	3	9	9
VESICA URINARIA	238	257	266	233	248
REN ET ORGANA URIN. ALTERA	230	307	265	263	286
OCULUS	29	18	9	9	8
CEREBRUM	232	235	201	202	210
MENINGES	18	8	15	14	5
GLANDULA THYREOIDEA	404	392	409	429	491
GLANDULAE ENDOCRINES ALTERAE	3	7	4	3	2
REGIONES ALTERAE ET NON SATIS SPEC.	47	68	77	76	60
MALIGNOMATA SINE REGIONE SPEC.	58	88	92	104	120
MORBUS HODGKIN	47	54	48	58	51
MALIGNOMATA ALTERA SYSTEMATIS LYMPHATICI	240	228	259	266	311
MYELOMA MULTIPLEX	105	94	115	131	119
LEUKAEMIA LYMPHATICA	111	96	100	118	108
LEUKAEMIA MYELOICA	104	80	106	107	88
LEUKAEMIA MONOCITARIA	3	4	4	5	2
LEUKAEMIA ALTERA SPEC.	2	4	1	1	1
LEUKAEMIA NON SPEC.	7	7	9	6	10
SVA SIJELA - ALL SITES	9725	9700	9671	9947	10045

Tablica B2.1

NOVI SLUČAJEVI RAKA U HRVATSKOJ 2014. GODINE**NAJČEŠĆA SIJELA - BROJ, POSTOTAK, STOPE INCIDENCIJE, KUMULATIVNE STOPE****NEW CANCER CASES IN CROATIA IN 2014****MOST COMMON SITES: NUMBER OF CASES, PERCENTAGE, INCIDENCE RATES AND CUMULATIVE RATES**

MUŠKI - Primarno sjelo	BROJ NOVIH SLUČAJEVA	POSTOTAK %	STOPA INCIDENCIJE	STANDARDIZIRANE STOPE (SVJETSKO PUČANSTVO)*	KUMULATIVNE STOPE (0 - 74 godine)
<i>MALES - Primary site</i>	<i>NUMBER OF NEW CASES</i>	<i>PERCENT %</i>	<i>CRUDE INCIDENCE RATE</i>	<i>STANDARDISED INCIDENCE RATE (WORLD)*</i>	<i>CUMULATIVE RATE (0 - 74 years)</i>
SVA SIJELA - ALL SITES	11389	100	551.2	309.76	34.2
TRACHEA, BRONCHUS ET PULMO (PRIM.)	2128	19	103.0	56.0	7.1
PROSTATA	1708	15	82.7	42.6	5.5
INTESTINUM CRASSUM EXCL. RECTUM	1101	10	53.3	27.9	3.4
RECTUM, RECTOSIGMA ET ANUS	783	7	37.9	20.3	2.6
VESICA URINARIA	757	7	36.6	19.1	2.1
REN ET ORGANA URIN. ALTERA	525	5	25.4	15.5	1.8
VENTRICULUS	503	4	24.3	12.5	1.4
PANCREAS	308	3	14.9	8.1	1.0
MELANOMA	305	3	14.8	8.8	1.0
LARYNX	291	3	14.1	8.1	1.1
OSTALO - Other	2980	26			

ŽENE - Primarno sjelo	BROJ NOVIH SLUČAJEVA	POSTOTAK %	STOPA INCIDENCIJE	STANDARDIZIRANE STOPE (SVJETSKO PUČANSTVO)*	KUMULATIVNE STOPE (0 - 74 godine)
<i>FEMALES - Primary site</i>	<i>NUMBER OF NEW CASES</i>	<i>PERCENT %</i>	<i>CRUDE INCIDENCE RATE</i>	<i>STANDARDISED INCIDENCE RATE (WORLD)*</i>	<i>CUMULATIVE RATE (0 - 74 years)</i>
SVA SIJELA - ALL SITES	10045	100	452.8	231.3	25.4
MAMMA FEMININA	2644	26	119.2	66.0	7.5
TRACHEA, BRONCHUS ET PULMO (PRIM.)	787	8	35.5	16.1	2.0
INTESTINUM CRASSUM EXCL. RECTUM	779	8	35.1	14.2	1.6
CORPUS UTERI	635	6	28.6	14.8	1.8
GLANDULA THYREOIDEA	491	5	22.1	17.0	1.6
RECTUM, RECTOSIGMA ET ANUS	464	5	21.0	8.8	1.1
OVARIUM, TUBA FALLOPII ET ADNEXA	402	4	18.1	9.7	1.1
PANCREAS	350	3	15.8	6.0	0.7
VENTRICULUS	325	3	14.6	5.7	0.6
CERVIX UTERI	307	3	13.8	9.2	1.0
OSTALO - Other	2862	28			

- STOPE NA 100.000 (CRUDE AND STANDARDISED INCIDENCE ARE RATES PER 100.000 PERSONS)

- SAMO INVAZIVNI RAK (ONLY INVASIVE CANCERS ARE INCLUDED IN THE ABOVE TABULATIONS)

- * DIREKTNIA METODA (DIRECT METHOD)

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2014.**NEW CANCER CASES IN CROATIA IN 2014 BY SEX, AGE AND PRIMARY SITE**

SIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																						
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Nep. Unkn.				
C00 LABIUM ORIS	M Ž UK	40 17 57	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	1 0 1	1 0 1	4 1 6	5 1 8	7 1 8	7 3 17	12 5 17	3 6 9	1 1 2	0 0 0				
C01 BASIS LINGVAE	M Ž UK	35 3 38	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	2 0 5	5 0 7	6 1 7	7 0 7	7 1 5	4 1 5	5 0 6	1 0 1	0 0 0	0 0 0				
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M Ž UK	46 14 60	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	3 2 5	17 0 17	8 4 12	8 2 10	5 4 9	5 1 2	1 1 3	2 1 1	0 0 0				
C03 GINGIVA	M Ž UK	12 16 28	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 1 2	1 1 4	3 1 4	1 3 1	1 8 9	3 2 5	2 0 2	0 0 0	0 0 0				
C04 BASIS ORIS	M Ž UK	37 7 44	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	4 0 4	12 2 13	6 2 8	10 0 10	2 0 2	1 0 1	1 1 2	0 1 1	0 2 2	0 0 0				
C05 PALATUM	M Ž UK	22 1 23	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	0 0 0	0 0 0	0 4 6	4 0 6	6 1 5	4 0 3	3 0 1	1 0 1	1 0 1	0 0 0	0 0 0				
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M Ž UK	12 8 20	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	3 1 4	1 0 1	0 1 1	3 2 5	3 2 3	1 0 3	0 0 1	0 1 1	0 2 2	0 0 0				
C07 GLANDULA PAROTIS	M Ž UK	16 13 29	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 1 1	0 0 0	1 0 2	0 1 2	1 0 2	2 1 3	3 1 4	3 1 3	1 1 2	2 3 5	1 0 1	0 3 1	2 3 5				
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M Ž UK	4 2 6	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 1 0	3 1 4	0 0 0	0 0 0				
C09 TONSILLA	M Ž UK	48 10 58	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 1 1	2 0 2	5 1 6	4 0 4	13 1 14	12 1 13	2 2 4	5 0 5	3 2 5	2 0 2	0 1 1	0 0 0				
C10 OROPHARYNX	M Ž UK	44 6 50	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	5 2 6	6 1 8	13 2 15	10 0 10	6 0 6	3 0 3	0 0 0	0 1 1	0 0 0				
C11 EPIPHARYNX	M Ž UK	20 10 30	0 0 0	0 0 0	0 0 0	0 0 0	1 1 2	0 0 0	0 0 0	1 0 1	2 1 3	3 2 5	4 1 5	3 1 4	3 1 4	1 1 2	1 1 2	1 0 2	0 1 0	0 0 0	0 0 0				
C12 SINUS PIRIFORMIS	M Ž UK	17 3 20	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 1	4 0 4	4 0 4	4 0 5	4 1 1	0 1 2	1 0 1	1 0 1	0 0 1	0 0 0				
C13 HIPOPHARYNX	M Ž UK	92 11 103	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 0 1	1 0 0	1 0 1	2 0 2	13 0 15	19 4 23	26 0 26	8 1 9	13 3 16	6 1 7	2 0 2	0 0 0	0 0 0				
C14 PHARYNX NON SPEC.	M Ž UK	10 1 11	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	1 0 1	1 0 1	0 0 0	1 0 1	0 0 3	2 1 3	3 0 1	1 0 1	0 0 0	0 0 0	0 0 0				
C15 OESOPHAGUS	M Ž UK	168 28 196	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 2 1	7 1 9	13 4 14	31 4 35	33 3 37	26 4 29	22 3 26	17 4 21	13 3 16	5 2 7	0 0 0				
C16 VENTRICULUS	M Ž UK	503 325 828	0 0 0	0 0 0	0 0 0	0 1 1	4 4 6	3 1 4	8 1 9	5 1 9	13 3 22	30 9 43	52 26 78	99 28 132	147 30 178	176 44 222	211 55 266	184 63 242	124 47 177	57 30 77	0 0 0				
C17 INTESTINUM TENUE INC. DUODENUM	M Ž UK	23 28 51	0 0 0	0 0 0	0 0 0	0 0 0	0 2 2	0 0 0	0 0 1	1 0 1	1 1 2	0 1 1	2 3 2	1 3 4	5 3 8	2 3 5	5 3 6	3 8 11	3 3 6	0 3 3	0 0 0				
C18 INTESTINUM CRASSUM EXCL. RECTUM	M Ž UK	1101 779 1880	0 0 0	0 0 0	0 0 0	0 0 0	1 2 3	4 1 5	4 6 10	21 13 34	21 16 37	52 46 98	99 61 160	147 76 223	176 92 268	211 121 332	184 121 326	124 87 242	57 84 141	0 0 0	0 0 0				
C19 COLON RECTOSIGMOIDEUM	M Ž UK	149 81 230	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 3	1 2 3	3 3 6	5 3 8	9 4 13	22 15 37	20 8 28	36 19 55	28 13 41	20 6 26	3 8 11	0 0 0				
C20 RECTUM	M Ž UK	619 363 982	0 0 0	0 0 0	0 0 0	0 0 0	0 0 2	1 1 2	1 5 10	5 13 20	4 13 20	18 20 31	40 28 60	72 49 100	112 58 161	98 43 141	106 69 164	88 52 157	53 23 105	21 23 44	0 0 0				
C21 ANUS ET CANALIS ANALIS	M Ž UK	15 20 35	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	1 3 7	4 3 5	2 3 6	3 0 1	1 2 3	4 3 6	0 3 1	0 3 3	0 3 3	0 0 0				
C19+C20+C21 (154 ICD IX)	M Ž UK	783 464 1247	0 0 0	0 0 0	0 0 0	0 0 0	0 0 2	1 0 2	2 1 3	6 5 11	5 3 8	22 16 38	49 26 75	83 35 118	137 67 204	119 51 170	146 79 225	116 85 201	73 61 134	24 34 58	0 0 0				
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M Ž UK	283 165 448	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 1 1	0 1 3	1 2 3	3 2 3	1 2 3	13 7 20	39 9 48	44 10 55	40 19 59	57 33 88	54 33 87	23 30 53	8 19 27	0 0 0				
C23 VESICA FELLEA	M Ž UK	53 98 151	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 2 3	1 2 6	3 11 13	2 4 7	3 11 17	10 4 21	6 11 16	14 5 35	5 22 27	9 14 23	0 0 0				
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M Ž UK	60 66 126	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 1 1	2 2 4	3 5 11	7 4 15	5 10 17	13 12 23	8 6 20	6 17 23	3 8 11	0 0 0	0 0 0				
C25 PANCREAS	M Ž UK	308 350 658	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 1 1	0 1 1	1 1 1	2 5 14	9 16 34	18 27 60	33 51 82	50 37 101	64 60 100	40 37 100	57 64 106	23 58 106	33 43 91	16 0 59	0 0 0			

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2014.
NEW CANCER CASES IN CROATIA IN 2014 BY SEX, AGE AND PRIMARY SITE

SIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																			Nep. Unkn.
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C26 TRACTUS DIGESTIVUS NON SPEC.	M Ž UK	21 23 44	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	1 1 2	1 1 2	4 4 8	3 2 5	1 2 3	6 7 7	1 1 8	2 3 3	1 4 5	0 0 0	
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M Ž UK	11 6 17	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 1	0 0 0	1 0 0	1 0 1	1 1 2	1 0 1	2 2 4	0 1 1	2 2 3	1 0 0	3 0 3	0 0 0	
C31 SINUS PARANASALES	M Ž UK	12 3 15	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	3 0 3	2 0 2	1 2 3	0 0 0	3 0 3	0 0 0	1 0 2	0 0 0	0 0 0	
C32 LARYNX	M Ž UK	291 22 313	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	2 1 3	4 1 5	8 1 8	34 2 36	47 5 52	61 7 68	50 1 51	42 1 42	24 1 25	15 4 16	4 2 6	0 0 0	
C33 TRACHEA	M Ž UK	6 0 6	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0	0 0 1	0 0 0	0 0 0	1 0 1	2 0 2	0 0 0	1 0 1	0 0 0	
C34 BRONCHUS ET PULMO (PRIM.)	M Ž UK	2122 787 2909	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	2 1 3	6 4 10	10 13 23	51 13 64	161 46 207	297 110 407	434 137 571	333 105 438	315 117 432	290 124 414	170 72 242	52 45 97	0 0 0	
C33+C34 (162 ICD IX)	M Ž UK	2128 787 2915	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	2 1 3	7 4 11	10 13 23	51 13 64	162 46 208	297 110 407	434 137 571	333 105 438	316 117 433	292 124 416	170 72 242	53 45 98	0 0 0	
C37 THYMUS	M Ž UK	1 5 6	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 1 1	0 1 1	0 0 0	0 0 0	1 1 2	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
C38 COR, MEDIASTINUM ET PLEURA	M Ž UK	1 1 2	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	1 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M Ž UK	3 0 3	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	
C40 THELAE OSSIIUM MEMBRUM	M Ž UK	17 21 38	0 1 0	0 4 1	1 3 4	2 1 3	2 1 3	0 0 0	0 1 1	1 0 1	1 0 1	0 1 1	0 5 5	2 1 2	1 1 2	1 1 2	2 1 3	2 2 4	1 3 4	1 0 1	0 0 0	
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M Ž UK	22 17 39	0 0 0	0 1 1	2 0 2	2 1 3	1 0 1	0 0 0	1 0 1	1 1 2	0 1 1	2 1 3	1 0 4	2 2 4	0 0 0	4 1 5	1 2 2	3 1 5	1 2 3	1 2 5	0 4 0	
C43 MELANOMA MALIGNUM CUTIS	M Ž UK	305 282 587	0 0 0	0 0 0	1 0 1	1 2 3	0 2 1	0 2 2	12 6 18	11 13 24	15 18 33	20 19 39	24 17 41	32 31 63	47 26 73	35 34 69	42 22 64	44 46 90	15 25 40	6 20 26	0 0 0	
C45 MESOTHELIOMA	M Ž UK	71 8 79	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	1 0 1	1 1 2	2 2 4	14 2 16	9 1 10	12 1 13	14 0 14	14 1 15	3 0 3	0 0 0	
C46 SARCOMA KAPOSII	M Ž UK	7 1 8	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	1 0 2	2 0 2	0 0 2	2 0 2	0 0 0	0 0 0	
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M Ž UK	5 7 12	1 2 3	0 1 1	1 0 1	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	1 0 1	0 1 1	0 1 1	1 1 1	1 0 1	0 0 1	0 0 0	
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M Ž UK	56 44 100	1 5 6	3 1 4	0 0 0	0 2 2	0 1 0	0 1 1	3 1 6	1 3 1	3 0 4	5 1 6	3 5 8	6 1 7	8 7 15	8 4 12	6 1 7	2 1 9	4 7 6	3 2 6	0 0 0	
C50 MAMMA	M Ž UK	24 2644 2668	0 0 0	0 0 0	0 0 0	0 0 0	0 3 3	0 15 15	0 40 40	0 98 98	0 141 141	0 208 209	1 277 279	5 313 318	4 367 371	4 339 343	1 278 279	5 253 258	2 166 168	0 146 146	0 0 0	
C51 VULVA	Ž	78	0	0	0	0	0	0	1	1	0	1	2	3	13	6	15	16	14	6	0	
C52 VAGINA	Ž	25	0	0	0	0	0	0	0	1	1	2	2	2	1	2	4	6	1	3	0	
C53 CERVIX UTERI	Ž	307	0	0	0	0	0	4	18	20	30	41	45	42	29	26	20	14	13	5	0	
C54 CORPUS UTERI	Ž	635	0	0	0	0	1	2	0	7	14	36	50	101	115	106	70	73	45	15	0	
C55 UTERUS NON SPEC.	Ž	32	0	0	0	0	0	0	0	0	0	1	1	2	1	3	6	7	3	8	0	
C56 OVARIUM	Ž	379	1	0	0	1	3	0	6	18	13	28	31	45	48	46	44	40	39	16	0	
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž	32	0	0	0	0	0	0	0	0	0	0	3	7	6	3	5	2	4	2	0	
C56+C57.0-C57.4 (183 ICD IX)	Ž	402	1	0	0	1	3	0	6	18	13	28	34	49	53	48	47	41	43	17	0	
C60 PENIS	M	29	0	0	0	0	0	0	0	1	2	0	0	3	7	3	7	3	2	1	0	
C61 PROSTATATA	M	1708	0	0	0	0	0	0	1	0	1	7	44	159	255	321	351	278	193	98	0	

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2014.**NEW CANCER CASES IN CROATIA IN 2014 BY SEX, AGE AND PRIMARY SITE**

SIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																			Nep. Unkn.
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C62 TESTIS	M	194	0	0	3	7	23	36	42	38	23	11	7	1	2	0	1	0	0	0	0	
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	5	0	0	0	0	0	0	0	0	1	0	0	0	0	2	1	0	1	0	0	
C64 REN EXCL. PELVIS RENALIS	M Ž UK	479 252 731	8 8 16	1 0 1	0 0 0	2 0 2	0 0 0	2 0 2	8 3 11	4 3 7	18 2 20	36 6 42	43 18 61	70 22 92	70 32 102	68 36 104	59 31 90	46 35 81	29 28 57	15 3 43	0 0 0	
C65 PELVIS RENALIS	M Ž UK	18 15 33	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 2 2	4 2 6	2 2 4	2 2 4	6 3 10	3 0 6	1 0 1	0 0 0	
C66 URETER	M Ž UK	20 16 36	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	4 2 6	3 0 3	1 0 1	6 5 11	2 4 6	3 1 4	1 2 3	0 0 0	
C67 VESICA URINARIA	M Ž UK	757 248 1005	0 0 0	0 0 0	0 0 0	0 0 0	2 1 1	2 1 3	2 2 4	3 5 8	6 2 8	17 6 23	36 5 41	68 20 88	105 32 137	112 29 141	116 39 155	136 39 175	93 41 134	61 26 87	0 0 0	
C68 ORGANA URINARIA ALT. ET NON SPEC.	M Ž UK	8 3 11	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 0 0	1 0 4	2 1 2	1 0 2	1 1 2	0 0 0	
C69 OCULUS ET ADNEXA	M Ž UK	20 8 28	0 1 1	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	2 1 3	1 0 1	1 1 2	3 0 3	2 0 4	1 0 1	1 1 2	5 1 6	3 1 4	0 0 0	0 0 0	
C70 MENINGES	M Ž UK	3 5 8	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	0 1 1	0 2 2	0 0 0	0 1 0	1 0 1	1 0 2	0 0 0	
C71 CEREBRUM	M Ž UK	255 210 465	7 7 14	4 3 7	3 4 7	5 4 5	3 2 9	4 5 20	12 5 7	5 8 13	7 6 18	11 7 22	28 14 42	29 23 52	37 21 58	23 10 33	24 29 53	30 35 65	16 17 33	7 17 24	0 0 0	
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M Ž UK	5 7 12	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 1 0	0 0 1	0 1 0	0 0 1	0 1 1	0 1 4	3 1 2	1 0 0	0 0 0	0 0 0	
C73 GLANDULA THYREOIDEA	M Ž UK	115 491 606	0 0 0	1 1 2	0 5 15	1 14 15	2 12 14	20 17 19	2 38 58	8 44 52	12 49 61	12 46 62	12 55 68	14 56 74	14 60 87	8 39 47	9 28 37	5 16 21	1 6 7	1 5 6	0 0 0	
C74 GLANDULA SUPRARENALIS	M Ž UK	5 16 21	0 4 4	0 0 0	0 0 0	1 0 1	0 0 0	1 0 2	0 1 0	0 1 2	1 1 3	1 2 0	1 0 1	0 1 1	0 1 3	0 1 3	0 1 1	0 1 0	0 0 0	0 0 0	0 0 0	
C75 GLANDULAE ENDOCRINES ALTERAE	M Ž UK	5 2 7	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 0 0	0 0 0	1 0 0	2 0 0	0 0 0	0 1 0	0 0 0	0 0 0	1 0 0	0 0 0	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M Ž UK	45 60 105	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 1	0 0 1	0 0 1	0 1 4	2 2 7	4 3 8	6 2 6	2 4 11	5 6 14	8 6 17	6 9 16	1 10 18	0 17 0	0 0 0	
C77 MALIGNOMATA SEC. ET NON SPEC. LYMPHONODORUM	M Ž UK	33 20 53	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 1 1	0 0 1	0 1 0	0 0 0	3 1 4	9 4 9	3 4 7	2 0 6	4 2 8	7 1 5	3 5 8	2 2 4	0 3 3	0 0 0	
C78 MALIGNOMATA SEC. TRACTUS RESPIRATORII ET DIGESTIVI	M Ž UK	76 64 140	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	2 0 2	0 1 1	0 0 0	0 1 0	0 1 2	1 2 3	2 4 13	9 5 7	10 12 15	12 11 23	15 11 26	9 11 20	10 17 27	0 0 0	
C79 MALIGNOMATA SEC. REGIONUM ALTERARUM SPEC.	M Ž UK	28 27 55	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	0 2 2	5 2 7	1 5 6	8 2 10	3 1 4	4 3 7	3 10 13	2 2 4	0 0 0	
C80 MALIGNOMATA SINE REGIONE SPEC.	M Ž UK	135 120 255	0 0 0	0 0 0	1 0 1	0 0 0	1 0 1	2 0 4	0 0 1	2 1 4	5 2 6	12 17 13	17 16 23	21 10 31	19 12 31	15 14 31	14 35 49	16 16 32	10 18 28	0 0 0	0 0 0	
C81 MORBUS HODGKIN	M Ž UK	60 51 111	0 0 0	0 0 0	1 2 3	4 3 7	13 6 19	3 5 8	3 3 6	6 4 10	7 4 11	2 2 4	3 6 9	7 4 11	2 2 4	2 2 6	3 2 5	1 1 2	3 3 6	0 0 0	0 0 0	
C82 LYMPHOMA NON-HODGKIN FOLLICULLARE (NODULARE)	M Ž UK	41 53 94	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	2 0 2	0 1 1	5 1 2	4 4 9	4 9 8	4 9 13	10 9 19	3 7 8	1 4 13	9 7 8	1 3 8	0 3 3	0 0 0	
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M Ž UK	157 151 308	0 0 0	3 1 4	3 0 3	2 1 3	1 2 3	2 1 3	11 3 14	3 4 7	6 8 14	5 9 13	7 6 27	19 8 44	23 21 39	20 19 43	21 22 45	19 26 45	10 10 20	2 0 12	0 0 0	
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M Ž UK	13 10 23	0 0 0	0 0 0	0 0 0	0 1 1	0 1 1	0 1 1	1 1 1	1 2 2	1 0 1	1 1 2	1 0 1	1 0 1	2 0 2	2 0 6	2 0 2	3 0 3	0 0 0	0 0 0	0 0 0	
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M Ž UK	89 90 179	0 0 0	0 1 1	0 0 0	0 1 1	0 0 1	1 0 0	1 1 2	2 3 5	4 4 8	9 6 15	17 10 27	13 16 29	10 4 18	9 17 24	8 17 25	6 14 18	5 6 11	0 0 0	0 0 0	
C82-C85+C96 (202 ICD IX)	M Ž UK	307 311 618	0 1 1	4 3 7	3 0 3	2 2 5	2 3 5	2 2 5	16 4 20	7 8 15	12 14 26	15 16 34	21 16 37	43 27 70	48 47 95	35 32 67	33 38 71	38 49 87	18 26 44	7 20 27	0 0 0	
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M Ž UK	15 7 22	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 2	0 1 0	1 2 3	0 0 0	0 1 4	3 1 4	3 2 5	3 0 3	0 0 0	
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M Ž UK	125 119 244	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	3 0 3	3 2 5	1 1 2	3 5 8	7 9 16	15 11 26	18 12 30	20 18 38	23 18 41	12 18 30	16 18 34	3 7 10	0 0 0	
C91 LEUKAEMIA LYMPHATICA	M Ž UK	124 108 232	8 7 15	9 2 11	2 2 4	0 0 2	0 0 1	1 0 1	0 1 5	4 3 9	0 3 4	1 3 4	7 5 11	12 4 20	13 5 27	10 7 10	17 5 20	12 20 32	19 19 38	9 13 22	0 0 0	

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU – RH 2014.
NEW CANCER CASES IN CROATIA IN 2014 BY SEX, AGE AND PRIMARY SITE

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																			Nep. Unkn.
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C92 LEUKAEMIA MYELOICA	M Ž UK	84 88 172	1 2 3	0 1 1	0 2 2	0 2 2	0 1 1	0 2 6	4 1 4	0 4 2	2 3 8	3 1 4	5 5 10	9 2 11	9 6 15	9 12 13	14 13 25	14 19 33	9 14 23	2 7 9	0 0 0	
C93 LEUKAEMIA MONOCITARIA	M Ž UK	5 7 7	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 1	0 1 1	1 1 1	1 0 2	2 1 1	0 0 1	0 0 2	0 0 0	
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA,LEUKAEMIA MEGAKARYOCYTICA)	M Ž UK	2 1 3	0 1 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	
C95 LEUKAEMIA NON SPEC.	M Ž UK	12 10 22	1 0 1	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	0 0 1	1 0 1	0 0 0	1 0 2	0 0 2	0 3 3	3 0 3	1 4 5	2 2 4	0 0 0	
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M Ž UK	7 7 14	0 1 1	1 1 2	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 1	0 0 0	0 1 1	0 0 0	2 0 2	0 1 1	0 1 1	0 0 0	1 0 1	1 1 2	0 1 1	0 0 0	
SVE LOKALIZACIJE ALL SITES C00 - C97	M Ž UK	11389 10045 21434	27 38 65	22 14 36	18 19 37	29 32 61	52 40 92	70 70 140	148 140 288	134 140 391	184 257 538	322 354 841	715 519 1467	1316 1260 2377	1777 1663 3037	1683 1227 2846	1776 1351 3003	1609 1046 2960	1012 728 2058	469 728 1197	0 0 0	
CA IN SITU D00 - D09	M Ž UK	54 415 469	0 0 0	0 0 0	0 0 0	1 1 2	0 18 18	0 43 43	0 61 62	1 61 61	2 65 67	1 45 46	3 24 27	11 27 38	9 23 32	6 10 26	10 13 23	7 5 12	2 5 7	1 4 5	0 0 0	
D06 CERVIX UTERI - CA IN SITU	Ž	310	0	0	0	1	18	43	59	57	57	33	17	13	5	3	3	0	0	1	0	
D32 NEOPLASMA BENIGNUM MENINGUM	M Ž UK	29 62 91	0 0 0	0 0 0	0 0 0	0 0 0	0 2 2	0 1 1	0 2 4	1 3 2	0 2 6	1 5 6	2 3 5	4 9 13	3 4 7	8 11 15	5 7 16	1 2 2	2 10 12	2 2 4	0 0 0	
D33 NEOPLASMA BENIGNUM CEREBRI	M Ž UK	6 8 14	0 0 0	0 0 0	1 0 1	0 1 1	0 1 1	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	0 1 1	0 1 1	2 1 3	0 2 2	0 1 1	1 0 1	0 1 1	0 0 0	0 0 0	
D42 NEOPLASMA MENINGUM NON CLASS.	M Ž UK	2 4 6	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 1 1	0 2 3	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	
D43 NEOPLASMA CEREBRI NON CLASS.	M Ž UK	10 17 27	0 0 0	1 0 1	0 0 0	0 4 4	1 1 2	0 1 1	3 2 5	0 2 2	1 1 2	0 1 2	0 0 0	0 0 0	0 1 1	1 2 3	1 1 3	0 1 2	0 0 2	1 0 1	0 0 0	
D45 POLYCYTHAEMIA RUBRA VERA	M Ž UK	7 6 13	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	3 0 3	1 1 2	0 1 1	1 2 3	1 1 2	1 1 2	0 0 0	0 0 0	
D46.9 SYNDROMA MYELODISPLASTICUM NON SPEC.	M Ž UK	32 18 50	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 1 2	2 0 2	0 2 3	2 1 5	2 3 5	4 1 9	6 3 10	6 4 9	7 2 3	2 1 1	0 0 0	
D47.1 SYNDROMA MYELOPROLIFERATIVUM CHR.	M Ž UK	9 11 20	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 1 1	1 0 1	1 0 1	0 0 0	2 1 3	0 0 0	2 2 4	1 6 7	2 0 2	0 0 0	

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).
 NOTE : EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

**STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU
- RH 2014.**

SIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		
			0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+	
C00 LABIUM ORIS	M Ž UK	1.9 0.8 1.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.3	0.7 0.0 0.3	2.5 0.0 1.2	3.3 0.6 1.9	0.8 0.0 0.4	7.8 0.9 4.0	5.6 2.4 3.8	18.1 4.6 9.7	8.3 8.3 8.3	6.5 2.2 3.3	
C01 BASIS LINGVAE	M Ž UK	1.7 0.1 0.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.3	1.3 0.0 0.7	3.2 0.0 1.6	3.9 0.6 2.2	1.9 0.0 2.6	5.5 0.9 2.5	5.6 0.0 2.4	7.5 0.9 3.4	0.0 0.0 0.0	0.0 0.0 0.0	
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M Ž UK	2.2 0.6 1.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.3	0.7 1.9 1.2	1.9 11.1 0.0	6.3 9.0 2.8	2.5 5.6 1.8	9.0 5.6 3.2	5.6 1.5 0.9	1.5 5.6 1.4	6.5 0.0 1.4	0.0 0.0 0.0	
C03 GINGIVA	M Ž UK	0.6 0.7 0.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.6 0.0	0.0 0.6 0.6	0.6 0.6 1.3	2.0 0.6 1.5	0.8 2.1 0.5	1.1 0.0 0.5	1.1 6.5 4.2	4.5 1.8 2.8	5.6 0.0 1.9	0.0 0.0 0.0	
C04 BASIS ORIS	M Ž UK	1.8 0.3 1.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	0.0 0.0 0.0	2.6 0.6 1.3	7.6 3.9 4.1	3.9 0.6 2.6	3.7 1.0 3.7	7.8 0.0 2.6	2.2 0.0 1.0	1.1 0.0 0.5	1.5 0.9 1.1	0.0 1.4 0.9	0.0 4.4 3.3
C05 PALATUM	M Ž UK	1.1 0.0 0.5	0.0 0.0 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.4 0.0 0.7	0.0 0.0 0.0	0.0 0.0 1.2	2.5 3.9 1.9	3.9 0.0 1.8	3.1 0.7 1.5	3.4 0.0 0.5	1.1 0.0 0.6	1.5 0.0 0.6	2.8 0.0 0.9	0.0 0.0 0.0	
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M Ž UK	0.6 0.4 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.6 1.3	2.0 0.6 0.3	0.6 0.6 0.3	0.0 1.4 1.8	2.3 1.5 1.5	1.1 1.8 1.5	3.4 0.0 1.4	0.0 0.0 0.0	0.0 1.4 0.9	6.5 2.2 3.3	
C07 GLANDULA PAROTIS	M Ž UK	0.8 0.6 0.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.4	0.0 0.0 0.0	0.0 0.7 0.3	0.0 0.0 0.0	0.0 0.7 0.7	0.7 0.0 0.0	0.6 0.6 0.6	1.3 0.0 1.0	2.3 0.0 1.1	3.4 0.9 2.0	1.1 0.8 0.9	3.0 2.8 2.8	2.8 0.0 0.9	0.0 6.6 8.3	12.9 0.0 8.3	
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M Ž UK	0.2 0.1 0.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.5	0.0 0.0 0.0	0.0 1.4 3.7	8.3 0.0 0.0	0.0 1.4 0.0	
C09 TONSILLA	M Ž UK	2.3 0.5 1.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 0.7	1.4 3.3 2.0	3.3 2.5 1.2	8.5 8.5 4.5	9.4 0.6 4.8	2.2 0.7 2.0	5.6 1.8 2.4	4.5 0.0 2.8	5.6 1.8 1.9	0.0 2.2 1.7	0.0 0.0 0.0	
C10 OROPHARYNX	M Ž UK	2.1 0.3 1.2																			

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2014.**CANCER INCIDENCE RATES IN CROATIA IN 2014 PER 100.000 POPULATION BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C25 PANCREAS	M	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.4	5.9	11.4	21.5	39.1	71.6	45.0	63.2	91.7	103.4	
	Ž	15.8	0.0	0.0	0.0	0.0	0.8	0.7	0.7	0.0	3.5	3.2	9.8	17.1	22.1	32.8	48.6	58.7	80.4	95.3	
	UK	15.4	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.4	2.4	4.6	10.6	19.2	30.1	50.0	47.1	60.4	84.2	97.4	
C26 TRACTUS DIGESTIVUS NON SPEC.	M	1.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.7	0.6	2.6	2.3	1.1	6.7	1.5	5.6	6.5	
	Ž	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	2.5	1.4	1.8	0.8	6.4	1.4	8.9	
	UK	1.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.6	2.6	1.8	1.5	3.3	4.6	2.8	8.3	
C30 NASUS.CAVUM NASI ET AURIS MEDIA	M	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.6	0.7	0.8	2.2	0.0	1.5	0.0	19.4	
	Ž	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.8	0.8	1.8	0.0	0.0	
	UK	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.3	0.6	0.4	2.0	0.5	1.7	0.0	5.0	
C31 SINUS PARANASALES	M	0.6	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.7	0.0	0.0	1.9	1.3	0.8	0.0	3.4	0.0	2.8	0.0	
	Ž	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.4	0.0	
	UK	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.9	0.6	1.1	0.0	1.4	0.0	1.9	0.0	
C32 LARYNX	M	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.8	5.2	21.5	30.6	47.7	56.0	47.2	36.1	41.7	25.8	
	Ž	1.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.7	0.0	1.2	3.2	4.8	0.9	0.0	0.9	1.4	4.4	
	UK	7.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.1	1.7	2.6	11.2	16.7	24.9	25.2	19.8	14.2	14.8	9.9	
C33 TRACHEA	M	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	0.0	0.0	0.0	1.1	3.0	0.0	6.5	
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	UK	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.0	0.0	0.0	0.5	1.1	0.0	1.7	
C34 BRONCHUS ET PULMO (PRIM.)	M	102.7	0.0	0.0	0.0	0.0	0.0	0.7	1.3	4.2	7.0	33.5	101.9	193.2	339.5	372.6	354.3	436.4	472.2	336.0	
	Ž	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.8	9.1	8.4	28.3	69.6	94.6	93.2	94.7	113.7	99.9	99.7	
	UK	67.9	0.0	0.0	0.0	0.0	0.0	0.3	1.0	3.5	8.0	20.8	64.6	130.5	209.4	216.8	203.4	235.9	223.9	160.1	
C33+C34 (162 ICD IX)	M	103.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	4.9	7.0	33.5	102.5	193.2	339.5	372.6	355.4	439.4	472.2	342.4	
	Ž	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.8	9.1	8.4	28.3	69.6	94.6	93.2	94.7	113.7	99.9	99.7	
	UK	68.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	3.9	8.0	20.8	64.9	130.5	209.4	216.8	203.9	237.0	223.9	161.7	
C37 THYMUS	M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	
	Ž	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.6	0.0	0.0	0.7	0.9	0.0	0.0	0.0	0.0	
	UK	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.0	0.0	0.7	0.5	0.0	0.0	0.0	0.0	
C38 COR, MEDIASTINUM ET PLEURA	M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	
	UK	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.1	0.0	0.0	2.8	0.0	
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	UK	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.9	0.0	
C40 THELAE OSSIIUM MEMBRUM	M	0.8	0.0	0.0	0.8	1.6	1.5	0.0	0.0	0.7	0.7	0.0	0.0	1.3	0.8	1.1	2.2	3.0	2.8	6.5	
	Ž	0.9	0.0	1.0	2.6	0.8	0.8	0.0	0.7	0.0	0.0	0.6	3.1	0.0	0.7	0.9	0.8	1.8	4.2	0.0	
	UK	0.9	0.0	0.5	1.7	1.2	1.1	0.0	0.3	0.4	0.3	0.3	1.6	0.6	0.7	1.0	1.4	2.3	3.7	1.7	
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M	1.1	0.0	0.0	1.7	1.6	0.7	0.0	0.7	0.7	0.0	1.3	0.6	1.3	0.0	4.5	1.1	4.5	2.8	6.5	
	Ž	0.8	0.0	1.0	0.0	0.8	0.0	0.0	0.0	0.7	0.7	0.6	0.0	1.3	0.0	0.9	0.8	1.8	2.8	8.9	
	UK	0.9	0.0	0.5	0.8	1.2	0.4	0.0	0.3	0.7	0.3	1.0	0.3	1.3	0.0	2.5	0.9	2.8	2.8	8.3	
C43 MELANOMA MALIGNUM CUTIS	M	14.8	0.0	0.0	0.8	0.8	0.0	0.0	8.0	7.6	10.4	13.1	15.2	20.8	36.8	39.2	47.2	66.2	41.7	38.8	
	Ž	12.7	0.0	0.0	0.0	1.7	0.8	1.4	4.1	9.2	12.6	12.2	10.5	19.6	17.9	30.2	17.8	42.2	34.7	44.3	
	UK	13.7	0.0	0.0	0.4	1.2	0.4	0.7	6.1	8.4	11.5	12.7	12.8	20.2	26.8	34.2	30.1	51.3	37.0	42.9	
C45 MESOTHELIOMA	M	3.4	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.7	0.6	1.3	11.0	10.1	13.5	21.1	38.9	19.4	
	Ž	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	1.4	0.9	0.8	0.0	1.4	0.0	
	UK	1.8	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.6	1.3	5.9	5.0	6.1	8.0	13.9	5.0	
C46 SARCOMA KAPOSI	M	0.3	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.0	0.0	0.0	0.8	2.2	0.0	3.0	0.0	0.0	
	Ž	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	UK	0.2	0.0	0.0	0.4	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.4	1.0	0.0	1.1	0.0	0.0	
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M	0.2	0.9	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.5	2.8	0.0	
	Ž	0.3	1.9	1.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.8	0.0	0.0	0.0	
	UK	0.3	1.4	0.5	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.5	0.5	0.6	0.9	0.0	
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M	2.7	0.9	2.9	0.0	0.0	0.0	0.0	2.0	0.7	2.1	3.3	1.9	3.9	6.3	9.0	6.7	3.0	11.1	19.4	
	Ž	2.0	4.8	1.0	0.0	1.7	0.0	0.7	2.1	0.0	0.7	0.6	3.1	0.6	4.8	3.6	0.8	6.4	2.8	6.6	
	UK	2.3	2.8	2.0	0.0	0.8	0.0	0.3	2.0	0.4	1.4	2.0	2.5	2.2	5.5	5.9	3.3	5.1	5.6	9.9	
C50 MAMMA	M	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	3.3	3.1	4.5	1.1	7.5	5.6	0.0	0.0	
	Ž	119.2	0.0	0.0	0.0	0.0	2.3	10.6	27.7	69.6	98.4	134.1	170.4	198.0	253.3	301.0	225.1	232.0	230.2	323.6	
	UK	62.3	0.0	0.0	0.0	0.0	1.1	5.2	13.6	34.4	49.1	68.0	87.1	102.0	136.0	169.8	131.4	147.0	155.4	240.9	
C51 VULVA	Ž	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.6	1.2	1.9	9.0	5.3	12.1	14.7	19.4	13.33	

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2014.**CANCER INCIDENCE RATES IN CROATIA IN 2014 PER 100.000 POPULATION BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C60 PENIS	M	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.4	0.0	0.0	2.0	5.5	3.4	7.9	4.5	5.6	6.5	
C61 PROSTATA	M	82.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	4.6	27.9	103.4	199.5	359.2	394.8	418.3	536.1	633.2	
C62 TESTIS	M	9.4	0.0	0.0	2.5	5.6	17.2	24.4	28.0	26.4	16.0	7.2	4.4	0.7	1.6	0.0	1.1	0.0	0.0	0.0	
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	2.2	1.1	0.0	2.8	0.0	
C64 REN EXCL. PELVIS RENALIS	M Ž UK	23.2 11.4 17.1	7.3 7.7 7.5	1.0 0.0 0.5	0.0 0.0 0.0	1.6 0.0 0.8	0.0 0.0 0.0	1.4 0.0 0.7	5.3 2.1 3.7	2.8 2.1 2.5	12.5 1.4 7.0	23.6 3.9 13.7	27.2 11.1 19.0	45.5 13.9 29.5	54.8 22.1 37.4	76.1 32.0 51.5	66.4 25.1 42.4	69.2 32.1 46.1	80.6 38.8 52.7	96.9 62.1 71.0	
C65 PELVIS RENALIS	M Ž UK	0.9 0.7 0.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 1.3 0.6	3.1 1.4 2.2	2.2 1.8 1.9	2.2 1.6 1.9	9.0 3.7 5.7	8.3 4.2 5.6	6.5 0.0 1.7	
C66 URETER	M Ž UK	1.0 0.7 0.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.3	0.0 0.6 0.0	0.0 1.3 0.0	2.6 0.0 1.9	2.3 0.0 1.1	1.1 0.0 0.5	6.7 4.0 5.2	3.0 3.7 3.4	8.3 1.4 3.7	6.5 4.4 5.0	
C67 VESICA URINARIA	M Ž UK	36.6 11.2 23.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.4	1.4 0.7 1.0	1.3 1.4 1.4	2.1 3.6 2.8	2.8 1.4 2.8	12.5 3.6 7.5	23.6 1.4 12.8	27.2 3.1 28.2	44.2 12.7 50.2	82.1 22.1 69.8	125.3 25.7 73.0	130.5 31.6 99.7	204.6 35.8 124.0	258.3 56.9 143.6	394.1 57.6 143.6	
C68 ORGANA URINARIA ALT. ET NON SPEC.	M Ž UK	0.4 0.1 0.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.3	0.7 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	3.4 0.8 1.9	3.0 0.0 1.1	2.8 1.4 1.9	6.5 2.2 3.3	
C69 OCULUS ET ADNEXA	M Ž UK	1.0 0.4 0.7	0.0 1.0 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.4 0.7 1.0	0.7 0.0 0.3	0.6 0.6 0.6	2.0 0.0 1.0	1.6 1.4 1.5	1.1 0.0 0.5	1.1 0.8 0.9	7.5 0.9 3.4	8.3 1.4 3.7	0.0 0.0 0.0	
C70 MENINGES	M Ž UK	0.1 0.2 0.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.3	0.0 0.7 0.4	0.0 1.8 1.0	0.0 0.0 0.0	0.0 0.9 0.6	2.8 0.0 0.9	6.5 2.2 3.3	
C71 CEREBRUM	M Ž UK	12.3 9.5 10.9	6.4 6.8 6.6	3.8 3.0 3.4	2.5 3.5 3.0	4.0 0.0 2.0	2.2 1.6 1.9	2.7 3.5 3.1	8.0 5.5 6.8	3.5 1.4 2.5	4.9 4.2 4.5	7.2 4.5 5.9	17.7 8.6 13.1	18.9 14.6 16.7	28.9 14.5 21.3	25.7 8.9 16.3	27.0 23.5 25.0	45.1 32.1 37.0	44.4 23.6 30.5	45.2 37.7 39.6	
C72 MEDULLA SPINALIS. NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENR.	M Ž UK	0.2 0.3 0.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.4	0.0 0.0 0.0	0.0 0.6 0.0	0.0 0.6 0.3	0.0 0.6 0.3	0.0 0.6 0.0	0.0 0.0 0.0	0.0 0.0 0.5	1.1 0.8 0.5	0.0 0.9 2.3	4.5 1.4 1.9	2.8 0.0 0.0	
C73 GLANDULA THYREOIDEA	M Ž UK	5.6 22.1 14.1	0.0 0.0 0.0	1.0 1.0 1.0	0.0 4.4 2.1	0.8 11.7 6.1	1.5 9.4 5.4	1.4 12.0 6.6	13.3 26.3 19.7	5.6 31.3 18.3	8.4 34.2 21.3	7.9 29.7 18.9	4.4 33.8 19.3	7.8 35.4 21.8	11.0 41.4 27.1	9.0 34.6 23.3	10.1 22.7 17.4	7.5 14.7 12.0	2.8 8.3 6.5	6.5 11.1 9.9	
C74 GLANDULA SUPRARENALIS	M Ž UK	0.2 0.7 0.5	0.0 3.9 1.9	0.0 0.0 0.0	0.0 0.0 0.4	0.8 0.0 0.0	0.0 0.7 0.7	0.0 0.7 0.0	0.0 0.7 0.4	0.0 0.7 0.7	0.7 1.3 1.0	0.7 0.6 0.3	0.6 0.6 0.3	0.0 0.6 0.4	0.0 0.7 1.5	0.0 2.7 0.5	0.0 0.8 0.6	0.0 0.9 0.0	0.0 0.0 0.0	0.0 0.0 0.0	
C75 GLANDULAE ENDOCRINES ALTERAE	M Ž UK	0.2 0.1 0.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.3	0.0 0.0 0.0	0.0 0.0 0.3	0.7 0.0 0.0	1.6 0.0 0.7	0.0 0.0 0.0	0.0 0.8 0.9	1.1 0.0 0.0	0.0 0.0 0.0	6.5 0.0 1.7	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M Ž UK	2.2 2.7 2.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	0.7 0.0 0.3	0.7 0.0 0.3	0.0 0.0 0.0	0.0 0.7 0.0	0.0 0.7 0.3	1.3 1.8 2.2	2.5 1.3 2.6	3.9 1.3 2.8	1.6 2.8 2.2	5.6 5.3 5.4	9.0 4.9 6.6	12.0 8.3 9.7	16.7 13.9 14.8	6.5 37.7 29.7	
C77 MALIGNOMATA SEC. ET NON SPEC. LYMPHONODORUM	M Ž UK	1.6 0.9 1.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.3	0.0 0.7 0.0	0.0 0.7 0.4	0.0 0.0 0.0	0.0 0.6 0.0	2.0 0.6 1.3	5.7 2.5 2.8	2.0 0.0 0.7	1.6 1.8 3.0	4.5 0.8 3.8	7.9 4.6 4.6	4.5 2.8 3.7	5.6 2.8 3.0	0.0 6.6 5.0	
C78 MALIGNOMATA SEC. TRACTUS RESPIRATORII ET DIGESTIVI	M Ž UK	3.7 2.9 3.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	1.4 0.0 0.7	0.0 0.7 0.3	0.0 0.0 0.0	0.0 0.7 0.0	0.0 0.6 0.7	1.3 0.6 0.9	5.9 2.5 4.2	3.9 1.4 2.6	3.9 11.2 7.4	11.2 4.4 10.8	13.5 8.9 14.8	22.6 10.1 18.5	25.0 15.3 18.5	64.6 37.7 44.6	
C79 MALIGNOMATA SEC. REGIONUM ALTERARUM SPEC.	M Ž UK	1.4 1.2 1.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.7	1.3 0.0 0.6	0.0 1.2 0.2	3.3 1.3 2.2	0.8 3.5 2.2	9.0 1.8 5.0	3.4 0.8 1.9	6.0 2.8 4.0	8.3 13.9 12.0	12.9 4.4 6.6	
C80 MALIGNOMATA SINE REGIONE SPEC.	M Ž UK	6.5 5.4 6.0	0.0 0.0 0.0	0.8 0.0 0.4	0.0 0.0 0.0	0.7 0.0 0.4	0.0 0.0 0.0	1.3 0.0 0.4	0.0 1.4 0.4	0.0 0.7 1.4	1.4 0.6 2.0	3.3 0.6 4.1	7.6 3.8 7.4	11.1 6.9 11.4	16.4 3.8 15.3	21.3 10.7 14.6	16.9 13.0 14.6	21.1 32.1 27.9	44.4 22.2 29.6	64.6 39.9 46.2	
C81 MORBUS HODGKIN	M Ž UK	2.9 2.3 2.6	0.0 0.0 0.0	0.8 0.0 1.3	3.2 1.7 2.9	9.7 2.5 7.3	2.0 4.7 2.8	2.0 3.5 2.0	4.2 2.1 3.5	4.9 2.8 3.8	1.3 1.3 1.3	1.9 3.7 2.8	4.6 2.5 3.5	1.6 1.4 1.5	2.2 3.6 3.0	3.4 1.6 2.4	1.5 0.9 1.1	8.3 4.2 5.6	0.0 0.0 0.0		
C82 LYMPHOMA NON-HODGKIN FOLLICULLARE (NODULARE)	M Ž UK	2.0 2.4 2.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.3	1.3 0.0 0.7	0.0 0.7 0.4	0.7 0.7 0.7	0.3 2.6 2.9	2.5 5.7 2.5	2.6 6.2 4.2	7.8 3.6 7.0	3.4 3.6 3.5	1.1 1.6 3.8	13.5 7.7 7.4	28.6 23.8 14.8	27.8 13.9 18.5	0.0 5.0 5.0	
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M Ž UK	7.6 6.8 7.2	0.0 1.0 0.0	2.9 0.0 2.0	2.5 0.8 1.3	1.6 0.8 1.2	0.7 1.6 1.1	1.4 2.1 1.0	7.3 2.8 4.8	2.1 2.5 2.5	4.2 5.8 4.9	3.3 5.8 4.6	4.4 3.7 4.1	12.4 5.1 8.7	18.0 14.5 16.1	22.4 16.9 19.3	23.6 17.8 20.2	28.6 23.8 25.6	27.8 13.9 18.5	12.9 22.2 19.8	
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M Ž UK	0.6 0.5 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.4	0.0 0.7 0.3	0.0 0.0 0.0	0.7 0.0 0.4	0.7 0.0 0.7	0.7 0.6 0.7	0.7 0.6 0.3	0.6 0.0 0.7	0.6 0.0 0.7	1.6 3.6 3.0	2.2 0.0 0.9	2.2 1.8 1.7	1.5 0.0 0.0	0.0 0.0 0.0		
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M Ž UK	4.3 4.1 4.2	0.0 0.0 0.0	0.0 1.0 0.5	0.0 0.0 0.4	0.7 0.8 0.4	0.0 0.0 0.4	0.7 0.0 0.7	1.4 2.1 1.8	2.8 2.6 2.8	0.0 3.7 2.6	2.6 3.7 4.7	5.7 6.3 8.7	11.1 11.0 10.6	10.2 6.6 3.9	11.2 7.3 8.5	10.1 15.6 14.2	12.0 15.1 14.2	16.7 11.1 13.0	32.3 13.3 18.2	
C82-C85+C96 (202 ICD IX)	M Ž UK	14.9 14.0 14.4	0.0 1.0 0.5	3.8 3.0 3.4	2.5 0.0 1.3	1.6 1.7 1.6	1.5 2.3 1.9	2.0 1.4 1.7	10.7 2.8 6.8	4.9 5.7 5.3	8.4 9.8 9.1	9.8 12.2 11.1	13.3 9.8 11.5	28.0 17.1 22.4	37.5 32.4 34.8	39.2 28.4 33.2	37.1 30.8 33.4	57.2 44.9 49.6	50.0 36.1 40.7	45.2 44.3 44.6	

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2014.**CANCER INCIDENCE RATES IN CROATIA IN 2014 PER 100.000 POPULATION BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																	
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.0	0.8	0.0	3.4	4.5	8.3	19.4
	Ž	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.4	0.0	0.8	0.9	2.8	0.0
	UK	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.0	1.1	0.0	1.9	2.3	4.6	5.0
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M	6.0	0.0	0.0	0.0	0.0	0.7	0.0	2.0	2.1	0.7	2.0	4.4	9.8	14.1	22.4	25.9	18.1	44.4	19.4
	Ž	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.7	3.2	5.5	7.0	8.3	16.0	14.6	16.5	25.0	15.5
	UK	5.7	0.0	0.0	0.0	0.0	0.4	0.0	1.0	1.8	0.7	2.6	5.0	8.3	11.0	18.8	19.3	17.1	31.5	16.5
C91 LEUKAEMIA LYMPHATICA	M	6.0	7.3	8.6	1.7	0.0	0.0	0.7	0.0	2.8	0.0	0.7	4.4	7.8	10.2	11.2	19.1	18.1	52.8	58.2
	Ž	4.9	6.8	2.0	1.7	1.7	0.0	0.0	0.7	3.6	2.1	1.9	2.5	3.2	4.8	8.9	4.0	18.3	26.4	28.8
	UK	5.4	7.1	5.4	1.7	0.8	0.0	0.3	0.3	3.2	1.0	1.3	3.4	5.5	7.3	9.9	10.4	18.2	35.2	36.3
C92 LEUKAEMIA MYELOICA	M	4.1	0.9	0.0	0.0	0.0	0.0	2.7	0.0	1.4	3.5	2.0	3.2	5.9	7.0	10.1	13.5	21.1	25.0	12.9
	Ž	4.0	1.9	1.0	1.7	1.7	0.8	1.4	2.8	0.0	2.1	0.6	3.1	1.3	4.1	3.6	10.5	17.4	19.4	15.5
	UK	4.0	1.4	0.5	0.8	0.8	0.4	2.1	1.4	0.7	2.8	1.3	3.1	3.5	5.5	6.4	11.8	18.8	21.3	14.9
C93 LEUKAEMIA MONOCITARIA	M	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.1	0.0	3.0	2.8	0.0
	Ž	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0
	UK	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.5	0.5	1.1	0.9	0.0
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA. LEUKAEM. MEGAKARYOCYTICA)	M	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0
	UK	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.5	0.0	0.0	0.0
C95 LEUKAEMIA NON SPEC.	M	0.6	0.9	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.4	0.0	0.6	0.0	0.8	0.0	0.0	4.5	2.8	12.9
	Ž	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	2.4	0.0	5.5	4.4
	UK	0.5	0.5	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.7	0.0	0.3	0.0	0.7	0.0	1.4	1.7	4.6	6.6
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI	M	0.3	0.0	1.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.0	1.3	0.0	0.0	0.0	1.5	2.8	0.0
	Ž	0.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.9	0.0	0.0	1.4	2.2	0.0
	UK	0.3	0.5	1.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.3	0.0	0.6	0.4	0.5	0.0	0.6	1.9	1.7
SVE LOKALIZACIJE ALL SITES C00 - C97	M	551.2	24.7	21.0	14.9	23.2	39.0	47.5	93.3	93.1	128.1	211.2	452.6	855.9	1389.9	1883.3	1997.5	2421.2	2905.6	3030.3
	Ž	452.8	36.7	14.1	16.6	26.8	31.2	49.4	102.3	182.6	247.0	334.6	462.7	671.2	869.6	1032.5	993.6	1238.7	1403.5	1613.4
	UK	500.2	30.6	17.6	15.7	25.0	35.2	48.4	97.8	137.3	187.5	273.4	457.7	762.3	1113.5	1408.9	1413.8	1686.4	1903.7	1975.2
CA IN SITU D00 - D09	M	2.6	0.0	0.0	0.0	0.8	0.0	0.0	0.7	0.0	1.4	0.7	1.9	7.2	7.0	6.7	11.2	10.5	5.6	6.5
	Ž	18.7	0.0	0.0	0.0	0.8	14.0	30.4	42.2	43.3	45.3	29.0	14.8	17.1	15.9	17.8	10.5	4.6	6.9	8.9
	UK	10.9	0.0	0.0	0.0	0.8	6.9	14.9	21.0	21.4	23.4	15.0	8.4	12.2	11.7	12.9	10.8	6.8	6.5	8.3
D06 CERVIX UTERI - CA IN SITU	Ž	14.0	0.0	0.0	0.0	0.8	14.0	30.4	40.8	40.5	39.8	21.3	10.5	8.2	3.5	2.7	2.4	0.0	0.0	2.2
D32 NEOPLASMA BENIGNUM MENINGUM	M	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	1.3	2.6	2.3	9.0	5.6	1.5	5.6	12.9
	Ž	2.8	0.0	0.0	0.0	0.0	1.6	0.7	1.4	2.1	1.4	3.2	1.8	5.7	2.8	6.2	8.9	0.9	13.9	4.4
	UK	2.1	0.0	0.0	0.0	0.0	0.8	0.3	0.7	1.4	0.7	2.0	1.6	4.2	2.6	7.4	7.5	1.1	11.1	6.6
D33 NEOPLASMA BENIGNUM CEREBRI	M	0.3	0.0	0.0	0.8	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.1	1.5	0.0	0.0
	Ž	0.4	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.0	0.0	0.6	0.6	0.7	1.8	0.0	0.0	1.4	0.0	0.0
	UK	0.3	0.0	0.0	0.4	0.4	0.4	0.0	0.3	0.0	0.0	0.0	0.3	0.3	1.1	1.0	0.5	0.6	0.9	0.0
D42 NEOPLASMA MENINGUM NON CLASS.	M	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.0	0.0	0.0	0.0	0.0
	Ž	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0
	UK	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.0	0.4	0.0	0.0	0.0	0.0	0.0
D43 NEOPLASMA CEREBRI NON CLASS.	M	0.5	0.0	1.0	0.0	0.0	0.7	0.0	2.0	0.0	0.7	0.0	0.0	0.0	0.0	1.1	1.1	1.5	0.0	6.5
	Ž	0.8	0.0	0.0	0.0	3.4	0.8	0.7	1.4	1.4	0.7	0.6	0.0	0.0	0.7	1.8	0.8	0.9	0.0	0.0
	UK	0.6	0.0	0.5	0.0	1.6	0.8	0.3	1.7	0.7	0.7	0.3	0.0	0.0	0.4	1.5	0.9	1.1	0.0	1.7
D45 POLYCYTHAEMIA RUBRA VERA	M	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.8	0.0	1.1	1.5	2.8	0.0
	Ž	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.9	1.6	0.9	1.4	0.0
	UK	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.5	1.4	1.1	1.9	0.0
D46.9 SYNDROMA MYELODISPLASTICUM NON SPEC.	M	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	0.0	1.3	1.6	4.5	6.7	9.0	19.4	12.9
	Ž	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.2	0.6	2.1	0.9	2.4	3.7	2.8	2.2
	UK	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.0	1.8	2.5	4.2	5.7	8.3	5.0	5.0
D47.1 SYNDROMA MYELOPROLIFERATIVUM CHR.	M	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.0	2.2	0.0	3.0	2.8	12.9	0.0
	Ž	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.0	0.0	0.9	0.0	1.8	8.3	0.0	3.3
	UK	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.0	1.5	0.0	2.3	6.5	3.3

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

NOTE: EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2014. (BEZ GINEKOLOŠKOG RAKA I HEMOBLASTOZA)**NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2014 (EXCEPT GYNECOLOGICAL CANCER AND HAEMOBLASTOSES)**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN UKUPNO TOTAL	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNE LIMFNE ŽILJEZDE REGIONAL		UDALJENE METASTAZE REMOTE		BROJ NUMBER	%
				BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%		
C00 LABIUM ORIS	M	40	39	17	43.6%	4		1		18	45.0%
	Ž	17	17	13		0		0		4	
	UK	57	56	30	53.6%	4		1		22	38.6%
C01 BASIS LINGVAE	M	35	32	4		17	53.1%	3		11	
	Ž	3	3	0		1		1		1	
	UK	38	35	4		18	51.4%	4		12	
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M	46	44	17	38.6%	18	40.9%	1		10	
	Ž	14	14	5		7		0		2	
	UK	60	58	22	37.9%	25	43.1%	1		12	
C03 GINGIVA	M	12	12	7		3		0		2	
	Ž	16	16	6		4		0		6	
	UK	28	28	13		7		0		8	
C04 BASIS ORIS	M	37	36	15	41.7%	18	50.0%	0		4	
	Ž	7	6	3		2		0		2	
	UK	44	42	18	42.9%	20	47.6%	0		6	
C05 PALATUM	M	22	20	7		8		0		7	
	Ž	1	1	0		1		0		0	
	UK	23	21	7		9		0		7	
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M	12	11	0		5		2		5	
	Ž	8	7	0		5		0		3	
	UK	20	18	0		10		2		8	
C07 GLANDULA PAROTIS	M	16	15	5		2		1		8	
	Ž	13	11	2		6		0		5	
	UK	29	26	7		8		1		13	
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M	4	3	0		2		0		2	
	Ž	2	1	1		0		0		1	
	UK	6	4	1		2		0		3	
C09 TONSILLA	M	48	47	11		29	61.7%	0		8	
	Ž	10	10	2		5		0		3	
	UK	58	57	13		34	59.6%	0		11	
C10 OROPHARYNX	M	44	42	3		28	66.7%	2		11	
	Ž	6	6	1		3		0		2	
	UK	50	48	4		31	64.6%	2		13	
C11 EPIPHARYNX	M	20	20	3		5		1		11	
	Ž	10	10	1		6		0		3	
	UK	30	30	4		11		1		14	
C12 SINUS PIRIFORMIS	M	17	17	2		13		1		1	
	Ž	3	3	1		1		0		1	
	UK	20	20	3		14		1		2	
C13 HIPOPHARYNX	M	92	88	12		57	64.8%	4		19	20.7%
	Ž	11	10	1		4		0		6	
	UK	103	98	13		61	62.2%	4		25	24.3%
C14 PHARYNX NON SPEC.	M	10	9	2		7		0		1	
	Ž	1	1	0		0		0		1	
	UK	11	10	2		7		0		2	
C15 OESOPHAGUS	M	168	154	21	13.6%	39	25.3%	18	11.7%	90	53.6%
	Ž	28	26	3		9		1		15	53.6%
	UK	196	180	24	13.3%	48	26.7%	19	10.6%	105	53.6%
C16 VENTRICULUS	M	503	463	81	17.5%	132	28.5%	87	18.8%	203	40.4%
	Ž	325	285	58	20.4%	76	26.7%	45	15.8%	146	44.9%
	UK	828	748	139	18.6%	208	27.8%	132	17.6%	349	42.1%
C17 INTESTINUM TENUE INC. DUODENUM	M	23	20	7		5		1		10	
	Ž	28	24	4		9		4		11	
	UK	51	44	11		14		5		21	41.2%
C18 INTESTINUM CRASSUM EXCL. RECTUM	M	1101	1024	206	20.1%	403	39.4%	161	15.7%	331	30.1%
	Ž	779	717	138	19.2%	311	43.4%	90	12.6%	240	30.8%
	UK	1880	1741	344	19.8%	714	41.0%	251	14.4%	571	30.4%
C19 COLON RECTOSIGMOIDEUM	M	149	144	31	21.5%	63	43.8%	18	12.5%	37	24.8%
	Ž	81	76	21	27.6%	24	31.6%	10		26	32.1%
	UK	230	220	52	23.6%	87	39.5%	28	12.7%	63	27.4%
C20 RECTUM	M	619	586	120	20.5%	232	39.6%	84	14.3%	183	29.6%
	Ž	363	342	83	24.3%	111	32.5%	49	14.3%	120	33.1%
	UK	982	928	203	21.9%	343	37.0%	133	14.3%	303	30.9%
C21 ANUS ET CANALIS ANALIS	M	15	15	3		7		0		5	
	Ž	20	16	4		4		1		11	
	UK	35	31	7		11		1		16	45.7%
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIAES INTERNAE	M	283	230	54	23.5%	38	16.5%	46	20.0%	145	51.2%
	Ž	165	118	24	20.3%	22	18.6%	31	26.3%	88	53.3%
	UK	448	348	78	22.4%	60	17.2%	77	22.1%	233	52.0%
C23 VESICA FELLEA	M	53	44	8		12		5		28	52.8%
	Ž	98	79	24	30.4%	14		13		47	48.0%
	UK	151	123	32	26.0%	26	21.1%	18	14.6%	75	49.7%
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M	60	55	12		11		4		33	55.0%
	Ž	66	61	12		18	29.5%	9		27	40.9%
	UK	126	116	24	20.7%	29	25.0%	13		60	47.6%

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2014. (BEZ GINEKOLOŠKOG RAKA I HEMOBLASTOZA)**NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2014 (EXCEPT GYNECOLOGICAL CANCER AND HEMOBLASTOSES)**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN UKUPNO TOTAL	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNE LIMFNE ŽILJEZDE REGIONAL		UDALJENE METASTAZE REMOTE		BROJ NUMBER	%
				BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%		
C25 PANCREAS	M	308	265	44	16.6%	51	19.2%	76	28.7%	137	44.5%
	Ž	350	294	40	13.6%	83	28.2%	61	20.7%	166	47.4%
	UK	658	559	84	15.0%	134	24.0%	137	24.5%	303	46.0%
C26 TRACTUS DIGESTIVUS NON SPEC.	M	21	19	3		3		8		7	
	Ž	23	19	3		3		8		9	
	UK	44	38	6		6		16	42.1%	16	36.4%
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M	11	9	4		3		0		4	
	Ž	6	6	2		2		0		2	
	UK	17	15	6		5		0		6	
C31 SINUS PARANASALES	M	12	11	1		1		2		8	
	Ž	3	3	1		0		0		2	
	UK	15	14	2		1		2		10	
C32 LARYNX	M	291	278	117	42.1%	62	22.3%	7		105	36.1%
	Ž	22	20	8		5		0		9	
	UK	313	298	125	41.9%	67	22.5%	7		114	36.4%
C33 TRACHEA	M	6	5	0		0		2		4	
	Ž	0	0	0		0		0		0	
	UK	6	5	0		0		2		4	
C34 BRONCHUS ET PULMO (PRIM.)	M	2122	1889	220	11.6%	448	23.7%	471	24.9%	983	46.3%
	Ž	787	698	62	8.9%	145	20.8%	207	29.7%	373	47.4%
	UK	2909	2587	282	10.9%	593	22.9%	678	26.2%	1356	46.6%
C37 THYMUS	M	1	1	1		0		0		0	
	Ž	5	5	0		1		0		4	
	UK	6	6	1		1		0		4	
C38 COR, MEDIASTINUM ET PLEURA	M	1	0	0		0		0		1	
	Ž	1	0	0		0		0		1	
	UK	2	0	0		0		0		2	
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M	3	3	2		1		0		0	
	Ž	0	0	0		0		0		0	
	UK	3	3	2		1		0		0	
C40 THELAE OSSIIUM MEMBRUM	M	17	13	4		2		2		9	
	Ž	21	21	7		3		1		10	
	UK	38	34	11		5		3		19	50.0%
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M	22	19	4		4		4		10	
	Ž	17	13	1		4		3		9	
	UK	39	32	5		8		7		19	48.7%
C43 MELANOMA MALIGNUM CUTIS	M	305	295	147	49.8%	60	20.3%	21	7.1%	77	25.2%
	Ž	282	263	138	52.5%	50	19.0%	8		86	30.5%
	UK	587	558	285	51.1%	110	19.7%	29	5.2%	163	27.8%
C45 MESOTHELIOMA	M	71	63	8		18	28.6%	9		36	50.7%
	Ž	8	6	0		0		1		7	
	UK	79	69	8		18	26.1%	10		43	54.4%
C46 SARCOMA KAPOSI	M	7	6	0		0		0		7	
	Ž	1	1	1		0		0		0	
	UK	8	7	1		0		0		7	
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M	5	5	1		0		0		4	
	Ž	7	7	2		0		1		4	
	UK	12	12	3		0		1		8	
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M	56	55	13		4		9		30	53.6%
	Ž	44	44	7		8		5		24	54.5%
	UK	100	99	20	20.2%	12		14		54	54.0%
C50 MAMMA	M	24	22	5		6		2		11	
	Ž	2644	2489	1123	45.1%	644	25.9%	101	4.1%	776	29.3%
	UK	2669	2511	1128	44.9%	650	25.9%	103	4.1%	787	29.5%
C60 PENIS	M	29	27	10		4		1		14	
C61 PROSTATI	M	1708	1584	717	45.3%	193	12.2%	99	6.3%	699	40.9%
C62 TESTIS	M	194	193	118	61.1%	14		9		53	27.3%
C63 ORGANA GENITALIA MASculina ALTERA ET NON SPEC.	M	5	5	3		1		0		1	
C64 REN EXCL. PELVIS RENALIS	M	479	458	203	44.3%	72	15.7%	60	13.1%	144	30.1%
	Ž	252	215	97	45.1%	30	14.0%	20	9.3%	105	41.7%
	UK	731	673	300	44.6%	102	15.2%	80	11.9%	249	34.1%
C65 PELVIS RENALIS	M	18	17	9		7		0		2	
	Ž	15	14	3		6		1		5	
	UK	33	31	12		13		1		7	
C66 URETER	M	20	20	15	75.0%	2		1		2	
	Ž	16	16	7		5		0		4	
	UK	36	36	22	61.1%	7		1		6	
C67 VESICA URINARIA	M	757	730	418	57.3%	105	14.4%	16	2.2%	218	28.8%
	Ž	248	233	126	54.1%	25	10.7%	6		91	36.7%
	UK	1005	963	544	56.5%	130	13.5%	22	2.3%	309	30.7%

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2014. (BEZ GINEKOLOŠKOG RAKA I HEMOBLASTOZA)**NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2014 (EXCEPT GYNECOLOGICAL CANCER AND HAEMOBLASTOSES)**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN UKUPNO TOTAL	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNE LIMFNE ŽLIJEZDE REGIONAL		UDALJENE METASTAZE REMOTE		BROJ NUMBER	%
				BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%		
C68 ORGANA URINARIA ALT. ET NON SPEC.	M	8	6	1		2		0		5	
	Ž	3	1	1		0		0		2	
	UK	11	7	2		2		0		7	
C69 OCULUS ET ADNEXA	M	20	20	13		2		0		5	
	Ž	8	8	4		0		1		3	
	UK	28	28	17	60.7%	2		1		8	
C70 MENINGES	M	3	2	0		0		0		3	
	Ž	5	3	1		1		0		3	
	UK	8	5	1		1		0		6	
C71 CEREBRUM	M	255	241	69	28.6%	29	12.0%	14		143	56.1%
	Ž	210	175	52	29.7%	40	22.9%	2		116	55.2%
	UK	465	416	121	29.1%	69	16.6%	16	3.8%	259	55.7%
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M	5	3	0		0		1		4	
	Ž	7	5	1		2		0		4	
	UK	12	8	1		2		1		8	
C73 GLANDULA THYREOIDEA	M	115	111	54	48.6%	34	30.6%	2		25	21.7%
	Ž	491	489	307	62.8%	90	18.4%	9		85	17.3%
	UK	606	600	361	60.2%	124	20.7%	11		110	18.2%
C74 GLANDULA SUPRARENALIS	M	5	5	0		0		0		5	
	Ž	16	16	6		0		3		7	
	UK	21	21	6		0		3		12	
C75 GLANDULAE ENDOCRINES ALTERAE	M	5	4	2		1		0		2	
	Ž	2	2	1		0		0		1	
	UK	7	6	3		1		0		3	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M	45	36	6		6		9		24	53.3%
	Ž	60	35	4		6		19	54.3%	31	51.7%
	UK	105	71	10		12		28	39.4%	55	52.4%
C77 MALIGNOMATA SEC. ET NON SPEC. LYMPHONODORUM	M	33	31	0		31	100.0%	0		2	
	Ž	20	17	0		17	100.0%	0		3	
	UK	53	48	0		48	100.0%	0		5	
C78 MALIGNOMATA SEC. TRACTUS RESPIRATORII ET DIGESTIVI	M	76	58	0		0		58	100.0%	18	23.7%
	Ž	64	46	0		0		46	100.0%	18	28.1%
	UK	140	104	0		0		104	100.0%	36	25.7%
C79 MALIGNOMATA SEC. REGIONUM ALTERARUM SPEC.	M	28	27	0		0		27	100.0%	2	
	Ž	27	23	0		0		23	100.0%	4	
	UK	55	50	0		0		50	100.0%	6	
C80 MALIGNOMATA SINE REGIONE SPEC.	M	135	104	4		15	14.4%	58	55.8%	58	43.0%
	Ž	120	94	3		10		63	67.0%	44	36.7%
	UK	255	198	7		25	12.6%	121	61.1%	102	40.0%
SVE LOKALIZACIJE MUŠKI - MALE	M	10654	9810	2864	29.2%	2339	23.8%	1407	14.3%	4044	38.0%
ALL SITES ŽENE - FEMALE	Ž	7861	7141	2415	33.8%	1823	25.5%	843	11.8%	2780	35.4%
C00-C97 UKUPNO - TOTAL	UK	18515	16951	5279	31.1%	4162	24.6%	2250	13.3%	6824	36.9%

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

* POSTOCI NISU RAČUNATI ZA MANJE OD 15 SLUČAJEVA.

NOTE : EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

* PERCENTAGES ARE NOT CALCULATED ON SAMPLES CONTAINING LESS THEN 15 CASES.

Tablica B4.2

BROJ NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI I PRIMARNOM SIJELU ZA GINEKOLOŠKI RAK I HEMOBLASTOZE (OSIM LEUKEMIJA) - RH 2014.**NUMBER OF NEW CANCER CASES IN CROATIA IN 2014 BY STAGE AND PRIMARY SITE FOR GYNECOLOGICAL CANCER AND HAEMOBLASTOSES (EXCEPT LEUKEMIAS)**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	UKUPNO TOTAL	UKUPNO IZ ONKO LISTIĆA TOTAL FROM ONKO LISTS	STUPANJ BOLESTI - STAGE					NEPOZNATO - UNKNOWN		
			0	I	II	III	IV	IZ ONKO LISTIĆA FROM ONKO LISTS	IZ DEM LISTIĆA FROM DEM LISTS	UKUPNO TOTAL
C51 VULVA	78	74	0	30	12	0	0	32	4	36
C52 VAGINA	25	24	0	4	2	0	0	18	1	19
C53 CERVIX UTERI	307	300	0	100	71	21	4	104	7	111
C54 CORPUS UTERI	635	626	0	283	74	23	4	243	8	251
C55 UTERUS NON SPEC.	32	9	0	1	1	3	0	4	23	27
C56 OVARIUM	379	348	0	52	79	67	5	145	31	176
C57 ORGANA GENITALIA FEMININA	32	30	0	3	7	11	0	9	2	11
C81 MORBUS HODGKIN	111	107	0	12	7	3	2	83	4	87
C82 LYMPHOMA NON-HODGKIN	94	94	0	16	8	5	0	64	1	65
C83 LYMPHOMA NON-HODGKIN	308	304	0	42	32	13	11	206	4	210
C84 LYMPHOMATA T CELLULARUM	23	23	0	1	1	0	0	21	0	21
C85 LYMPHOMATA NON-HODGKIN ALT.	179	166	0	27	17	8	4	110	13	123
C88 MALIGNOMATA	22	22	0	2	0	0	1	19	0	19
C90 MYELOMA MULTIPLEX ET	244	232	0	33	27	9	0	163	12	175
C96 MALIGNOMATA ALT. ET NON	14	14	0	0	0	0	0	14	0	14
D06 CA IN SITU CERVICS UTERI	310	310	310	0	0	0	0	0	0	0
D07.1 CA IN SITU VULVAE	1	1	1	0	0	0	0	0	0	0

Tablica B5.1

BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2014.**NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2014**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO ALL SITES	C34	C50	C18	C61	C67	C20	C16	C64	C25	C54	C73	C43	C71	C22	C56	OSTALO OTHER SITES	
07 BJELOVARSKO- BILOGORSKA	M(M)	325	6	1	25	50	24	22	16	23	8	0	2	5	7	7	0	75	3
	Ž(F)	271	20	57	23	0	7	17	3	7	11	21	8	4	7	4	12	70	
	UK(T)	596	80	58	48	50	31	39	19	30	19	21	10	9	14	11	12	145	
12 BRODSKO- POSAVSKA	M(M)	485	89	0	36	90	43	21	26	17	14	0	3	8	9	6	0	123	0
	Ž(F)	351	30	71	23	0	7	10	13	11	13	26	23	7	7	9	13	88	
	UK(T)	836	119	71	59	90	50	31	39	28	27	26	26	15	16	15	13	211	
19 DUBROVAČKO- NERETVANSKA	M(M)	322	57	0	35	43	31	15	11	14	11	0	6	14	9	6	0	70	22
	Ž(F)	276	16	83	28	0	7	12	7	7	10	15	16	5	7	3	12	48	
	UK(T)	598	73	83	63	43	38	27	18	21	21	15	22	19	16	9	12	118	
22 GRAD ZAGREB	M(M)	2201	415	7	224	372	149	75	78	83	56	0	28	71	44	49	0	550	29
	Ž(F)	2249	218	639	180	0	52	61	56	57	85	127	128	73	29	28	88	428	
	UK(T)	4450	633	646	404	372	201	136	134	140	141	127	156	144	73	77	88	978	
18 ISTARSKA	M(M)	509	85	1	47	55	47	29	24	22	14	0	4	17	11	12	0	141	19
	Ž(F)	481	28	133	45	0	15	22	14	9	15	29	21	12	12	5	18	103	
	UK(T)	990	113	134	92	55	62	51	38	31	29	29	25	29	23	17	18	244	
04 KARLOVAČKA	M(M)	410	83	0	28	66	23	27	20	24	13	0	6	7	5	12	0	96	7
	Ž(F)	311	24	60	20	0	6	10	19	14	16	28	22	8	6	4	8	66	
	UK(T)	721	107	60	48	66	29	37	39	38	29	28	28	15	11	16	8	162	
06 KOPRIVNIČKO- KRIŽEVAČKA	M(M)	331	56	2	24	54	20	24	19	21	5	0	2	7	8	8	0	81	7
	Ž(F)	257	19	74	10	0	4	20	11	7	14	18	5	10	8	1	11	45	
	UK(T)	588	75	76	34	54	24	44	30	28	19	18	7	17	16	9	11	126	
02 KRAPINSKO- ZAGORSKA	M(M)	320	65	0	19	39	13	8	20	23	8	0	2	6	10	10	0	97	2
	Ž(F)	258	16	46	25	0	5	15	14	11	6	20	11	11	5	3	17	53	
	UK(T)	578	81	46	44	39	18	23	34	34	14	20	13	17	15	13	17	150	
09 LIČKO-SENJSKA	M(M)	179	32	1	20	26	12	14	12	5	6	0	0	3	6	5	0	37	0
	Ž(F)	116	5	29	9	0	2	4	5	2	2	8	4	1	6	4	3	32	
	UK(T)	295	37	30	29	26	14	18	17	7	8	8	4	4	12	9	3	69	
20 MEĐIMURSKA	M(M)	315	47	0	26	54	16	35	26	13	6	0	1	7	2	7	0	75	23
	Ž(F)	223	14	50	19	0	4	9	18	5	3	19	12	12	4	1	6	47	
	UK(T)	538	61	50	45	54	20	44	44	18	9	19	13	19	6	8	6	122	
14 OSJEČKO- BARANJSKA	M(M)	637	118	3	77	69	52	35	34	28	19	0	4	21	15	17	0	145	66
	Ž(F)	597	38	167	54	0	16	29	26	15	26	27	13	12	19	10	27	118	
	UK(T)	1234	156	170	131	69	68	64	60	43	45	27	17	33	34	27	27	263	
11 POŽEŠKO- SLAVONSKA	M(M)	210	38	1	25	31	11	8	6	10	12	0	3	2	4	6	0	53	14
	Ž(F)	179	8	47	12	0	2	14	7	3	9	8	8	1	8	4	4	44	
	UK(T)	389	46	48	37	31	13	22	13	13	21	8	11	3	12	10	4	97	

Tablica B5.1

BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2014.**NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2014**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO																OSTALO	
		ALL SITES	C34	C50	C18	C61	C67	C20	C16	C64	C25	C54	C73	C43	C71	C22	C56	OTHER SITES	
08 PRIMORSKO- GORANSKA	M(M)	796	115	2	78	123	50	51	33	28	19	0	6	24	17	33	0	217	12
	Ž(F)	766	74	205	51	0	14	25	26	17	26	39	13	31	16	11	27	191	
	UK(T)	1562	189	207	129	123	64	76	59	45	45	39	19	55	33	44	27	408	
03 SISAČKO- MOSLAVAČKA	M(M)	496	110	0	47	70	25	29	21	21	14	0	5	12	12	12	0	118	19
	Ž(F)	435	26	82	43	0	14	17	17	9	15	35	14	6	11	10	21	115	
	UK(T)	931	136	82	90	70	39	46	38	30	29	35	19	18	23	22	21	233	
17 SPLITSKO- DALMATINSKA	M(M)	1134	243	1	112	160	98	47	37	39	24	0	21	14	29	24	0	285	1
	Ž(F)	988	84	312	52	0	34	30	15	20	35	44	79	13	21	23	28	198	
	UK(T)	2122	327	313	164	160	132	77	52	59	59	44	100	27	50	47	28	483	
15 ŠIBENSKO- KNINSKA	M(M)	298	64	1	28	40	14	25	2	10	6	0	2	9	11	10	0	76	31
	Ž(F)	243	12	65	19	0	6	7	3	7	4	17	16	8	8	9	7	55	
	UK(T)	541	76	66	47	40	20	32	5	17	10	17	18	17	19	19	7	131	
05 VARAŽDINSKA	M(M)	457	70	0	47	81	21	36	23	15	12	0	2	14	8	12	0	116	18
	Ž(F)	382	22	83	37	0	10	12	22	14	8	34	16	11	5	6	19	83	
	UK(T)	839	92	83	84	81	31	48	45	29	20	34	18	25	13	18	19	199	
10 VIROVITIČKO- PODRAVSKA	M(M)	230	49	1	14	28	10	14	8	13	9	0	1	8	3	7	0	65	3
	Ž(F)	171	12	63	13	0	5	5	5	2	6	15	5	3	2	2	3	30	
	UK(T)	401	61	64	27	28	15	19	13	15	15	15	6	11	5	9	3	95	
16 VUKOVARSKO- SRIJEMSKA	M(M)	404	82	1	48	53	19	35	26	18	11	0	2	8	8	8	0	85	23
	Ž(F)	341	22	95	37	0	11	11	9	8	9	26	7	11	6	6	15	68	
	UK(T)	745	104	96	85	53	30	46	35	26	20	26	9	19	14	14	15	153	
13 ZADARSKA	M(M)	504	89	0	66	87	27	25	17	23	16	0	2	18	14	15	0	105	8
	Ž(F)	406	42	113	34	0	10	5	8	7	14	20	21	9	11	4	19	89	
	UK(T)	910	131	113	100	87	37	30	25	30	30	20	23	27	25	19	19	194	
01 ZAGREBAČKA	M(M)	826	155	2	75	117	52	44	44	29	25	0	13	30	23	17	0	200	3
	Ž(F)	744	57	170	45	0	17	28	27	20	23	59	49	34	12	18	21	164	
	UK(T)	1570	212	172	120	117	69	72	71	49	48	59	62	64	35	35	21	364	
UKUPNO RH CROATIA'S TOTAL	M(M)	11389	2122	24	1101	1708	757	619	503	479	308		115	305	255	283		2810	310
	Ž(F)	10045	787	2644	779		248	363	325	252	350	635	491	282	210	165	379	2135	
	UK(T)	21434	2909	2668	1880		1005	982	828	731	658		606	587	465	448		4945	

NAPOMENA: UKLJUČENA SVA SIJELA, OSIM RAKA KOŽE (C44), PRIKAZAN POSEBNO I CA IN SITU CERVIXSA UTERUSA (D06)

NOTE: INCLUDED ARE ALL SITES WITH ICD CODES, EXCEPT SKIN CANCER (C44). UTERINE CERVICAL CA IN SITU (D06) IS SHOWN SEPARATELY.

Tablica B5.2

STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2014.**CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2014**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO ALL SITES	C34	C50	C18	C61	C67	C20	C16	C64	C25	C54	C73	C43	C71	C22	C56	OSTALO OTHER SITES	
07 BJELOVARSKO- BILOGORSKA	M(M)	559.1	103.2	1.7	43.0	86.0	41.3	37.8	27.5	39.6	13.8	0.0	3.4	8.6	12.0	12.0	0.0	129.0	4.9
	Ž(F)	439.7	32.5	92.5	37.3	0.0	11.4	27.6	4.9	11.4	17.8	34.1	13.0	6.5	11.4	6.5	19.5	113.6	
	UK(T)	497.6	66.8	48.4	40.1	41.7	25.9	32.6	15.9	25.0	15.9	17.5	8.3	7.5	11.7	9.2	10.0	121.1	
12 BRODSKO- POSAVSKA	M(M)	628.9	115.4	0.0	46.7	116.7	55.8	27.2	33.7	22.0	18.2	0.0	3.9	10.4	11.7	7.8	0.0	159.5	0.0
	Ž(F)	430.9	36.8	87.2	28.2	0.0	8.6	12.3	16.0	13.5	16.0	31.9	28.2	8.6	8.6	11.0	16.0	108.0	
	UK(T)	527.2	75.0	44.8	37.2	56.8	31.5	19.5	24.6	17.7	17.0	16.4	16.4	9.5	10.1	9.5	8.2	133.1	
19 DUBROVAČKO- NERETVANSKA	M(M)	540.1	95.6	0.0	58.7	72.1	52.0	25.2	18.4	23.5	18.4	0.0	10.1	23.5	15.1	10.1	0.0	117.4	35.0
	Ž(F)	438.5	25.4	131.9	44.5	0.0	11.1	19.1	11.1	11.1	15.9	23.8	25.4	7.9	11.1	4.8	19.1	76.3	
	UK(T)	487.9	59.6	67.7	51.4	35.1	31.0	22.0	14.7	17.1	17.1	12.2	17.9	15.5	13.1	7.3	9.8	96.3	
22 GRAD ZAGREB	M(M)	595.9	112.4	1.9	60.6	100.7	40.3	20.3	21.1	22.5	15.2	0.0	7.6	19.2	11.9	13.3	0.0	148.9	6.9
	Ž(F)	534.6	51.8	151.9	42.8	0.0	12.4	14.5	13.3	13.5	20.2	30.2	30.4	17.4	6.9	6.7	20.9	101.7	
	UK(T)	563.3	80.1	81.8	51.1	47.1	25.4	17.2	17.0	17.7	17.8	16.1	19.7	18.2	9.2	9.7	11.1	123.8	
18 ISTARSKA	M(M)	503.2	84.0	1.0	46.5	54.4	46.5	28.7	23.7	21.7	13.8	0.0	4.0	16.8	10.9	11.9	0.0	139.4	17.8
	Ž(F)	450.0	26.2	124.4	42.1	0.0	14.0	20.6	13.1	8.4	14.0	27.1	19.6	11.2	11.2	4.7	16.8	96.4	
	UK(T)	475.8	54.3	64.4	44.2	26.4	29.8	24.5	18.3	14.9	13.9	13.9	12.0	13.9	11.1	8.2	8.7	117.3	
04 KARLOVAČKA	M(M)	657.2	133.0	0.0	44.9	105.8	36.9	43.3	32.1	38.5	20.8	0.0	9.6	11.2	8.0	19.2	0.0	153.9	10.5
	Ž(F)	467.6	36.1	90.2	30.1	0.0	9.0	15.0	28.6	21.0	24.1	42.1	33.1	12.0	9.0	6.0	12.0	99.2	
	UK(T)	559.4	83.0	46.5	37.2	51.2	22.5	28.7	30.3	29.5	22.5	21.7	21.7	11.6	8.5	12.4	6.2	125.7	
06 KOPRIVNIČKO- KRIŽEVAČKA	M(M)	591.5	100.1	3.6	42.9	96.5	35.7	42.9	34.0	37.5	8.9	0.0	3.6	12.5	14.3	14.3	0.0	144.7	11.7
	Ž(F)	431.1	31.9	124.1	16.8	0.0	6.7	33.5	18.5	11.7	23.5	30.2	8.4	16.8	13.4	1.7	18.5	75.5	
	UK(T)	508.7	64.9	65.8	29.4	46.7	20.8	38.1	26.0	24.2	16.4	15.6	6.1	14.7	13.8	7.8	9.5	109.0	
02 KRAPINSKO- ZAGORSKA	M(M)	495.0	100.5	0.0	29.4	60.3	20.1	12.4	30.9	35.6	12.4	0.0	3.1	9.3	15.5	15.5	0.0	150.0	2.9
	Ž(F)	378.1	23.4	67.4	36.6	0.0	7.3	22.0	20.5	16.1	8.8	29.3	16.1	16.1	7.3	4.4	24.9	77.7	
	UK(T)	434.9	61.0	34.6	33.1	29.3	13.5	17.3	25.6	25.6	10.5	15.0	9.8	12.8	11.3	9.8	12.8	112.9	
09 LIČKO-SENJSKA	M(M)	706.2	126.2	3.9	78.9	102.6	47.3	55.2	47.3	19.7	23.7	0.0	0.0	11.8	23.7	19.7	0.0	146.0	0.0
	Ž(F)	453.5	19.5	113.4	35.2	0.0	7.8	15.6	19.5	7.8	7.8	31.3	15.6	3.9	23.5	15.6	11.7	125.1	
	UK(T)	579.3	72.7	58.9	56.9	51.1	27.5	35.3	33.4	13.7	15.7	15.7	7.9	7.9	23.6	17.7	5.9	135.5	
20 MEĐIMURSKA	M(M)	566.5	84.5	0.0	46.8	97.1	28.8	62.9	46.8	23.4	10.8	0.0	1.8	12.6	3.6	12.6	0.0	134.9	39.5
	Ž(F)	383.1	24.1	85.9	32.6	0.0	6.9	15.5	30.9	8.6	5.2	32.6	20.6	20.6	6.9	1.7	10.3	80.8	
	UK(T)	472.7	53.6	43.9	39.5	47.5	17.6	38.7	38.7	15.8	7.9	16.7	11.4	16.7	5.3	7.0	5.3	107.2	
14 OSJEČKO- BARANJSKA	M(M)	433.7	80.3	2.0	52.4	47.0	35.4	23.8	23.1	19.1	12.9	0.0	2.7	14.3	10.2	11.6	0.0	98.7	41.7
	Ž(F)	377.5	24.0	105.6	34.1	0.0	10.1	18.3	16.4	9.5	16.4	17.1	8.2	7.6	12.0	6.3	17.1	74.6	
	UK(T)	404.5	51.1	55.7	42.9	22.6	22.3	21.0	19.7	14.1	14.8	8.9	5.6	10.8	11.1	8.9	8.9	86.2	
11 POŽEŠKO- SLAVONSKA	M(M)	554.9	100.4	2.6	66.1	81.9	29.1	21.1	15.9	26.4	31.7	0.0	7.9	5.3	10.6	15.9	0.0	140.0	34.8
	Ž(F)	445.4	19.9	117.0	29.9	0.0	5.0	34.8	17.4	7.5	22.4	19.9	19.9	2.5	19.9	10.0	10.0	109.5	
	UK(T)	498.5	58.9	61.5	47.4	39.7	16.7	28.2	16.7	16.7	26.9	10.3	14.1	3.8	15.4	12.8	5.1	124.3	

Tablica B5.2

STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2014.**CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2014**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO ALL SITES	C34	C50	C18	C61	C67	C20	C16	C64	C25	C54	C73	C43	C71	C22	C56	OSTALO OTHER SITES	
08 PRIMORSKO- GORANSKA	M(M)	556.3	80.4	1.4	54.5	86.0	34.9	35.6	23.1	19.6	13.3	0.0	4.2	16.8	11.9	23.1	0.0	151.7	7.8
	Ž(F)	500.3	48.3	133.9	33.3	0.0	9.1	16.3	17.0	11.1	17.0	25.5	8.5	20.2	10.5	7.2	17.6	124.7	
	UK(T)	527.4	63.8	69.9	43.6	41.5	21.6	25.7	19.9	15.2	15.2	13.2	6.4	18.6	11.1	14.9	9.1	137.7	
03 SISAČKO- MOSLAVAČKA	M(M)	593.2	131.6	0.0	56.2	83.7	29.9	34.7	25.1	25.1	16.7	0.0	6.0	14.4	14.4	14.4	0.0	141.1	21.4
	Ž(F)	489.7	29.3	92.3	48.4	0.0	15.8	19.1	19.1	10.1	16.9	39.4	15.8	6.8	12.4	11.3	23.6	129.5	
	UK(T)	539.9	78.9	47.6	52.2	40.6	22.6	26.7	22.0	17.4	16.8	20.3	11.0	10.4	13.3	12.8	12.2	135.1	
17 SPLITSKO- DALMATINSKA	M(M)	512.4	109.8	0.5	50.6	72.3	44.3	21.2	16.7	17.6	10.8	0.0	9.5	6.3	13.1	10.8	0.0	128.8	0.4
	Ž(F)	423.1	36.0	133.6	22.3	0.0	14.6	12.8	6.4	8.6	15.0	18.8	33.8	5.6	9.0	9.8	12.0	84.8	
	UK(T)	466.6	71.9	68.8	36.1	35.2	29.0	16.9	11.4	13.0	13.0	9.7	22.0	5.9	11.0	10.3	6.2	106.2	
15 ŠIBENSKO- KNINSKA	M(M)	556.0	119.4	1.9	52.2	74.6	26.1	46.6	3.7	18.7	11.2	0.0	3.7	16.8	20.5	18.7	0.0	141.8	55.6
	Ž(F)	435.6	21.5	116.5	34.1	0.0	10.8	12.5	5.4	12.5	7.2	30.5	28.7	14.3	14.3	16.1	12.5	98.6	
	UK(T)	494.6	69.5	60.3	43.0	36.6	18.3	29.3	4.6	15.5	9.1	15.5	16.5	15.5	17.4	17.4	6.4	119.8	
05 VARAŽDINSKA	M(M)	533.6	81.7	0.0	54.9	94.6	24.5	42.0	26.9	17.5	14.0	0.0	2.3	16.3	9.3	14.0	0.0	135.4	19.9
	Ž(F)	423.0	24.4	91.9	41.0	0.0	11.1	13.3	24.4	15.5	8.9	37.6	17.7	12.2	5.5	6.6	21.0	91.9	
	UK(T)	476.8	52.3	47.2	47.7	46.0	17.6	27.3	25.6	16.5	11.4	19.3	10.2	14.2	7.4	10.2	10.8	113.1	
10 VIROVITIČKO- PODRAVSKA	M(M)	560.7	119.5	2.4	34.1	68.3	24.4	34.1	19.5	31.7	21.9	0.0	2.4	19.5	7.3	17.1	0.0	158.5	6.8
	Ž(F)	390.2	27.4	143.8	29.7	0.0	11.4	11.4	11.4	4.6	13.7	34.2	11.4	6.8	4.6	4.6	6.8	68.5	
	UK(T)	472.7	71.9	75.4	31.8	33.0	17.7	22.4	15.3	17.7	17.7	17.7	7.1	13.0	5.9	10.6	3.5	112.0	
16 VUKOVARSKO- SRIJEMSKA	M(M)	466.1	94.6	1.2	55.4	61.1	21.9	40.4	30.0	20.8	12.7	0.0	2.3	9.2	9.2	9.2	0.0	98.1	24.8
	Ž(F)	367.3	23.7	102.3	39.9	0.0	11.8	11.8	9.7	8.6	9.7	28.0	7.5	11.8	6.5	6.5	16.2	73.2	
	UK(T)	415.0	57.9	53.5	47.3	29.5	16.7	25.6	19.5	14.5	11.1	14.5	5.0	10.6	7.8	7.8	8.4	85.2	
13 ZADARSKA	M(M)	603.6	106.6	0.0	79.0	104.2	32.3	29.9	20.4	27.5	19.2	0.0	2.4	21.6	16.8	18.0	0.0	125.7	9.2
	Ž(F)	469.3	48.5	130.6	39.3	0.0	11.6	5.8	9.2	8.1	16.2	23.1	24.3	10.4	12.7	4.6	22.0	102.9	
	UK(T)	535.2	77.1	66.5	58.8	51.2	21.8	17.6	14.7	17.6	17.6	11.8	13.5	15.9	14.7	11.2	11.2	114.1	
01 ZAGREBAČKA	M(M)	536.9	100.7	1.3	48.7	76.0	33.8	28.6	28.6	18.8	16.2	0.0	8.4	19.5	14.9	11.0	0.0	130.0	1.8
	Ž(F)	454.3	34.8	103.8	27.5	0.0	10.4	17.1	16.5	12.2	14.0	36.0	29.9	20.8	7.3	11.0	12.8	100.1	
	UK(T)	494.3	66.7	54.2	37.8	36.8	21.7	22.7	22.4	15.4	15.1	18.6	19.5	20.2	11.0	11.0	6.6	114.6	
UKUPNO RH CROATIA'S TOTAL	M(M)	551.2	102.7	1.2	53.3	82.7	36.6	30.0	24.3	23.2	14.9		5.6	14.8	12.3	13.7		136.0	14.0
	Ž(F)	452.8	35.5	119.2	35.1		11.2	16.4	14.6	11.4	15.8	28.6	22.1	12.7	9.5	7.4	17.1	96.2	
	UK(T)	500.2	67.9	62.3	43.9		23.5	22.9	19.3	17.1	15.4		14.1	13.7	10.9	10.5		115.4	

NAPOMENA: UKLJUČENA SVA SIJELA, OSIM RAKA KOŽE (C44). PRIKAZAN POSEBNO I CA IN SITU CERVIXA UTERUSA (D06)
 NOTE: INCLUDED ARE ALL SITES WITH ICD CODES, EXCEPT SKIN CANCER (C44). UTERINE CERVICAL CA IN SITU (D06) IS SHOWN SEPARATELY.

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2014. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2014

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)			ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)			ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)		KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)	
C00 LABIUM ORIS	M(M) Ž(F) UK(T)	1.9 0.8 1.3	1.50 0.34 0.85	0.24 0.09 0.12	1.30 0.10 0.69	0.97 0.20 0.54	0.16 0.05 0.08	1.19 0.08 0.63	0.04 0.00 0.02	0.11 0.02 0.06				
C01 BASIS LINGVAE	M(M) Ž(F) UK(T)	1.7 0.1 0.9	1.37 0.09 0.68	0.23 0.06 0.11	2.23 0.10 1.13	0.98 0.06 0.49	0.17 0.04 0.08	2.11 0.08 1.07	0.07 0.00 0.04	0.12 0.01 0.06				
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M(M) Ž(F) UK(T)	2.2 0.6 1.4	1.83 0.42 1.07	0.27 0.12 0.14	2.96 0.57 1.74	1.28 0.31 0.76	0.19 0.09 0.10	2.67 0.55 1.59	0.10 0.02 0.06	0.17 0.05 0.11				
C03 GINGIVA	M(M) Ž(F) UK(T)	0.6 0.7 0.7	0.42 0.46 0.44	0.12 0.12 0.09	0.51 0.59 0.56	0.27 0.33 0.30	0.08 0.09 0.06	0.45 0.57 0.52	0.02 0.02 0.02	0.03 0.05 0.04				
C04 BASIS ORIS	M(M) Ž(F) UK(T)	1.8 0.3 1.0	1.54 0.20 0.86	0.25 0.08 0.13	3.56 0.31 1.89	1.15 0.12 0.62	0.19 0.05 0.10	3.38 0.26 1.78	0.11 0.01 0.06	0.13 0.01 0.07				
C05 PALATUM	M(M) Ž(F) UK(T)	1.1 0.1 0.5	0.89 0.03 0.44	0.19 0.03 0.09	1.71 0.09 0.88	0.64 0.03 0.32	0.14 0.03 0.07	1.58 0.09 0.82	0.05 0.00 0.03	0.08 0.00 0.04				
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M(M) Ž(F) UK(T)	0.6 0.4 0.5	0.51 0.26 0.37	0.15 0.10 0.08	0.77 0.39 0.57	0.38 0.19 0.27	0.11 0.07 0.06	0.79 0.38 0.58	0.02 0.01 0.02	0.05 0.02 0.03				
C07 GLANDULA PAROTIS	M(M) Ž(F) UK(T)	0.8 0.6 0.7	0.67 0.41 0.51	0.17 0.12 0.10	0.74 0.33 0.53	0.45 0.31 0.36	0.12 0.10 0.07	0.71 0.32 0.50	0.02 0.02 0.02	0.05 0.03 0.04				
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M(M) Ž(F) UK(T)	0.2 0.1 0.1	0.13 0.04 0.08	0.07 0.03 0.03	0.12 0.00 0.06	0.08 0.02 0.05	0.05 0.02 0.02	0.13 0.00 0.07	0.00 0.00 0.00	0.00 0.00 0.00				
C09 TONSILLA	M(M) Ž(F) UK(T)	2.3 0.5 1.4	1.89 0.36 1.08	0.27 0.12 0.14	3.80 0.43 2.06	1.37 0.29 0.80	0.20 0.11 0.11	3.61 0.43 1.98	0.13 0.02 0.07	0.16 0.03 0.09				
C10 OROPHARYNX	M(M) Ž(F) UK(T)	2.1 0.3 1.2	1.75 0.21 0.92	0.27 0.09 0.13	2.60 0.48 1.50	1.28 0.15 0.67	0.20 0.06 0.10	2.46 0.44 1.41	0.09 0.02 0.05	0.18 0.02 0.09				
C11 EPIPHARYNX	M(M) Ž(F) UK(T)	1.0 0.5 0.7	0.86 0.39 0.62	0.19 0.13 0.11	1.78 0.65 1.21	0.67 0.32 0.49	0.16 0.11 0.09	1.75 0.65 1.19	0.06 0.02 0.04	0.07 0.03 0.05				
C12 SINUS PIRIFORMIS	M(M) Ž(F) UK(T)	0.8 0.1 0.5	0.68 0.09 0.37	0.17 0.06 0.08	1.50 0.09 0.78	0.49 0.07 0.27	0.12 0.04 0.06	1.41 0.09 0.73	0.05 0.00 0.02	0.05 0.01 0.03				
C13 HIPOPHARYNX	M(M) Ž(F) UK(T)	4.5 0.5 2.4	3.60 0.36 1.87	0.38 0.11 0.19	6.47 0.61 3.44	2.61 0.25 1.35	0.28 0.08 0.14	6.07 0.53 3.20	0.22 0.02 0.12	0.34 0.04 0.18				
C14 PHARYNX NON SPEC.	M(M) Ž(F) UK(T)	0.5 0.1 0.3	0.40 0.04 0.20	0.13 0.04 0.06	0.34 0.00 0.17	0.30 0.03 0.15	0.10 0.03 0.05	0.35 0.00 0.17	0.01 0.00 0.01	0.04 0.00 0.02				
C15 OESOPHAGUS	M(M) Ž(F) UK(T)	8.1 1.3 4.6	6.55 0.84 3.35	0.51 0.17 0.25	8.71 1.21 4.84	4.53 0.59 2.35	0.36 0.12 0.18	8.15 1.17 4.54	0.30 0.04 0.16	0.57 0.07 0.30				
C16 VENTRICULUS	M(M) Ž(F) UK(T)	24.3 14.7 19.3	19.14 8.47 12.91	0.88 0.51 0.47	17.28 7.99 12.51	12.53 5.65 8.58	0.59 0.37 0.33	16.38 7.57 11.85	0.58 0.28 0.43	1.38 0.59 0.95				
C17 INTESTINUM TENUE INC. DUODENUM	M(M) Ž(F) UK(T)	1.1 1.3 1.2	0.85 0.80 0.83	0.18 0.16 0.12	1.08 0.80 0.93	0.60 0.58 0.58	0.13 0.13 0.09	1.06 0.77 0.91	0.04 0.03 0.03	0.08 0.05 0.06				
C18 INTESTINUM CRASSUM EXCL. RECTUM	M(M) Ž(F) UK(T)	53.3 35.1 43.9	42.00 21.09 29.72	1.30 0.81 0.71	36.15 21.99 28.78	27.89 14.15 19.96	0.88 0.58 0.50	34.49 20.89 27.40	1.23 0.73 0.97	3.41 1.63 2.42				
C19 COLON RECTOSIGMOIDEUM	M(M) Ž(F) UK(T)	7.2 3.7 5.4	5.42 2.28 3.58	0.45 0.27 0.24	4.28 2.65 3.43	3.60 1.58 2.43	0.31 0.19 0.17	4.14 2.60 3.34	0.15 0.09 0.12	0.47 0.20 0.32				
C20 RECTUM	M(M) Ž(F) UK(T)	30.0 16.4 22.9	23.76 10.03 15.95	0.97 0.56 0.53	26.22 11.54 18.61	16.23 6.87 10.98	0.68 0.41 0.38	24.93 11.08 17.74	0.90 0.39 0.63	2.04 0.82 1.37				
C21 ANUS ET CANALIS ANALIS	M(M) Ž(F) UK(T)	0.7 0.9 0.8	0.60 0.56 0.60	0.16 0.13 0.10	1.07 0.89 0.98	0.44 0.36 0.41	0.11 0.09 0.07	1.01 0.81 0.91	0.03 0.03 0.03	0.06 0.04 0.05				
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M(M) Ž(F) UK(T)	13.7 7.4 10.5	10.55 4.18 6.97	0.64 0.35 0.34	10.41 3.11 6.63	7.02 2.74 4.64	0.44 0.25 0.24	9.71 2.93 6.19	0.36 0.11 0.23	0.90 0.32 0.58				
C23 VESICA FELLEA	M(M) Ž(F) UK(T)	2.6 4.4 3.5	2.17 2.41 2.25	0.31 0.26 0.19	0.96 1.99 1.48	1.32 1.51 1.40	0.19 0.18 0.12	0.90 1.80 1.36	0.03 0.06 0.05	0.12 0.15 0.14				
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M(M) Ž(F) UK(T)	2.9 3.0 2.9	2.33 1.59 1.93	0.31 0.21 0.18	1.90 1.41 1.65	1.56 1.02 1.27	0.21 0.15 0.12	1.79 1.35 1.57	0.06 0.05 0.05	0.20 0.11 0.15				
C25 PANCREAS	M(M) Ž(F) UK(T)	14.9 15.8 15.4	12.03 9.14 10.42	0.70 0.52 0.42	11.80 8.43 10.04	8.13 6.04 6.98	0.48 0.37 0.30	11.20 7.94 9.49	0.40 0.29 0.34	0.98 0.70 0.83				

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2014. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2014

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOLOJNOST SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C26 TRACTUS DIGESTIVUS NON SPEC.	M(M) Ž(F) UK(T)	1.0 1.0 1.0	0.81 0.64 0.72	0.18 0.14 0.11	0.93 0.79 0.86	0.57 0.41 0.49	0.13 0.10 0.08	0.87 0.73 0.79	0.03 0.03 0.03	0.07 0.04 0.05
C30 NASUS, CAVUM NASI ET AURIS MEDIA	M(M) Ž(F) UK(T)	0.5 0.3 0.4	0.53 0.17 0.30	0.16 0.07 0.08	0.44 0.10 0.26	0.35 0.11 0.21	0.11 0.05 0.05	0.42 0.08 0.25	0.02 0.00 0.01	0.03 0.02 0.02
C31 SINUS PARANASALES	M(M) Ž(F) UK(T)	0.6 0.1 0.4	0.48 0.08 0.27	0.14 0.05 0.07	0.77 0.18 0.47	0.37 0.06 0.21	0.12 0.04 0.06	0.71 0.18 0.44	0.03 0.01 0.02	0.04 0.01 0.02
C32 LARYNX	M(M) Ž(F) UK(T)	14.1 1.0 7.3	11.44 0.78 5.57	0.68 0.17 0.32	16.37 1.58 8.75	8.09 0.59 4.00	0.49 0.14 0.24	15.40 1.50 8.23	0.55 0.06 0.29	1.06 0.06 0.52
C33 TRACHEA	M(M) Ž(F) UK(T)	0.3 0.0 0.1	0.25 0.00 0.10	0.11 0.00 0.04	0.24 0.00 0.12	0.16 0.00 0.07	0.07 0.00 0.03	0.24 0.00 0.12	0.01 0.00 0.00	0.01 0.00 0.01
C34 BRONCHUS ET PULMO (PRIM.)	M(M) Ž(F) UK(T)	102.7 35.5 67.9	81.30 23.19 48.51	1.79 0.87 0.92	99.53 31.55 64.32	55.88 16.07 33.70	1.26 0.63 0.66	93.79 29.67 60.53	3.41 1.07 2.19	7.04 2.01 4.29
C37 THYMUS	M(M) Ž(F) UK(T)	0.1 0.2 0.1	0.04 0.21 0.13	0.04 0.10 0.05	0.10 0.46 0.28	0.03 0.18 0.11	0.03 0.08 0.04	0.10 0.49 0.29	0.00 0.01 0.01	0.00 0.02 0.01
C38 COR, MEDIASTINUM ET PLEURA	M(M) Ž(F) UK(T)	0.1 0.1 0.1	0.04 0.03 0.04	0.04 0.03 0.03	0.00 0.09 0.05	0.03 0.03 0.03	0.03 0.03 0.02	0.00 0.09 0.05	0.00 0.00 0.00	0.01 0.00 0.00
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M(M) Ž(F) UK(T)	0.2 0.0 0.1	0.11 0.00 0.05	0.07 0.00 0.03	0.10 0.00 0.05	0.08 0.00 0.03	0.05 0.00 0.02	0.10 0.00 0.05	0.00 0.00 0.00	0.01 0.00 0.00
C40 THELAE OSSIIUM MEMBRUM	M(M) Ž(F) UK(T)	0.8 1.0 0.9	0.75 0.85 0.78	0.19 0.20 0.13	0.55 0.76 0.66	0.66 0.82 0.73	0.18 0.22 0.14	0.54 0.71 0.63	0.04 0.05 0.04	0.05 0.06 0.06
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	1.1 0.8 0.9	0.99 0.56 0.77	0.22 0.15 0.13	0.67 0.56 0.62	0.85 0.47 0.65	0.20 0.15 0.13	0.66 0.56 0.61	0.04 0.03 0.03	0.07 0.03 0.05
C43 MELANOMA MALIGNUM CUTIS	M(M) Ž(F) UK(T)	14.8 12.7 13.7	12.12 9.13 10.44	0.71 0.58 0.45	16.24 13.31 14.69	8.75 6.72 7.62	0.53 0.46 0.34	15.92 13.12 14.44	0.57 0.45 0.51	1.00 0.69 0.83
C45 MESOTHELIOMA	M(M) Ž(F) UK(T)	3.4 0.4 1.8	2.58 0.26 1.19	0.31 0.10 0.14	1.84 0.48 1.12	1.69 0.19 0.81	0.21 0.07 0.10	1.81 0.44 1.09	0.07 0.02 0.04	0.19 0.03 0.10
C46 SARCOMA KAPOSII	M(M) Ž(F) UK(T)	0.3 0.1 0.2	0.29 0.06 0.16	0.11 0.06 0.06	0.23 0.00 0.11	0.22 0.08 0.14	0.09 0.08 0.06	0.24 0.00 0.11	0.01 0.00 0.01	0.02 0.00 0.01
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M(M) Ž(F) UK(T)	0.2 0.3 0.3	0.23 0.38 0.30	0.11 0.15 0.09	0.10 0.10 0.10	0.24 0.46 0.35	0.14 0.21 0.12	0.10 0.08 0.09	0.01 0.02 0.02	0.01 0.03 0.02
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M(M) Ž(F) UK(T)	2.7 2.0 2.3	2.44 1.75 2.02	0.34 0.29 0.21	2.83 1.51 2.16	1.97 1.70 1.79	0.30 0.34 0.22	2.79 1.46 2.12	0.12 0.10 0.11	0.20 0.12 0.16
C50 MAMMA	M(M) Ž(F)	1.2 119.2	0.90 89.43	0.19 1.82	1.25 147.75	0.62 66.01	0.13 1.40	1.15 144.19	0.04 4.82	0.07 7.45
C51 VULVA	Ž(F)	3.5	1.99	0.24	1.91	1.33	0.17	1.86	0.07	0.16
C52 VAGINA	Ž(F)	1.1	0.74	0.16	0.99	0.51	0.12	0.97	0.03	0.05
C53 CERVIX UTERI	Ž(F)	13.8	11.87	0.70	22.67	9.21	0.56	22.39	0.76	0.95
C54 CORPUS UTERI	Ž(F)	28.6	20.53	0.85	32.34	14.83	0.64	30.79	1.07	1.83
C55 UTERUS NON SPEC.	Ž(F)	1.4	0.80	0.15	0.51	0.50	0.10	0.48	0.02	0.05
C56 OVARIUM	Ž(F)	17.1	12.41	0.68	19.21	9.19	0.53	18.75	0.64	1.03
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž(F)	1.4	0.97	0.18	1.54	0.66	0.13	1.40	0.05	0.09
C60 PENIS	M(M)	1.4	1.12	0.21	1.38	0.79	0.15	1.36	0.05	0.10
C61 PROSTATA	M(M)	82.7	64.81	1.61	47.43	42.57	1.08	44.60	1.68	5.45
C62 TESTIS	M(M)	9.4	9.38	0.67	10.00	9.05	0.67	10.61	0.67	0.68

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2014. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2014

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M(M)	0.2	0.20	0.09	0.12	0.15	0.07	0.13	0.00	0.02
C64 REN EXCL. PELVIS RENALIS	M(M)	23.2	19.53	0.91	25.90	14.44	0.73	24.86	0.92	1.63
	Ž(F)	11.4	7.68	0.53	8.29	5.78	0.48	7.86	0.32	0.61
	UK(T)	17.1	13.08	0.50	16.89	9.79	0.42	16.17	0.61	1.08
C65 PELVIS RENALIS	M(M)	0.9	0.64	0.16	0.40	0.40	0.10	0.40	0.02	0.04
	Ž(F)	0.7	0.38	0.10	0.37	0.25	0.07	0.34	0.01	0.03
	UK(T)	0.8	0.47	0.08	0.38	0.30	0.06	0.37	0.01	0.03
C66 URETER	M(M)	1.0	0.73	0.17	0.70	0.47	0.11	0.64	0.02	0.06
	Ž(F)	0.7	0.42	0.11	0.44	0.28	0.08	0.42	0.01	0.03
	UK(T)	0.8	0.55	0.09	0.56	0.36	0.06	0.52	0.02	0.05
C67 VESICA URINARIA	M(M)	36.6	29.31	1.10	24.55	19.10	0.73	23.35	0.85	2.13
	Ž(F)	11.2	6.73	0.46	6.91	4.61	0.34	6.68	0.25	0.54
	UK(T)	23.5	15.86	0.52	15.42	10.65	0.37	14.72	0.54	1.25
C68 ORGANA URINARIA ALT. ET NON SPEC.	M(M)	0.4	0.29	0.11	0.10	0.17	0.06	0.08	0.00	0.02
	Ž(F)	0.1	0.06	0.04	0.00	0.03	0.02	0.00	0.00	0.00
	UK(T)	0.3	0.15	0.05	0.05	0.09	0.03	0.04	0.00	0.01
C69 OCULUS ET ADNEXA	M(M)	1.0	0.75	0.17	0.98	0.53	0.13	0.95	0.04	0.05
	Ž(F)	0.4	0.29	0.12	0.41	0.28	0.13	0.41	0.02	0.02
	UK(T)	0.7	0.49	0.10	0.69	0.38	0.09	0.68	0.03	0.03
C70 MENINGES	M(M)	0.2	0.13	0.08	0.10	0.07	0.04	0.08	0.00	0.00
	Ž(F)	0.2	0.15	0.07	0.09	0.10	0.05	0.09	0.00	0.01
	UK(T)	0.2	0.13	0.05	0.10	0.08	0.03	0.09	0.00	0.01
C71 CEREBRUM	M(M)	12.3	10.69	0.69	12.59	8.56	0.62	12.04	0.55	0.82
	Ž(F)	9.5	6.96	0.53	7.46	5.73	0.53	7.10	0.36	0.52
	UK(T)	10.9	8.67	0.42	9.95	7.05	0.40	9.49	0.45	0.66
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M(M)	0.2	0.16	0.07	0.00	0.09	0.04	0.00	0.00	0.01
	Ž(F)	0.3	0.25	0.10	0.34	0.21	0.10	0.34	0.01	0.02
	UK(T)	0.3	0.19	0.06	0.17	0.15	0.05	0.17	0.01	0.01
C73 GLANDULA THYREOIDEA	M(M)	5.6	5.01	0.47	7.31	4.07	0.40	7.35	0.32	0.41
	Ž(F)	22.1	20.31	0.94	33.90	17.04	0.83	33.78	1.35	1.64
	UK(T)	14.1	12.82	0.53	20.78	10.65	0.46	20.73	0.84	1.04
C74 GLANDULA SUPRARENALIS	M(M)	0.2	0.24	0.11	0.36	0.24	0.11	0.36	0.02	0.02
	Ž(F)	0.7	0.77	0.21	0.67	0.84	0.26	0.69	0.04	0.06
	UK(T)	0.5	0.51	0.12	0.52	0.54	0.14	0.53	0.03	0.04
C75 GLANDULAE ENDOCRINES ALTERAE	M(M)	0.2	0.22	0.10	0.30	0.14	0.06	0.29	0.01	0.02
	Ž(F)	0.1	0.07	0.05	0.13	0.06	0.04	0.14	0.00	0.01
	UK(T)	0.2	0.13	0.05	0.21	0.09	0.04	0.20	0.01	0.01
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M(M)	2.2	1.69	0.26	1.49	1.16	0.19	1.37	0.06	0.13
	Ž(F)	2.7	1.52	0.21	1.24	0.97	0.15	1.20	0.04	0.09
	UK(T)	2.5	1.66	0.17	1.36	1.09	0.12	1.29	0.05	0.11
C77 MALIGNOMATA SEC. ET NON SPEC. LYMPHONODORUM	M(M)	1.6	1.29	0.23	1.88	0.91	0.16	1.75	0.06	0.12
	Ž(F)	0.9	0.58	0.14	0.63	0.40	0.11	0.59	0.02	0.04
	UK(T)	1.2	0.92	0.13	1.24	0.64	0.10	1.16	0.04	0.07
C78 MALIGNOMATA SEC. TRACTUS RESPIRATORII ET DIGESTIVI	M(M)	3.7	3.03	0.36	1.75	1.94	0.24	1.59	0.07	0.19
	Ž(F)	2.9	1.53	0.20	0.79	0.94	0.14	0.73	0.03	0.10
	UK(T)	3.3	2.14	0.19	1.26	1.36	0.13	1.15	0.05	0.14
C79 MALIGNOMATA SEC. REGIONUM ALTERARUM SPEC.	M(M)	1.4	1.12	0.22	0.84	0.74	0.15	0.77	0.03	0.09
	Ž(F)	1.2	0.67	0.14	0.86	0.44	0.10	0.81	0.03	0.04
	UK(T)	1.3	0.85	0.12	0.86	0.57	0.08	0.80	0.03	0.06
C80 MALIGNOMATA SINE REGIONE SPEC.	M(M)	6.5	5.42	0.48	6.01	3.71	0.34	5.68	0.21	0.40
	Ž(F)	5.4	2.98	0.29	2.07	1.92	0.20	2.01	0.08	0.20
	UK(T)	6.0	4.07	0.26	3.98	2.74	0.19	3.79	0.14	0.29
C81 MORBUS HODGKIN	M(M)	2.9	2.76	0.36	3.10	2.58	0.36	3.10	0.18	0.21
	Ž(F)	2.3	2.23	0.32	2.47	2.09	0.32	2.44	0.15	0.17
	UK(T)	2.6	2.49	0.24	2.79	2.33	0.24	2.77	0.16	0.19
C82 LYMPHOMA NON-HODGKIN FOLLICULAR (NODULARE)	M(M)	2.0	1.61	0.25	2.57	1.19	0.20	2.52	0.09	0.12
	Ž(F)	2.4	1.65	0.24	2.83	1.18	0.18	2.70	0.09	0.14
	UK(T)	2.2	1.65	0.18	2.70	1.19	0.13	2.61	0.09	0.13
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M(M)	7.6	6.35	0.52	6.72	4.90	0.43	6.48	0.30	0.53
	Ž(F)	6.8	4.76	0.41	5.85	3.58	0.34	5.87	0.22	0.39
	UK(T)	7.2	5.52	0.33	6.26	4.22	0.28	6.15	0.26	0.46
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M(M)	0.6	0.54	0.15	0.78	0.41	0.12	0.78	0.03	0.05
	Ž(F)	0.5	0.38	0.12	0.24	0.32	0.12	0.26	0.01	0.03
	UK(T)	0.5	0.45	0.10	0.50	0.36	0.08	0.52	0.02	0.04
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M(M)	4.3	3.63	0.39	5.25	2.55	0.28	4.97	0.18	0.28
	Ž(F)	4.1	2.81	0.32	4.40	2.08	0.26	4.29	0.16	0.21
	UK(T)	4.2	3.14	0.24	4.82	2.27	0.19	4.63	0.17	0.24
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M(M)	0.7	0.60	0.16	0.33	0.35	0.10	0.33	0.01	0.03
	Ž(F)	0.3	0.18	0.07	0.29	0.13	0.05	0.28	0.01	0.01
	UK(T)	0.5	0.32	0.07	0.31	0.20	0.05	0.31	0.01	0.02
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M(M)	6.1	4.79	0.44	4.95	3.33	0.31	4.71	0.18	0.42
	Ž(F)	5.4	3.40	0.33	4.09	2.35	0.24	3.89	0.13	0.28
	UK(T)	5.7	4.00	0.27	4.50	2.78	0.19	4.28	0.15	0.34
C91 LEUKAEMIA LYMPHATICA	M(M)	6.0	5.37	0.51	3.92	4.54	0.51	3.70	0.22	0.37
	Ž(F)	4.9	3.50	0.39	2.91	3.07	0.43	2.90	0.16	0.22
	UK(T)	5.4	4.27	0.31	3.38	3.72	0.33	3.27	0.19	0.29

Tablica B6.1

DOBNOSTANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2014. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2014

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOLOJ SEX	GRUBE STOPE CRUDE RATE	DOBNOSTANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNOSTANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C92 LEUKAEMIA MYELOICA	M(M) Ž(F) UK(T)	4.1 4.0 4.0	3.27 2.66 2.92	0.37 0.32 0.24	3.60 1.77 2.67	2.38 2.18 2.25	0.29 0.32 0.21	3.50 1.72 2.60	0.13 0.11 0.12	0.25 0.18 0.21
C93 LEUKAEMIA MONOCITARIA	M(M) Ž(F) UK(T)	0.2 0.1 0.2	0.17 0.07 0.11	0.08 0.05 0.04	0.10 0.12 0.11	0.11 0.05 0.07	0.05 0.04 0.03	0.10 0.12 0.11	0.00 0.00 0.00	0.01 0.01 0.01
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA, LEUKAEM. MEGAKARYOCYTICA)	M(M) Ž(F) UK(T)	0.1 0.1 0.1	0.09 0.02 0.05	0.06 0.02 0.03	0.00 0.00 0.00	0.07 0.02 0.04	0.05 0.02 0.02	0.00 0.00 0.00	0.00 0.00 0.00	0.01 0.00 0.01
C95 LEUKAEMIA NON SPEC.	M(M) Ž(F) UK(T)	0.6 0.5 0.5	0.56 0.21 0.36	0.17 0.07 0.08	0.46 0.09 0.28	0.45 0.13 0.28	0.16 0.04 0.08	0.47 0.09 0.28	0.02 0.00 0.01	0.02 0.02 0.02
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M(M) Ž(F) UK(T)	0.3 0.3 0.3	0.30 0.30 0.30	0.12 0.13 0.09	0.32 0.20 0.27	0.26 0.33 0.29	0.12 0.16 0.10	0.30 0.21 0.26	0.02 0.02 0.02	0.02 0.02 0.02
SVE LOKALIZACIJE ALL SITES C00 - C97	M(M) Ž(F) UK(T)	551.2 452.8 500.2	444.54 315.45 365.80	4.26 3.36 2.59	468.72 434.96 449.57	309.76 231.25 262.30	3.11 2.68 2.00	446.48 421.35 431.66	16.97 15.22 16.01	36.38 25.35 30.12
CA IN SITU D00 - D09	M(M) Ž(F) UK(T)	2.6 18.7 10.9	2.10 18.49 10.27	0.29 0.92 0.48	2.71 28.44 15.61	1.49 16.14 8.78	0.21 0.83 0.42	2.53 29.41 16.01	0.10 1.26 0.68	0.19 1.41 0.80
D06 CERVIX UTERI - CA IN SITU	Ž(F)	14.0	14.73	0.84	21.81	13.30	0.77	22.85	1.05	1.07
D32 NEOPLASMA BENIGNUM MENINGUM	M(M) Ž(F) UK(T)	1.4 2.8 2.1	1.20 2.05 1.62	0.23 0.28 0.18	1.17 2.77 1.98	0.83 1.56 1.19	0.16 0.23 0.14	1.10 2.70 1.91	0.04 0.10 0.07	0.11 0.18 0.15
D33 NEOPLASMA BENIGNUM CEREBRI	M(M) Ž(F) UK(T)	0.3 0.4 0.3	0.25 0.31 0.28	0.10 0.12 0.08	0.20 0.30 0.25	0.21 0.28 0.25	0.10 0.12 0.08	0.20 0.27 0.23	0.02 0.02 0.02	0.02 0.03 0.02
D42 NEOPLASMA MENINGUM NON CLASS.	M(M) Ž(F) UK(T)	0.1 0.2 0.1	0.08 0.16 0.12	0.06 0.08 0.05	0.20 0.42 0.31	0.06 0.12 0.09	0.04 0.06 0.04	0.18 0.39 0.28	0.01 0.01 0.01	0.01 0.01 0.01
D43 NEOPLASMA CEREBRI NON CLASS.	M(M) Ž(F) UK(T)	0.5 0.8 0.6	0.48 0.78 0.61	0.16 0.19 0.12	0.12 0.58 0.36	0.42 0.78 0.59	0.15 0.21 0.13	0.13 0.62 0.38	0.02 0.05 0.04	0.03 0.06 0.05
D45 POLYCYTHAEMIA RUBRA VERA	M(M) Ž(F) UK(T)	0.3 0.3 0.3	0.25 0.15 0.20	0.09 0.06 0.06	0.40 0.09 0.24	0.16 0.10 0.13	0.06 0.05 0.04	0.35 0.09 0.22	0.01 0.00 0.01	0.02 0.02 0.02
D46.9 SYNDROMA MYELODISPLASTICUM NON SPEC.	M(M) Ž(F) UK(T)	1.6 0.8 1.2	1.18 0.51 0.76	0.22 0.13 0.11	0.76 0.71 0.74	0.76 0.35 0.51	0.14 0.09 0.08	0.76 0.68 0.72	0.02 0.02 0.02	0.08 0.04 0.06
D47.1 SYNDROMA MYELOPROLIFERATIVUM CHR	M(M) Ž(F) UK(T)	0.4 0.5 0.5	0.39 0.25 0.29	0.14 0.09 0.07	0.21 0.24 0.23	0.23 0.17 0.19	0.08 0.07 0.05	0.19 0.26 0.22	0.01 0.01 0.01	0.02 0.01 0.01

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).
 NOTE: EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Podaci Registra za rak Republike Hrvatske u zadnjih godinu dana korišteni su za:**Projekti:**

Projekti Europske komisije:

- EUROCARE (EUROpean CAncer REgistry-based study on survival and CARE of cancer patients), Nacionalni institut za tumore, Milano, Italija
- CANCON (Development of the European Guide on Quality Improvement in Comprehensive Cancer Control)
- JARC (Joint Action on Rare Cancers)

Ostali projekti:

- CONCORD-2 (Global surveillance of cancer survival), London School of Hygiene and Tropical Medicine.

Izlaganja na znanstvenim i stručnim skupovima:

- Organizacija i vođenje skupa i pripadajućih aktivnosti unutar radnog paketa 9 CANCON projekta posvećenog ranom otkrivanju raka dojke u Zagrebu (rujan 2015.)
- Znanstveni sastanak, rak dojke (HAZU, rujan 2015.)
- Radionica o ranom otkrivanju raka vrata maternice (CANCON, Oslo, listopad 2015.)
- SIS European Breast Diseases Congress, 6th Croatian Senologic Society Congress (Opatija, listopad 2015.)
- Simpozij HAZU, rak jednjaka i želuca (studenj 2015.)
- Skup „Onkoplastika dojke“, HLZ (prosinac 2015.)
- Simpozij „Pobijedimo rak vrata maternice“ (siječanj 2016.)
- CANWON projekt, radionica u Zagrebu (travanj 2016.)
- Sastanak Hrvatskog epidemiološkog društva (svibanj 2016.)
- Tečaj o preživljenju od raka, LSHTM (lipanj 2016.)

Izrada doktorskih disertacija, specijalističkih radova, diplomskih radova i znanstveno-stručnih radova:

U pripremi je nekoliko disertacija i drugih kvalifikacijskih radova u kojima se koriste podaci Registra za rak. Podaci o objavljenim znanstvenim i stručnim radovima su navedeni u idućem odlomku.

Objavljeni znanstveni i stručni radovi:

1. Anderson LA, Tavilla A, Brenner H, Luttmann S, Navarro C, Gavin AT, et al. (*Sekerija M*). Survival for oesophageal, stomach and small intestine cancers in Europe 1999-2007: results from EUROCARE-5. *European journal of cancer* 2015;51:2144-57.
2. Baili P, Di Salvo F, Marcos-Gragera R, Siesling S, Mallone S, Santaquilani M, et al. (*Sekerija M*) Age and case mix-standardised survival for all cancer patients in Europe 1999-2007: Results of EUROCARE-5, a population-based study. *European journal of cancer*. 2015;51:2120-9.
3. Crocetti E, Mallone S, Robsahm TE, Gavin A, Agius D, Ardanaz E, et al. (*Sekerija M*) Survival of patients with skin melanoma in Europe increases further: Results of the EUROCARE-5 study. *European journal of cancer*. 2015;51:2179-90.
4. De Angelis R, Minicozzi P, Sant M, Dal Maso L, Brewster DH, Osca-Gelis G, et al. (*Sekerija M*) Survival variations by country and age for lymphoid and myeloid malignancies in Europe 2000-2007: Results of EUROCARE-5 population-based study. *European journal of cancer*. 2015;51:2254-68.
5. Francisci S, Minicozzi P, Pierannunzio D, Ardanaz E, Eberle A, Grimsrud TK, et al. Survival patterns in lung and pleural cancer in Europe 1999-2007: Results from the EUROCARE-5 study. *European journal of cancer*. 2015;51:2242-53.
6. Gatta G, Botta L, Sanchez MJ, Anderson LA, Pierannunzio D, Licitra L, et al. (*Sekerija M*) Prognoses and improvement for head and neck cancers diagnosed in Europe in early 2000s: The EUROCARE-5 population-based study. *European journal of cancer*. 2015;51:2130-43.
7. Holleccek B, Rossi S, Domenic A, Innos K, Minicozzi P, Francisci S, et al. (*Sekerija M*) On-going improvement and persistent differences in the survival for patients with colon and rectum cancer across Europe 1999-2007 - Results from the EUROCARE-5 study. *European journal of cancer*. 2015;51:2158-68

8. Karalexi MA, Papathoma P, Thomopoulos TP, Ryzhov A, Zborovskaya A, Dimitrova N, et al. (*Sekeriya M*) Childhood central nervous system tumour mortality and survival in Southern and Eastern Europe (1983-2014): Gaps persist across 14 cancer registries. *European journal of cancer*. 2015;51(17):2665-77.
9. Kralj V, Brkić Biloš I, Čorić T, Silobrić Radić M, Šekeriya M. Chronic Noncommunicable Diseases–Burden of Disease in the Population of Croatia. *Cardiologia Croatica*. 2015;10(7-8):167-75.
10. Lepage C, Capocaccia R, Hackl M, Lemmens V, Molina E, Pierannunzio D, et al. (*Sekeriya M*) Survival in patients with primary liver cancer, gallbladder and extrahepatic biliary tract cancer and pancreatic cancer in Europe 1999-2007: Results of EURO CARE-5. *European journal of cancer*. 2015;51:2169-78.
11. Marcos-Gragera R, Mallone S, Kiemeny LA, Vilardell L, Malats N, Allory Y, et al. (*Sekeriya M*) Urinary tract cancer survival in Europe 1999-2007: Results of the population-based study EURO CARE-5. *European journal of cancer*. 2015;51:2217-30.
12. Rossi S, Baili P, Capocaccia R, Caldora M, Carrani E, Minicozzi P, et al. (*Sekeriya M*) The EURO CARE-5 study on cancer survival in Europe 1999-2007: database, quality checks and statistical analysis methods. *European journal of cancer*. 2015;51:2104-19.
13. Trama A, Foschi R, Larranaga N, Sant M, Fuentes-Raspall R, Serraino D, et al. (*Sekeriya M*) Survival of male genital cancers (prostate, testis and penis) in Europe 1999-2007: Results from the EURO CARE-5 study. *European journal of cancer*. 2015;51:2206-16.
14. Visser O, Ardanaz E, Botta L, Sant M, Tavilla A, Minicozzi P, et al. (*Sekeriya M*) Survival of adults with primary malignant brain tumours in Europe; Results of the EURO CARE-5 study. *European journal of cancer*. 2015;51:2231-41.
15. Barbaric J, Šekeriya M, Agius D, Coza D, Dimitrova N, Demetriou A, et al. Disparities in melanoma incidence and mortality in South-Eastern Europe: Increasing incidence and divergent mortality patterns. Is progress around the corner? *European journal of cancer*. 2016;55:47-55.
16. Čukelj P, Antoljak N, Nakić D, Parun AŠ, Šekeriya M, Erceg M. Pregled europskih istraživanja o razlozima neodaziva ciljne populacije u preventivnim programima ranog otkrivanja raka. *Hrvatski časopis za javno zdravstvo*. 2016;12(45):113-25.
17. Trama A, Botta L, Foschi R, Ferrari A, Stiller C, Desandes E, et al. (*Sekeriya M*) Survival of European adolescents and young adults diagnosed with cancer in 2000–07: population-based data from EURO CARE-5. *The Lancet Oncology*. 2016;17(7):896-906.