

HRVATSKI ZAVOD ZA JAVNO ZDRAVSTVO

Registar za rak Republike Hrvatske


CROATIAN INSTITUTE OF PUBLIC HEALTH

Croatian National Cancer Registry

INCIDENCIJA RAKA U HRVATSKOJ

CANCER INCIDENCE IN CROATIA

2018.



Zagreb, 2020.

**Bilten br. 43
Bulletin No. 43**

Glavni i odgovorni urednik: doc. dr. sc. Mario Šekerija, dr. med.
Editor-in-chief: Asst Prof Mario Šekerija, MD, PhD

Osoblje Registra za rak Hrvatske i suradnici u izradi biltena:
Croatian National Cancer Registry staff and technical associates:

Mario Šekerija
Ljubica Bubanović
Petar Novak
Jelena Lončar
Petra Čukelj
Jana Veltruski
Monika Glibo
Karmen Korda

**MOLIMO KORISNIKE OVE PUBLIKACIJE DA PRILIKOM
KORIŠTENJA PODATAKA OBVEZNO NAVEDU IZVOR**

PLEASE QUOTE THE DATA SOURCE

**Hrvatski zavod za javno zdravstvo, Registar za rak Republike Hrvatske.
Incidencija raka u Hrvatskoj 2018., Bilten 43, Zagreb, 2020.**

Izdao: Hrvatski zavod za javno zdravstvo
Rockefellerova 7
10000 Zagreb
Hrvatska
Tel. (01) 4863-280

Web-stranice: <https://www.hzjz.hr/sluzba-epidemiologija-prevencija-nezaraznih-bolesti/odjel-za-maligne-bolesti/>

Publisher: Croatian Institute of Public Health
Rockefellerova 7
HR-10000 Zagreb
Croatia

Tel. + 385 1 4863 280

Web-site: <https://www.hzjz.hr/sluzba-epidemiologija-prevencija-nezaraznih-bolesti/odjel-za-maligne-bolesti/>

Ravnatelj: doc. dr. sc. Krunoslav Capak, prim. dr. med.
Director: Asst Prof Krunoslav Capak, MD, PhD

ISSN 1333-7777

SADRŽAJ - CONTENTS

STRANICA - Page

UVOD INTRODUCTION	1
Slika 1. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ PREMA SPOLU U 2018. GODINI Figure 1. MOST COMMON CANCER SITES IN CROATIA BY SEX IN 2018	5
Slika 2. RASPODJELA NOVOOBOLJELIH OD RAKA PREMA SIJELIMA U 2018. GODINI Figure 2. DISTRIBUTION OF NEW CANCER CASES IN 2018 BY SITE	6
Slika 3. INCIDENCIJA NAJČEŠĆIH SIJELA RAKA 2018. GODINE U HRVATSKOJ PREMA DOBI I SPOLU Figure 3. MOST COMMON CANCER SITES INCIDENCE BY AGE AND SEX, CROATIA, 2018	7
Slika 4. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ 2018. GODINE PREMA SPOLU Figure 4. MOST COMMON CANCER SITES BY SEX, CROATIA, 2018	8
Slika 5.0 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2018. GODINI - MUŠKARCI Figure 5.0 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2018, MALES	9
Slika 5.1 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2018. GODINI - ŽENE Figure 5.1 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2018, FEMALES	10
Tablica B 1. POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2018. Table B 1. DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2018	11
Tablica B 2.1 NOVI SLUČAJEVI RAKA U HRVATSKOJ 2018. GODINE NAJČEŠĆA SIJELA - BROJ, POSTOTAK, STOPE INCIDENCIJE, KUMULATIVNE STOPE Table B 2.1 NEW CANCER CASES IN CROATIA IN 2018 MOST COMMON SITES: NUMBER OF CASES, PERCENTAGE, INCIDENCE RATES AND CUMULATIVE RATES	13
Tablica B 3.0 BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018. Table B 3.0 NEW CANCER CASES IN CROATIA IN 2018 BY SEX, AGE AND PRIMARY SITE	14
Tablica B 3.1 STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018. Table B 3.1 CANCER INCIDENCE RATES IN CROATIA IN 2018 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE	18
Tablica B 4.1 BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2018. Table B 4.1 NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2018.....	22
Tablica B 5.1 BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2018. Table B 5.1 NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2018	25
Tablica B 5.2 STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2018. Table B 5.2 CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2018	27
Tablica B 6.1 DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2018. GODINE Table B 6.1 AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2018	29
PROJEKTI, ZNANSTVENI I STRUČNI RADOVI, IZLAGANJA PROJECTS, SCIENTIFIC AND PROFESSIONAL PAPERS AND CONFERENCE PRESENTATIONS	33

UVOD

Rak je značajan javnozdravstveni problem stanovništva Hrvatske. Drugi je vodeći uzrok smrti iza bolesti srca i krvnih žila pa je vrlo važno raspolagati odgovarajućim podacima koji će pomoći u izradi strategije za prevenciju i odgovarajuću onkološku službu i zaštitu, kao i u izradi Nacionalne strategije za borbu protiv raka. Samo dobro organizirana registracija raka može omogućiti dostupnost takvih podataka. Incidenciju raka u Hrvatskoj prati i proučava Registar za rak Republike Hrvatske, populacijski registar pri Hrvatskom zavodu za javno zdravstvo.

Podaci o incidenciji raka za 2018. godinu su obrađeni iz Nacionalnog javnozdravstvenog informacijskog sustava (NAJS) koji je razvijen unutar Hrvatskog zavoda za javno zdravstvo. Korištene su definicije multiplih primarnih sijela raka Međunarodne agencije za istraživanje raka (način na koji se izvještava o podacima o raku prema vanjskim institucijama). S obzirom na to da podaci o hospitalizacijama osoba s malignom bolešću iz prethodnih godina (prije 2017.) još uvijek nisu u potpunosti dostupni unutar NAJS sustava, u ovom izvještaju nisu prikazani trendovi incidencije za prethodne godine te će isti biti prikazani u izvještaju za 2019. godinu (planiranom za rujan 2021.).

Podaci o mortalitetu od raka preuzeti su iz službenih podataka Državnog zavoda za statistiku koje obrađuje Odjel za mortalitetnu statistiku Hrvatskog zavoda za javno zdravstvo – za obradu navedenih podataka nije nadležan Registar za rak te su ovdje prikazani samo kako bi se dala zaokružena epidemiološka situacija vezana uz rak.

Registar za rak Hrvatske osnovan je 1959. godine. Najprije su se prikupljali samo podaci o umrlima, a od 1962. godine obrađuju se podaci o novooboljelima od raka. Počevši od 1968. godine podaci se obrađuju elektronički.

Izvori podataka su prijava iz bolnice za otpuštene bolesnike - Bolesničko-statistički list - ONKO tip (obrazac JZ-ONK), vanbolnička Prijava maligne neoplazme (obrazac JZ-NEO) i kopije histološkog/citološkog nalaza. Te su prijave dužne Hrvatskom zavodu za javno zdravstvo slati, prema Programu statističkih istraživanja kojeg donosi Sabor, zdravstvene ustanove i zdravstveni djelatnici privatne prakse. Prijava se ispunjava nakon postavljanja dijagnoze. Izvor podataka o umrlima od raka je mortalitetna baza Državnog zavoda za statistiku i Hrvatskog zavoda za javno zdravstvo. Kao dopunski izvor podataka koristi se i baza podataka Bolesničko-statističkih obrazaca Hrvatskog zavoda za javno zdravstvo. Od 1. siječnja 2017. godine bolnice mogu slati JZ-ONK tipove obrasca elektronički, direktnim učitavanjem u NAJS sustav.

INTRODUCTION

Cancer poses a major public health problem in Croatia. It is the second cause of death (after cardiovascular diseases), so it is very important to have adequate data that will help in the elaboration of a strategy for cancer prevention and the development of an adequate oncological service and care, as well as development of National Cancer Strategy. Such data can only be made available by a well-organised cancer registration system. In Croatia, cancer incidence is monitored and studied by the Croatian National Cancer Registry, a population-based registry at the Croatian Institute of Public Health.

Data on cancer incidence for 2018 have been extracted from the new cancer registry platform, a part of the National Public Health Information System (NAJS), developed within the Croatian Institute of Public Health. The definitions of the multiple primary cancers of the International Agency for Research on Cancer were used (the standard used for international reporting of cancer registry data). Due to the fact that the data on hospitalisations of persons with cancer prior to 2017 are still not completely available within NAJS system, the updated cancer trends will be presented in the next bulletin (for 2019; expected in September 2021).

Data on cancer mortality has been obtained from the official data of the Croatian Bureau of Statistics processed by the Department for mortality statistics of the Croatian Institute of Public Health. The Croatian National Cancer Registry is not responsible for producing this data – it is displayed in this bulletin in order to present a more thorough picture of epidemiological situation related to cancer in Croatia.

The Croatian National Cancer Registry was founded in 1959. Originally, it only collected data relating to cancer deaths. Since 1962, it has been processing data on cancer incidence. Electronic data processing was introduced in 1968.

The data sources for cancer registration are hospital discharge notifications called "Onco type forms" (form JZ-ONK), outpatient "Malignant neoplasm notification" (form JZ-NEO), and copies of the histological/cytological findings. Under the Statistical Research Program promulgated by the Parliament, health institutions and private health practitioners are required to submit these notifications to the Croatian National Cancer Registry. The form is completed on establishing a diagnosis. The data source on cancer mortality is the National Bureau of Statistics and Croatian Institute of Public Health mortality database. The electronic hospital discharge data file from the Croatian Institute of Public Health has also been used as a supplementary data source. Since January 1, 2017, hospitals can upload the JZ-ONK forms in electronic format directly to the NAJS system.

Bilten br. 43 sadrži: pokazatelje kvalitete podataka Registra – postotak morfološki potvrđenih slučajeva, postotak registriranih samo iz potvrda o smrti (DCO) i omjer mortaliteta i incidencije za muške i žene (Tablica B1); broj, postotak, stope incidencije (grube i dobno standardizirane na standardno europsko i svjetsko stanovništvo) i kumulativne stope za najčešća sijela u 2018. godini (Tablica B2.1); incidenciju (apsolutni broj i stopu) raka (osim raka kože) u Hrvatskoj prema spolu, dobi, primarnom sijelu, stadiju bolesti prilikom postavljanja dijagnoze (Tablice B3.0, B3.1, B4.1) te incidenciju najučestalijih sijela raka (apsolutni broj i stopa) prema županijama i prema spolu (Tablica B5.1, B5.2).

U Tablici B6.1 prikazane su dobno-standardizirane stope, standardne pogreške i kumulativne stope (0-64 i 0-74 godina) incidencije prema pojedinim sijelima te prema spolu.

Slike 1 i 2 prikazuju najčešća sijela raka te raspodjelu novooboljelih od raka prema sijelima u 2018. za muškarce i za žene. Slika 3 prikazuje stope incidencije raka specifične za dob za najčešća sijela raka u muškaraca i žena u 2018., dok slika 4 prikazuje broj i stope novooboljelih i umrlih od raka u Hrvatskoj 2018. godine za deset najčešćih sijela.

Dobno-standardizirane stope incidencije raka prema spolu prikazane su i za županije (Slika 5.0 i 5.1).

Za šifriranje dijagnoza koristila se X. revizija Međunarodne klasifikacije bolesti, povreda i uzroka smrti (MKB-10). Stope incidencije računane su na službene procjene stanovništva Hrvatske za 2018. godinu Državnog zavoda za statistiku, a standardizirane na standardno europsko (1976.), svjetsko i hrvatsko stanovništvo prema popisu 2011., ovisno o vrsti analiza. Objavljeni podaci odnose se na stanje po završenoj obradi za 2018. godinu. S obzirom na kontinuirani rad na kvaliteti i obuhvatu podatka te korištenje za brojna istraživanja, baza Registra za rak podložna je manjim promjenama već obrađenih podataka.

Zahvaljujemo djelatnicima u zdravstvu i županijskim zavodima za javno zdravstvo koji u Registar šalju prijave za bolesnike oboljele od raka i rade na kontroli podataka.

Od 1994. godine Registar za rak Hrvatske punopravni je član Međunarodne udruge registara za rak (IACR). Podaci Registra uključeni su u baze podataka o incidenciji, prevalenciji i mortalitetu od raka u Europi (ECO, ECIS) i svijetu (GLOBOCAN), kao i međunarodne studije o preživljenju od raka (EUROCARE, CONCORD).

U 2017. godini Međunarodna agencija za istraživanje raka (IARC) Svjetske zdravstvene organizacije i Međunarodna udruga registara za rak (IACR) iz Lyona objavili su XI. svezak publikacije "Incidencija raka na pet kontinenata". Podaci se odnose na razdoblje od 2008.-2012. godine. To je peti za redom svezak te publikacije koji sadrži podatke za Hrvatsku.

Bulletin no. 43 contains the Registry data quality indicators. These are: percentage of morphologically confirmed cases, percentage of cases recorded based on death certificates only (DCO), mortality-incidence ratio for males and females (Table B1); number of cases, percentage and incidence rates (crude and age-standardised per standard European and World populations) and cumulative rates for the most common cancer sites in 2018 (Table B2.1); cancer incidence (absolute number and rate) in Croatia by sex, age, primary site, cancer stage at the time of diagnosis (Tables B3.0, B3.1, B4.1), as well as the incidence of the most common cancer sites by county and sex (Tables B5.1, B5.2).

In Table B6.1 the age-standardised incidence rates, standard errors and cumulative incidence rates (0-64 and 0-74 years) are displayed by individual sites and sex.

Figs. 1 and 2 show the most common cancer sites and new cancer case distribution by site in males and females for 2018. Fig 3 shows age-specific cancer incidence rates for most common cancer sites in Croatia in 2018 by sex, while Fig 4 shows number and crude rates of cancer incidence and mortality in Croatia for ten most common cancer sites.

Age-standardised incidence rates by sex for counties are presented as well (Figs. 5.0, 5.1.).

In coding the diagnoses, we used the International Classification of Diseases, Injuries and Causes of Death, 10th Revision (ICD-10). The calculation of incidence rates was based on the official mid-year estimates of the Croatian population by the National Bureau of Statistics, and standardised using standard European (1976; ASR-E), standard World (ASR-W) and Croatian 2011 census population, depending on the types of analyses. The published data refer to the state of the cancer registry database after processing of data for 2018. Due to continuous efforts on data quality and coverage improvement, as well as use of data for research purposes, the cancer registry database is subject to minor changes of already processed data.

We extend our thanks to the health care workers in hospitals, primary care and county public health institutes who submit notifications to our Registry and check the data quality.

The Croatian National Cancer Registry has been a full member of the International Association of Cancer Registries (IACR) since 1994. The Registry data have been included in the databases of cancer incidence, prevalence and mortality in Europe (European Cancer Observatory, ECO; European Cancer Information System, ECIS), and in the world (GLOBOCAN), as well as international cancer survival studies (EUROCARE, CONCORD).

In 2017, WHO's International Agency for Research on Cancer (IARC) and the International Association of Cancer Registries (IACR) in Lyon published Volume XI of the "Cancer Incidence in Five Continents" for the 2008-2012 period. Cancer incidence data from Croatia was included, for the fifth time.

Tijekom 2014. i 2015. godine objavljeni su rezultati velikih međunarodnih istraživanja o preživljenju od raka na europskoj (EUROCARE-5) i svjetskoj (CONCORD-2) razini. Po prvi put, podaci hrvatskog Registra za rak su uključeni u međunarodne, standardizirane usporedbe. U 2018. godini objavljen je i treći val CONCORD istraživanja, kao i procjene incidencije i mortaliteta za 2018. godinu (ECIS) Europske komisije. Početkom ove godine objavljene su i ECIS procjene za 2020. godinu.

Vanjske poveznice:

Europski informacijski sustav za rak (ECIS)

<https://ecis.jrc.ec.europa.eu/>

Globalni opservatorij za rak - <https://gco.iarc.fr/>

Novodijagnosticirani i umrli od raka u 2018. godini

Ukupan broj novodijagnosticiranih zloćudnih bolesti (šifre C00-C97 MKB, bez raka kože - šifra C44) bio je 25 623 i to 13 952 muškarca i 11 671 žena. Stopa incidencije je iznosila 626,8/100 000; 706,4/100 000 za muškarce i 552,4/100 000 za žene. Odnos M:Ž je 54:46.

U Hrvatskoj je 2018. godine od raka umrlo 13 809 osoba, 8 049 muškaraca i 5 760 žena. Stope mortaliteta bile su 337,8/100 000; odnosno 407,5/100 000 (M) i 272,6/100 000 (Ž). Odnos M:Ž je 58:42.

Najčešća sijela

Pet najčešćih sijela raka čine ukupno 57% novih slučajeva raka u muškaraca: prostata (21%), traheja, bronh i pluća (16%), kolon (9%), rektum, rektosigma i anus (6%) i mokraćni mjehur (5%). Pet najčešćih sijela raka u žena: dojka (24%), traheja, bronh i pluća (9%), kolon (8%), tijelo maternice (7%) i štitnjača (5%), čine 53% novih slučajeva raka u žena.

Kolon, rektum, rektosigma i anus zajedno u incidenciji sudjeluju s 15% u muškaraca i 13% u žena (Tablica B2.1, Slika 1). (Zbog zaokruživanja, udjeli se ne zbrajaju automatski).

Za ca in situ vrata maternice stope incidencije su najviše u dobi 30-34 godine. Odnos između ca in situ i invazivnog raka vrata maternice je u 2018. godini u Hrvatskoj bio 2,5:1.

Dobno-standardizirane stope

Za međunarodne usporedbe koriste se dobno-standardizirane stope jer grube stope mogu biti odraz razlika u dobnoj strukturi stanovništva. U tablici B6.1 prikazane su grube i dobno-standardizirane stope prema primarnom sijelu i spolu. Za dobnu standardizaciju korišteno je standardno svjetsko i europsko stanovništvo, a prikazana je i standardna pogreška (SE) te standardizirane stope za dob 35-64 godine (eng. truncated rate) i kumulativne stope 0-64 i 0-74 godine.

During 2014 and 2015 results of two major international studies on cancer survival were published. The EUROCARE-5 study evaluated survival in selected European population-based cancer registries, while the CONCORD-2 study investigated cancer survival worldwide. For the first time, data from Croatian National Cancer Registry was also included and standardised comparisons of cancer survival for Croatia are now available. In 2018 the results of the CONCORD-3 were published, as well as the estimates of cancer incidence and mortality for 2018 by the European Commission (ECIS portal). The ECIS has updated these estimates for 2020.

Weblinks:

European Cancer Information System (ECIS)

<https://ecis.jrc.ec.europa.eu/>

Global cancer observatory - <https://gco.iarc.fr/>

Newly diagnosed cancer cases and cancer deaths in 2018

There were 25,623 newly diagnosed cancer cases (ICD-10 codes C00-C97, excluding skin cancer, C44); 13,952 males and 11,671 females. The incidence rate was 626.8/100,000; 706.4/100,000 for males and 552.4/100,000 for females. The male to female ratio was 54:46.

In 2018, there were 13,809 cancer deaths (8,049 male and 5,760 females). Total cancer mortality rate was 337.8/100,000 (407.5/100,000 for males and 272.6/100,000 for females). The male to female ratio is 58:42.

Most common cancer sites

The five most common cancer sites making up 57% of new male cancer cases involved the prostate (21%), trachea, bronchus and lungs (16%), colon (9%), rectum, rectosigmoid and anus (6%) and urinary bladder (5%). In females, the five most common cancer sites, namely the breast (24%), trachea, bronchus and lung (9%), colon (8%), uterine body (7%) and thyroid (5%), accounted for 53% of new cancer cases.

Combined, colon, rectum, rectosigmoid and anal cancers represented 15% in the male and 13% in the female cancer incidence (Table B2.1, Fig. 1). Due to rounding of numbers, the shares do not add up automatically.

The highest cervical Ca in situ incidence rates were at ages 30-34 years. Ca in situ - invasive cervical cancer ratio was 2.5 to 1 in 2018 in Croatia.

Age-standardised rates

Since crude rates may reflect differences in a population's age pattern, for international comparisons age-standardised rates are used. Table B6.1 shows crude and age-standardised rates by cancer site and sex. Age-standardised rates were calculated per Standard World and European Populations. Truncated rates for ages 35-64 years and cumulative rates for ages 0-64 and 0-74 years are also shown.

Dobno standardizirane stope na Standardno europsko stanovništvo iznosile su u 2018. godini za Hrvatsku 418,7/100 000 za incidenciju i 199,4/100 000 za mortalitet.

Indikatori kojima se prate ostvarenja HFA strategije za Europu "Zdravlje za sve" prikazani su za 2018. u tablici ispod.

In 2018, age-standardised rates using the standard European population were 418.7/100,000 for incidence and 199.4/100,000 for mortality.

The indicators used to monitor the achievements of the "Health for All" (HFA) strategy for Europe are shown for 2018 in the table below.



	Grube stope / 100 000	Stand. stope (EU) / 100 000		Crude rates / 100,000	Stand. rates (EU) / 100,000
INCIDENCIJA RAKA			CANCER INCIDENCE		
• Ukupna	626,8	418,7	• Total	626.8	418.7
• Muškarci	706,4	504,4	• Male	706.4	504.4
• Žene	552,4	360,0	• Female	552.4	360.0
INCIDENCIJA RAKA VRATA MATERNICE	13,0	10,9	CERVICAL CANCER INCIDENCE	13.0	10.9
INCIDENCIJA RAKA DOJKE	134,7	94,4	BREAST CANCER INCIDENCE	134.7	94.4
INCIDENCIJA RAKA TRAHEJE, BRONHA I PLUĆA			TRACHEA, BRONCHUS AND LUNG CANCER INCIDENCE		
• Ukupno	79,3	50,8	• Total	79.3	50.8
• Muškarci	113,6	79,0	• Male	113.6	79.0
• Žene	47,2	28,7	• Female	47.2	28.7
MORTALITET OD RAKA			CANCER MORTALITY		
• Ukupni	337,8	199,4	• Total	337.8	199.4
• Muškarci	407,5	278,0	• Male	407.5	278.0
• Žene	272,6	142,8	• Female	272.6	142.8
MORTALITET OD RAKA VRATA MATERNICE	5,9	4,3	CERVICAL CANCER MORTALITY	5.9	4.3
MORTALITET OD RAKA DOJKE	37,3	21,0	BREAST CANCER MORTALITY	37.3	21.0
MORTALITET OD RAKA TRAHEJE, BRONHA I PLUĆA			TRACHEA, BRONCHUS AND LUNG CANCER MORTALITY		
• Ukupno	72,3	45,2	• Total	72.3	45.2
• Muškarci	106,2	72,9	• Male	106.2	72.9
• Žene	40,7	23,9	• Female	40.7	23.9

Kumulativna stopa incidencije (od 0 do 74 godina) bila je 35,5% za oba spola. Viša je za muškarce – 42,8% nego za žene – 29,7%. Kumulativna stopa mortaliteta bila je 15,3%; odnosno 20,8% za muškarce i 10,6% za žene.

Cumulative incidence rate for 0-74 years was 35.5% for both sexes, being higher in males (42.8%), than females (29.7%). Cumulative mortality rate (0-74) was 15.3%, respectively 20.8% for males and 10.6% for females.


Slika 1. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ PREMA SPOLU U 2018. GODINI

Figure 1. MOST COMMON CANCER SITES IN CROATIA BY SEX IN 2018




Slika 2. RASPODJELA NOVOOBOLJELIH OD RAKA PREMA SIJELIMA U 2018. GODINI

Figure 2. DISTRIBUTION OF NEW CANCER CASES IN 2018 BY SITE





Slika 3. **INCIDENCIJA NAJČEŠĆIH SIJELA RAKA 2018. GODINE U HRVATSKOJ PREMA DOBI I SPOLU**
 Figure 3. **MOST COMMON CANCER SITES INCIDENCE RATES BY AGE AND SEX, CROATIA, 2018**




Slika 4. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ 2018. GODINE PREMA SPOLU

Figure 4. MOST COMMON CANCER SITES BY SEX, CROATIA, 2018



Slika 5.0 **INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2018. GODINI - MUŠKARCI***

Figure 5.0 **CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2018, MEN***




* STANDARDIZIRANO NA UKUPNO HRVATSKO STANOVNIŠTVO PREMA POPISU STANOVNIŠTVA 2011. (HR11)

* STANDARDISED PER TOTAL CROATIAN POPULATION CENSUS 2011 (HR11)

Slika 5.1 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2018. GODINI - ŽENE*

Figure 5.1 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2018, WOMEN*



* STANDARDIZIRANO NA UKUPNO HRVATSKO STANOVNIŠTVO PREMA POPISU STANOVNIŠTVA 2011. (HR11)

* STANDARDISED PER TOTAL CROATIAN POPULATION CENSUS 2011 (HR11)

Tablica B1.

POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2018.
DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2018

MUŠKI SPOL – Males	% MV	% DCO	M / I
LABIUM ORIS - PHARYNX	73	2	0,62
OESOPHAGUS	65	1	1,07
VENTRICULUS	63	3	0,78
INTESTINUM CRASSUM EXCL. RECTUM	67	3	0,66
RECTUM, RECTOSIGMA ET ANUS	70	2	0,58
VESICA FELLEA ET VIAE BILIARES EXTERNAE	37	4	0,89
PANCREAS	31	6	0,99
LARYNX	71	2	0,60
TRACHEA, BRONCHUS ET PULMO (PRIM.)	66	4	0,93
MELANOMA MALIGNUM CUTIS	94	1	0,25
PROSTATATA	80	3	0,27
TESTIS	69	0	0,06
VESICA URINARIA	61	4	0,46
REN ET ORGANA URIN. ALTERA ET NON SPEC.	68	4	0,40
CEREBRUM	50	4	0,98
GLANDULA THYREOIDEA	81	1	0,09
SVI LIMFOMI - ALL LYMPHOMAS	96	1	0,33
MYELOMA MULTIPLEX ET MALIGNOMATA ALTERA IMUNO-PROLIFERATIVA	93	3	0,61
SVE LEUKEMIJE - ALL LEUKEMIAS	90	3	0,59
SVA SIJELA - ALL CANCERS	70	3	0,58

% MV = UDIO MORFOLOŠKI POTVRĐENIH SLUČAJEVA (PROPORTION OF NEW CASES MORPHOLOGICALLY VERIFIED)

% DCO = UDIO REGISTRIRANIH SAMO IZ PODATAKA O SMRTI (PROPORTION NOTIFIED BY DEATH CERTIFICATE ONLY)

M / I = OMJER MORTALITETA I INCIDENCIJE (MORTALITY TO INCIDENCE RATIO)

Tablica B1.

POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2018.
DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2018

ŽENSKI SPOL - Females	% MV	% DCO	M / I
LABIUM ORIS - PHARYNX	61	5	0,39
OESOPHAGUS	51	8	1,19
VENTRICULUS	61	8	0,96
INTESTINUM CRASSUM EXCL. RECTUM	64	4	0,63
RECTUM, RECTOSIGMA ET ANUS	64	3	0,57
VESICA FELLEA ET VIAE BILIARES EXTERNAE	36	3	0,91
PANCREAS	31	5	0,97
LARYNX	81	0	0,31
TRACHEA, BRONCHUS ET PULMO (PRIM.)	69	6	0,86
MELANOMA MALIGNUM CUTIS	93	2	0,20
MAMMA FEMININA	85	2	0,28
CERVIX UTERI	81	1	0,46
CORPUS	84	1	0,26
OVARIUM, TUBA FALLOPI ET ADNEXA	64	6	0,67
VESICA URINARIA	59	4	0,51
REN ET ORGANA URIN. ALTERA ET NON SPEC.	66	6	0,39
CEREBRUM	55	7	0,92
GLANDULA THYREOIDEA	83	1	0,04
SVI LIMFOMI - ALL LIMPHOMAS	94	1	0,38
MYELOMA MULTIPLEX ET MALIGNOMATA ALTERA IMUNO-PROLIFERATIVA	93	3	0,45
SVE LEUKEMIJE - ALL LEUKEMIAS	88	5	0,56
SVA SIJELA - ALL CANCERS	73	4	0,49

% MV = UDIO MORFOLOŠKI POTVRĐENIH SLUČAJEVA (PROPORTION OF NEW CASES MORPHOLOGICALLY VERIFIED)

% DCO = UDIO REGISTRIRANIH SAMO IZ PODATAKA O SMRTI (PROPORTION NOTIFIED BY DEATH CERTIFICATE ONLY)

M / I = OMJER MORTALITETA I INCIDENCIJE (MORTALITY TO INCIDENCE RATIO)

Tablica B2.1

NOVI SLUČAJEVI RAKA U HRVATSKOJ 2018. GODINE**NAJČEŠĆA SIJELA - BROJ, POSTOTAK, STOPE INCIDENCIJE, KUMULATIVNE STOPE****NEW CANCER CASES IN CROATIA IN 2018****MOST COMMON SITES: NUMBER OF CASES, PERCENTAGE, INCIDENCE RATES AND CUMULATIVE RATES**

MUŠKARCI - Primarno sjelo	BROJ NOVIH SLUČAJEVA	POSTOTAK %	STOPA INCIDENCIJE	STANDARDIZIRANE STOPE (SVJETSKO STANOVNIŠTVO)*	KUMULATIVNE STOPE (0 - 74 godine)
<i>MEN - Primary site</i>	<i>NUMBER OF NEW CASES</i>	<i>PERCENT %</i>	<i>CRUDE INCIDENCE RATE</i>	<i>STANDARDISED INCIDENCE RATE (WORLD)*</i>	<i>CUMULATIVE RATE (0 - 74 years)</i>
SVA SIJELA - ALL SITES	13952	100	706,4	352,8	42,8
PROSTATA	2867	21	145,2	65,2	8,8
TRACHEA, BRONCHUS ET PULMO (PRIM.)	2244	16	113,6	54,3	7,2
INTESTINUM CRASSUM EXCL. RECTUM	1240	9	62,8	28,9	3,5
RECTUM, RECTOSIGMA ET ANUS	881	6	44,6	21,5	2,6
VESICA URINARIA	752	5	38,1	17,3	2,1
REN ET ORGANA URIN. ALTERA	644	5	32,6	16,9	2,0
VENTRICULUS	535	4	27,1	12,2	1,4
MELANOMA	501	4	25,4	14,2	1,7
PANCREAS	407	3	20,6	9,5	1,1
HEPAR	357	3	18,1	9,0	1,2
OSTALO - Other	3524	25			

ŽENE - Primarno sjelo	BROJ NOVIH SLUČAJEVA	POSTOTAK %	STOPA INCIDENCIJE	STANDARDIZIRANE STOPE (SVJETSKO STANOVNIŠTVO)*	KUMULATIVNE STOPE (0 - 74 godine)
<i>WOMEN - Primary site</i>	<i>NUMBER OF NEW CASES</i>	<i>PERCENT %</i>	<i>CRUDE INCIDENCE RATE</i>	<i>STANDARDISED INCIDENCE RATE (WORLD)*</i>	<i>CUMULATIVE RATE (0 - 74 years)</i>
SVA SIJELA - ALL SITES	11671	100	552,4	263,9	29,7
MAMMA FEMININA	2845	24	134,7	69,7	8,0
TRACHEA, BRONCHUS ET PULMO (PRIM.)	998	9	47,2	20,2	2,7
INTESTINUM CRASSUM EXCL. RECTUM	929	8	44,0	16,0	1,8
CORPUS UTERI	778	7	36,8	17,5	2,2
GLANDULA THYREOIDEA	580	5	27,5	21,1	2,0
RECTUM, RECTOSIGMA ET ANUS	579	5	27,4	11,2	1,3
OVARIUM, TUBA FALLOPII ET ADNEXA	462	4	21,9	11,1	1,2
MELANOMA	425	4	20,1	10,7	1,2
PANCREAS	398	3	18,8	6,7	0,8
VENTRICULUS	335	3	15,9	5,5	0,6
OSTALO - Other	3342	29			

- STOPE NA 100.000 (CRUDE AND STANDARDISED INCIDENCE ARE RATES PER 100.000 PERSONS)

- SAMO INVAZIVNI RAK (ONLY INVASIVE CANCERS ARE INCLUDED IN THE ABOVE TABULATIONS)

- * DIREKTNA METODA (DIRECT METHOD)

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018.**NEW CANCER CASES IN CROATIA IN 2018 BY SEX, AGE AND PRIMARY SITE**

SIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	UKUPNO	DOB - AGE																										
ICD No X REV. PRIMARY SITE	SEX	ALL AGES	0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+	Nep. Unkn.								
C00 LABIUM ORIS	M Ž UK	41 33 74	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	2 0 2	1 1 6	5 3 11	3 4 5	10 8 18	7 10 17	3 8 17	0 0 11	0 0 0							
C01 BASIS LINGVAE	M Ž UK	34 16 50	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 1 2	1 1 2	3 1 6	12 4 16	6 3 9	6 1 16	0 1 7	3 2 2	0 1 4	3 0 2	2 0 0	0 0 0							
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M Ž UK	84 34 118	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	1 0 1	1 0 1	1 0 1	3 0 3	6 3 9	11 3 14	20 5 25	16 5 19	13 6 21	5 1 6	3 1 4	4 1 7	0 3 6	0 6 0								
C03 GINGIVA	M Ž UK	19 17 36	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	3 0 3	3 1 6	1 1 2	4 1 5	2 3 5	2 1 4	0 3 7	2 5 2	0 2 0							
C04 BASIS ORIS	M Ž UK	26 6 32	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	1 0 2	2 0 2	3 1 4	13 0 14	3 2 5	1 1 2	0 1 5	0 1 2	1 0 1	0 1 1	0 0 0							
C05 PALATUM	M Ž UK	21 14 35	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 0 1	0 0 1	0 0 1	0 2 0	1 3 7	4 0 5	5 2 8	6 2 4	2 2 3	2 1 4	1 0 2	0 1 0	0 2 2	0 0 0							
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M Ž UK	27 12 39	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	1 0 0	0 0 1	0 0 1	8 1 8	3 0 4	4 1 6	2 3 5	3 1 4	2 1 5	3 1 4	0 2 2	1 1 2	0 2 0							
C07 GLANDULA PAROTIS	M Ž UK	20 25 45	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 2 3	1 1 3	2 1 2	1 2 3	1 5 7	2 4 6	4 2 7	4 3 7	1 3 4	1 5 9	0 4 0							
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M Ž UK	7 8 15	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 1	3 0 3	2 0 2	0 1 1	0 1 2	1 1 2	0 1 0	1 2 2	0 1 2	0 2 1	0 1 0							
C09 TONSILLA	M Ž UK	39 8 47	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 4 5	10 3 13	7 0 15	12 3 17	2 1 3	2 0 2	2 1 1	1 0 0	0 0 0	0 0 0							
C10 OROPHARYNX	M Ž UK	51 11 62	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	2 0 2	8 0 8	6 2 17	14 3 10	7 3 11	8 3 11	1 0 4	4 0 4	0 0 0	0 0 0	0 0 0							
C11 EPIPHARYNX	M Ž UK	14 5 19	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 0 1	0 0 0	0 0 0	0 0 0	0 0 0	2 1 3	5 0 5	2 0 2	0 2 2	1 0 1	1 0 1	1 0 2	1 1 1	0 0 0	0 0 0							
C12 SINUS PIRIFORMIS	M Ž UK	12 1 13	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	3 0 3	3 1 4	3 0 3	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0							
C13 HIPOPHARYNX	M Ž UK	86 7 93	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 2	1 0 3	12 0 12	10 1 11	21 0 21	24 5 29	6 0 6	6 0 6	5 0 5	0 0 0	0 0 0	0 0 0							
C14 PHARYNX NON SPEC.	M Ž UK	3 3 6	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 2	1 0 0	0 0 1	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	0 0 0							
C15 OESOPHAGUS	M Ž UK	161 37 198	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	1 0 0	7 0 7	12 0 13	27 3 30	33 10 43	33 8 41	14 4 18	21 4 25	10 3 13	2 4 6	0 0 4	0 0 0							
C16 VENTRICULUS	M Ž UK	535 335 870	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 1 2	4 4 5	2 4 6	8 6 10	7 6 13	19 25 29	41 31 66	82 25 113	87 36 123	76 41 123	98 60 158	58 68 126	55 77 202	0 0 0	0 0 0							
C17 INTESTINUM TENUE INC. DUODENUM	M Ž UK	36 39 75	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	1 0 0	2 0 2	2 1 3	1 2 3	3 3 4	4 3 7	2 3 9	7 2 9	4 5 12	4 6 7	1 8 12	4 6 7	0 0 0	0 0 0							
C18 INTESTINUM CRASSUM EXCL. RECTUM	M Ž UK	1240 929 2169	0 0 0	0 0 0	1 0 1	0 0 0	0 1 1	3 1 4	2 5 7	9 5 14	16 21 25	25 48 46	48 61 96	70 95 131	194 205 289	230 147 377	205 98 377	196 155 294	205 157 360	149 157 406	92 126 218	0 0 0							
C19 COLON RECTOSIGMOIDEUM	M Ž UK	175 113 288	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 2 3	0 3 6	5 1 15	8 7 26	16 10 44	27 17 63	28 43 34	43 23 39	23 16 39	30 13 33	8 13 21	0 0 0	0 0 0							
C20 RECTUM	M Ž UK	681 443 1124	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	2 5 4	5 10 16	10 14 35	21 35 56	35 72 110	72 120 179	120 135 202	135 84 179	120 67 202	135 78 148	84 78 175	97 64 175	66 51 117	34 37 71	0 0 0						
C21 ANUS ET CANALIS ANALIS	M Ž UK	25 23 48	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 3 4	1 1 5	4 3 7	3 2 6	4 3 7	3 3 7	0 0 0	2 3 5	3 2 7	1 2 3	0 0 0	0 0 0							
C19+C20+C21 (154 ICD IX)	M Ž UK	881 579 1460	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	3 5 13	6 7 23	11 12 23	30 16 46	46 32 78	92 50 142	150 79 229	182 90 272	107 75 219	122 97 219	89 66 155	43 52 95	0 0 0	0 0 0							
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M Ž UK	357 153 510	2 1 3	0 0 0	0 1 1	0 0 0	0 1 2	2 0 2	1 0 1	1 0 1	1 0 3	2 2 7	5 12 24	17 8 48	40 26 81	72 16 91	65 57 91	61 19 77	45 16 34	26 32 58	18 31 49	0 0 0							
C23 VESICA FELLEA	M Ž UK	50 74 124	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	1 1 2	2 2 4	1 3 4	6 8 14	10 12 22	5 15 17	12 15 27	5 14 19	6 7 13	0 0 0	0 0 0							
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M Ž UK	71 73 144	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 3	2 2 4	8 10 12	10 6 19	9 10 23	16 7 15	6 7 15	12 17 23	6 17 23	0 0 0	0 0 0							
C25 PANCREAS	M Ž UK	407 398 805	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 1 1	0 3 4	6 2 8	9 7 16	26 38 77	39 51 93	67 36 118	57 51 109	67 57 124	53 59 124	65 76 129	53 76 83	32 51 0	0 0 0							
C26 TRACTUS DIGESTIVUS NON SPEC.	M Ž UK	26 43 69	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 2	2 1 4	0 1 8	7 2 8	4 1 8	4 6 8	12 8 12	9 8 9	4 8 16	1 13 0	0 0 0							

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018.
NEW CANCER CASES IN CROATIA IN 2018 BY SEX, AGE AND PRIMARY SITE

15

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018.
NEW CANCER CASES IN CROATIA IN 2018 BY SEX, AGE AND PRIMARY SITE

SIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	UKUPNO	DOB - AGE																			
ICD No X REV. PRIMARY SITE	SEX	ALL AGES	0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+	Nep. Unkn.	
C60 PENIS	M	41	0	0	0	0	0	0	0	0	1	2	2	5	10	5	2	2	10	2	0	
C61 PROSTATA	M	2867	0	0	0	0	0	0	0	0	4	19	78	220	429	674	537	464	307	135	0	
C62 TESTIS	M	206	0	1	0	11	22	25	31	41	25	20	7	8	4	5	2	2	2	0	0	
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
C64 REN EXCL. PELVIS RENALIS	M Ž UK	586 287 873	2 5 7	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	4 5 9	5 4 9	18 9 27	24 15 39	48 20 68	76 36 112	115 43 158	99 34 133	68 36 104	74 36 110	36 24 60	16 20 36	0 0 0	
C65 PELVIS RENALIS	M Ž UK	32 19 51	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 3	2 2 4	7 2 9	8 4 12	3 5 8	6 2 8	3 1 4	1 2 3	0 0 0	
C66 URETER	M Ž UK	19 13 32	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	1 2 3	1 1 2	1 1 3	2 1 3	3 1 6	5 3 8	0 1 1	0 0 0	
C67 VESICA URINARIA	M Ž UK	752 267 1019	0 0 0	0 0 0	1 1 2	0 0 0	0 0 0	1 0 1	2 2 4	8 3 11	6 5 11	14 9 17	21 11 32	62 33 80	98 25 123	145 43 188	120 36 156	118 41 159	94 40 134	62 39 101	0 0 0	
C68 ORGANA URINARIA ALT. ET NON SPEC.	M Ž UK	7 9 16	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 1 2	2 2 3	2 1 3	1 2 3	1 1 2	0 2 2	0 0 0	
C69 OCULUS ET ADNEXA	M Ž UK	27 19 46	5 1 6	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 1 3	0 0 0	1 1 2	5 1 6	3 1 4	6 2 8	3 4 7	3 3 4	1 4 3	0 1 2	1 0 0	
C70 MENINGES	M Ž UK	7 9 16	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 1	0 0 1	1 0 1	1 0 1	0 1 1	0 0 0	0 1 1	0 3 4	1 1 1	1 1 3	2 1 2	0 1 0	0 0 0	
C71 CEREBRUM	M Ž UK	244 207 451	4 1 5	1 1 2	5 2 7	1 0 2	3 0 3	7 3 10	5 5 10	13 7 20	14 10 24	16 9 25	17 14 31	17 16 33	29 25 54	38 36 65	30 27 54	15 24 43	22 28 41	7 15 22	0 0 0	
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M Ž UK	6 12 18	0 2 2	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 2	0 0 0	1 0 1	0 3 3	0 2 3	1 2 2	1 0 3	0 1 2	2 1 3	0 1 1	0 0 0	
C73 GLANDULA THYREOIDEA	M Ž UK	202 580 782	0 0 0	0 1 1	0 2 2	3 7 10	4 15 19	9 33 42	14 42 56	21 57 78	13 51 64	30 60 90	23 76 99	19 53 72	26 58 84	12 62 74	14 27 41	5 23 28	5 11 16	4 23 31	0 2 3	
C74 GLANDULA SUPRARENALIS	M Ž UK	13 15 28	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	0 2 3	1 0 3	2 1 3	0 1 3	0 1 3	0 1 2	1 1 2	1 2 3	0 2 3	1 2 3	0 3 2	0 1 2	0 0 0	0 0 0	
C75 GLANDULAE ENDOCRINES ALTERAE	M Ž UK	8 2 10	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	0 0 0	2 1 3	2 1 3	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M Ž UK	19 29 48	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 1 1	4 5 11	6 2 6	4 2 5	3 2 7	1 6 7	1 11 12	0 0 0	
C80 MALIGNOMATA SINE REGIONE SPEC.	M Ž UK	354 330 684	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	2 0 2	1 3 4	3 7 10	11 7 18	17 15 32	37 27 64	56 44 100	59 38 95	39 37 77	50 52 102	48 43 91	31 57 88	0 0 0	
C81 MORBUS HODGKIN	M Ž UK	50 50 100	0 0 0	0 0 0	2 3 5	4 8 14	6 6 10	4 6 10	6 1 3	2 2 5	3 1 7	5 2 9	3 1 4	4 5 8	4 3 6	4 4 8	3 2 6	2 4 2	2 0 1	0 1 0	0 0 0	
C82 LYMPHOMA NON-HODGKIN FOLLICULARE (NODULARE)	M Ž UK	66 74 140	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 1 1	0 1 1	1 0 1	2 0 2	1 2 3	9 9 16	9 15 24	16 11 27	9 14 23	9 14 23	4 7 11	5 3 8	0 0 0	0	
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M Ž UK	250 176 426	0 0 0	3 0 3	2 0 2	1 1 2	0 1 0	1 3 4	3 6 4	4 2 6	7 3 11	8 12 11	13 17 25	23 19 40	35 28 54	48 28 76	37 22 59	33 31 64	23 24 47	9 9 18	0 0 0	
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M Ž UK	30 19 49	0 0 0	0 0 0	2 0 2	0 1 1	0 0 0	2 1 2	2 3 3	2 1 2	1 0 2	2 1 3	4 1 5	2 1 3	4 1 10	7 3 3	7 2 4	1 3 3	1 2 5	0 3 4	0 3 0	
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M Ž UK	68 68 136	0 0 0	0 0 0	0 0 0	0 1 1	0 0 2	1 0 3	2 1 3	2 0 1	2 1 5	1 3 2	9 5 14	4 2 6	11 8 19	14 8 22	9 11 20	3 9 12	6 12 18	3 7 10	0 0 0	
C82-C85+C96 (202 ICD IX)	M Ž UK	418 351 769	0 1 1	3 0 3	5 1 6	1 3 4	1 3 2	6 3 9	7 4 11	8 4 10	13 7 20	10 9 19	33 27 60	40 36 76	64 41 105	79 53 132	58 51 109	41 51 92	37 41 78	12 20 32	0 0 0	
C86 LYMPHOMATA ALTERA SPEC.	M Ž UK	3 2 5	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 1	0 1 1	0 0 0	0 0 1	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 0 0	
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M Ž UK	19 34 53	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 1 1	1 2 0	0 0 4	2 3 4	3 9 8	4 11 8	2 9 4	4 1 4	3 7 5	4 11 11	1 0 1	0 0 0	
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M Ž UK	157 162 319	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	2 0 2	1 0 2	1 2 5	2 3 7	3 9 12	22 13 35	21 19 40	22 26 48	23 29 52	23 23 46	24 26 50	13 9 22	0 0 0	

Tablica B3.0

BRJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018.
NEW CANCER CASES IN CROATIA IN 2018 BY SEX, AGE AND PRIMARY SITE

SIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	UKUPNO	DOB - AGE																		
ICD No X REV. PRIMARY SITE	SEX	ALL AGES	0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+ Unkn.	Nep.
C91 LEUKAEMIA LYMPHATICA	M Ž UK	201 166 367	7 7 14	5 5 10	3 4 7	1 0 1	2 1 3	2 1 2	1 1 3	0 1 4	3 2 7	7 2 9	7 6 13	18 9 27	29 12 41	19 24 50	29 21 52	25 27 45	19 26 42	24 18 42	0 0 0
C92 LEUKAEMIA MYELOICA	M Ž UK	160 110 270	2 1 3	1 1 2	0 0 2	2 1 2	1 0 2	4 1 2	4 3 8	4 2 5	3 3 8	5 1 6	7 8 15	7 13 20	7 10 17	27 10 39	16 8 24	29 13 37	24 17 33	18 15 30	15 17 30
C93 LEUKAEMIA MONOCITARIA	M Ž UK	13 10 23	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 1 0	0 0 0	0 0 0	0 0 0	1 0 1	15 1 2	20 1 5	29 1 5	19 0 1	25 3 7	25 0 1	19 2 3	24 1 3
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA,LEUKAEMIA MEGAKARYOCYTICA)	M Ž UK	1 4 5	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 1 1	0 1 1	0 1 1	0 0 0	0 1 0	0 1 0	0 0 0	0 0 0	0 0 0
C95 LEUKAEMIA NON SPEC.	M Ž UK	6 15 21	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 3 3	0 2 3	1 2 2	1 0 1	1 0 2	2 3 4	1 5 5	0 0 0
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M Ž UK	4 14 18	0 1 1	0 0 2	1 1 2	0 1 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 2 2	0 2 2	0 1 2	0 1 2	0 2 1	1 0 2	2 2 1	0 4 1	0 1 0	0 1 1
SVE LOKALIZACIJE ALL SITES C00 - C97	M Ž UK	13952 11671 25623	28 21 49	13 10 23	19 20 39	32 20 52	44 44 88	73 20 171	104 154 258	158 254 412	217 405 622	379 530 909	705 802 1507	1308 1491 2457	2214 1761 3705	2673 1911 4434	2033 1329 3362	1881 1458 3339	1339 1192 2531	732 933 1665	0 0 0
CA IN SITU D00 - D09	M Ž UK	404 1.042 1.446	0 0 0	0 0 0	0 0 0	0 4 4	0 49 49	0 119 119	5 139 144	4 136 140	8 106 114	12 106 118	17 64 81	40 78 104	78 64 164	86 71 157	51 35 86	59 34 93	32 22 54	12 7 19	0 0 0
D06 CERVIX UTERI - CA IN SITU	Ž	689	0	0	0	3	49	116	136	125	87	80	31	18	21	11	8	4	0	0	0
D32 NEOPLASMA BENIGNUM MENINGUM	M Ž UK	34 111 145	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 4 4	2 2 4	2 4 6	2 4 6	4 9 13	4 12 16	4 21 25	5 19 24	1 10 11	6 13 19	3 6 9	1 6 7	0 0 0
D33 NEOPLASMA BENIGNUM CEREBRI	M Ž UK	8 9 17	0 0 0	0 0 0	0 0 0	0 1 1	1 0 1	0 0 0	0 0 0	0 0 0	1 1 2	0 1 1	0 1 1	0 0 0	1 1 2	1 0 1	2 1 3	1 1 2	1 0 1	0 2 2	0 0 0
D39.1 NEOPLASMA OVARIJ NON CLASS. ET BORDERLINE	Ž	45	0	0	0	0	0	0	3	1	7	7	6	8	5	4	1	2	0	1	0
D42 NEOPLASMA MENINGUM NON CLASS.	M Ž UK	20 17 37	0 1 1	0 0 0	2 1 2	0 1 0	0 1 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	1 1 2	0 1 2	0 3 5	2 1 7	4 3 6	3 1 4	3 2 7	5 2 7	0 0 0
D43 NEOPLASMA CEREBRI NON CLASS.	M Ž UK	31 27 58	3 2 5	2 1 5	1 2 3	1 2 3	3 2 3	0 2 3	1 2 3	0 1 2	2 1 3	2 1 4	2 3 4	1 2 5	4 3 2	4 1 5	2 1 2	1 0 2	2 2 4	2 2 4	0 0 0
D45 POLYCYTHAEMIA RUBRA VERA	M Ž UK	92 45 137	0 0 0	0 0 0	0 1 1	3 0 3	2 0 2	1 1 2	2 1 2	7 2 9	6 1 10	9 5 11	6 5 16	11 5 22	8 10 12	12 10 22	12 3 15	6 5 11	7 2 9	0 5 5	
D46 SYNDROMA MYELODISPLASTICUM	M Ž UK	87 58 145	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	0 1 1	1 0 1	1 0 1	1 0 1	2 0 3	3 1 4	2 0 2	13 8 21	12 3 15	8 13 16	17 10 30	9 13 19	17 13 30	0 0 0
D47 SYNDROMA MYELOPROLIFERATIVUM	M Ž UK	87 99 186	0 0 0	0 0 0	1 0 1	0 0 0	1 2 3	1 1 2	1 1 2	1 2 2	0 5 7	2 6 11	5 3 10	7 4 14	10 7 17	12 9 21	13 18 31	15 15 30	4 18 22	5 8 13	0 0 0

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).
 NOTE : EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA, PO SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018.
CANCER INCIDENCE RATES IN CROATIA IN 2018 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE

SIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	UKUPNO	DOB - AGE																						
ICD No X REV. PRIMARY SITE	SEX	ALL AGES	0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+	Nep. Unkn.				
C00 LABIUM ORIS	M Ž UK	2.1 1.6 1.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	0.7 0.0 0.7	1.4 0.6 0.7	0.7 0.6 0.7	3.5 2.1 4.2	6.6 5.1 2.7	5.1 7.8 10.6	14.9 12.1 13.3	15.4 12.9 12.6	12.0 12.9 12.6	0.0 0.0 0.0			
C01 BASIS LINGVAE	M Ž UK	1.7 0.8 1.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.4	0.0 0.0 0.4	0.0 0.7 0.4	0.7 0.0 0.7	2.1 0.7 2.1	8.3 2.6 5.3	4.2 1.9 3.0	5.0 0.7 2.7	5.0 1.9 1.1	4.5 1.0 2.4	4.4 1.0 1.6	0.0 0.0 0.0	0.0 0.0 0.0				
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M Ž UK	4.3 1.6 2.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.9 0.4	0.8 0.0 0.4	0.7 0.0 0.4	0.7 0.0 0.4	2.2 0.0 1.1	4.5 0.0 3.4	7.8 2.2 4.9	13.8 3.2 8.3	11.2 3.2 7.1	10.8 4.3 7.3	6.3 0.9 3.2	4.5 1.0 2.4	8.8 3.6 5.5	0.0 9.7 6.9	0.0 0.0 0.0				
C03 GINGIVA	M Ž UK	1.0 0.8 0.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.5 0.0 0.7	2.1 0.0 1.0	3.1 1.9 2.0	0.7 0.6 0.7	3.3 2.8 1.9	2.5 1.9 2.7	3.0 2.8 2.4	4.4 6.0 5.5	0.0 3.2 2.3	0.0 0.0 0.0				
C04 BASIS ORIS	M Ž UK	1.3 0.3 0.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	1.5 0.0 0.7	1.4 0.0 0.7	2.1 0.6 1.3	9.1 0.6 4.6	2.5 1.4 1.9	1.3 0.9 1.1	0.0 0.0 0.0	2.2 0.0 0.8	0.0 1.6 1.1	0.0 0.0 0.0				
C05 PALATUM	M Ž UK	1.1 0.7 0.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.4	0.0 0.0 0.0	0.0 0.7 0.4	0.0 0.0 0.0	0.0 0.7 0.7	2.8 2.1 2.4	3.4 1.0 1.7	4.2 1.3 2.7	1.7 1.3 1.5	2.5 0.9 1.6	1.5 0.0 1.2	0.0 0.0 0.0	0.0 3.2 2.3	0.0 0.0 0.0				
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M Ž UK	1.4 0.6 1.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.0 0.8 0.0	0.0 0.0 0.4	0.7 0.0 0.4	0.0 0.0 0.4	0.0 0.0 0.4	5.7 0.0 2.8	2.1 0.6 1.3	2.8 0.6 2.0	1.8 2.1 1.9	1.7 3.8 2.1	3.8 0.9 2.9	6.0 1.0 2.9	2.2 1.2 1.6	0.0 3.2 2.3	0.0 0.0 0.0			
C07 GLANDULA PAROTIS	M Ž UK	1.0 1.2 1.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.0 0.8 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 1.5 1.1	1.4 0.7 1.0	0.7 0.6 0.7	1.7 1.3 1.0	1.7 3.5 2.7	5.1 1.9 3.2	6.0 2.9 4.1	2.2 3.6 3.1	16.0 8.1 10.3	0.0 0.0 0.0				
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M Ž UK	0.4 0.4 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.4	0.0 0.7 0.0	0.0 0.0 0.4	0.0 0.7 0.4	2.1 0.0 1.0	1.4 0.0 0.7	0.0 0.6 0.3	0.8 0.0 0.8	0.0 0.7 0.0	1.5 0.0 1.2	0.0 1.0 1.6	0.0 2.4 1.1	0.0 1.6 0.0				
C09 TONSILLA	M Ž UK	2.0 0.4 1.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 1.7	2.8 0.7 4.3	6.9 1.9 2.4	4.9 0.0 5.7	10.0 2.1 1.6	2.5 0.9 1.2	3.0 0.0 0.8	2.2 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0				
C10 OROPHARYNX	M Ž UK	2.6 0.5 1.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 0.7	1.5 0.0 0.7	5.7 1.3 2.8	4.1 1.9 2.7	9.8 2.1 3.8	5.8 1.9 5.9	10.1 2.8 5.9	1.5 0.0 0.6	8.8 0.0 3.1	0.0 0.0 0.0	0.0 0.0 0.0				
C11 EPIPHARYNX	M Ž UK	0.7 0.2 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.0 0.9 0.0	0.0 0.0 0.0	0.7 0.0 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.4 0.7 1.0	3.4 0.0 1.7	1.4 0.0 0.7	0.0 1.4 0.8	1.3 0.0 0.5	1.5 0.0 0.6	2.2 1.2 1.6	4.0 0.0 1.1	0.0 0.0 0.0				
C12 SINUS PIRIFORMIS	M Ž UK	0.6 0.0 0.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.4 0.0 0.0	2.1 0.0 1.0	2.1 0.6 1.3	2.5 0.0 1.1	1.3 0.0 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0				
C13 HIPOPHARYNX	M Ž UK	4.4 0.3 2.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.7	0.7 0.0 0.4	8.5 0.0 4.2	6.9 0.0 2.7	14.7 0.6 3.7	19.9 0.0 7.1	19.7 3.5 11.1	7.6 0.0 3.2	8.9 0.0 3.5	11.0 0.0 3.9	0.0 0.0 0.0	0.0 0.0 0.0				
C14 PHARYNX NON SPEC.	M Ž UK	0.2 0.1 0.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.0	0.0 0.0 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.3	0.0 0.6 0.7	0.7 0.0 0.0	0.0 0.0 0.4	0.8 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	4.0 0.0 1.1	0.0 0.0 0.0				
C15 OESOPHAGUS	M Ž UK	8.2 1.8 4.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	0.7 0.0 0.4	5.2 0.0 2.6	8.5 0.7 4.5	18.6 1.9 10.0	23.2 6.5 14.5	27.4 5.7 15.7	17.7 3.7 9.7	31.3 3.9 14.7	22.0 3.6 10.1	8.0 6.4 6.9	0.0 0.0 0.0	0.0 0.0 0.0				
C16 VENTRICULUS	M Ž UK	27.1 15.9 21.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.8 0.0 0.8	0.7 3.1 1.9	1.4 2.9 2.1	5.8 1.5 3.6	5.2 4.5 4.9	13.4 6.9 10.1	28.3 16.2 22.0	57.5 20.0 38.0	72.3 25.6 47.1	96.0 38.3 62.9	145.9 58.3 92.9	127.6 82.2 98.3	219.7 75.8 117.1	0.0 0.0 0.0	0.0 0.0 0.0				
C17 INTESTINUM TENUE INC. DUODENUM	M Ž UK	1.8 1.8 1.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.8 0.0 0.4	0.0 0.0 0.0	0.7 0.0 0.4	1.4 0.0 0.7	1.4 0.0 1.1	0.7 0.7 1.1	2.1 1.5 1.1	2.8 1.9 1.4	1.4 1.9 2.3	5.8 4.5 3.0	5.1 1.4 3.4	6.0 7.8 4.8	2.2 7.3 7.1	16.0 6.4 5.5	0.0 0.0 9.2	0.0 0.0 0.0				
C18 INTESTINUM CRASSUM EXCL. RECTUM	M Ž UK	62.8 44.0 53.1	0.0 0.0 0.0	0.0 0.0 0.5	1.0 0.0 0.0	0.0 0.0 0.4	2.4 0.9 1.7	1.5 0.8 2.6	6.3 3.8 9.1	11.5 6.6 17.2	18.7 33.0 33.5	33.9 39.5 43.7	48.3 61.3 97.2	136.1 91.7 144.3	191.1 150.6 211.7	247.6 189.8 238.8	305.3 189.8 250.4	327.9 203.1 250.4	367.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0				
C19 COLON RECTOSIGMOIDEUM	M Ž UK	8.9 5.3 7.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	0.7 1.4 1.1	0.0 2.2 2.2	3.7 4.8 5.2	11.0 6.5 8.7	18.9 14.0 14.8	35.7 14.2 24.1	51.7 10.3 21.8	69.9 15.5 28.3	29.1 15.7 22.9	34.8 15.7 25.7	44.0 21.0 24.1	32.0 0.0 0.0				
C20 RECTUM	M Ž UK	34.5 21.0 27.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.4	1.5 3.6 1.5	3.5 4.4 3.5	7.2 10.4 5.8	15.7 24.6 13.1	24.7 38.1 19.5	49.7 46.4 36.7	84.2 59.4 36.7	112.2 74.6 60.2	122.2 57.9 77.3	106.1 75.8 79.5	144.4 91.7 102.9	145.2 61.7 91.3	135.8 59.6 81.5	0.0 0.0 0.0				
C21 ANUS ET CANALIS ANALIS	M Ž UK	1.3 1.1 1.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.2 0.1	0.7 2.2 1.5	3.0 2.8 1.9	2.1 1.3 2.0	2.8 1.9 2.0	2.1 1.9 2.7	3.3 2.1 0.0	0.0 0.0 0.0	3.0 2.9 2.9	6.6 4.2 3.9	4.0 3.2 3.4	0.0 0.0 0.0				
C19+C20+C21 (154 ICD IX)	M Ž UK	27.4 44.6 35.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.8 0.0 0.4	1.5 2.2 1.9	5.0 4.2 4.6	8.8 22.4 8.4	12.0 32.5 27.2	22.0 63.4 47.4	33.3 105.2 77.0	51.0 135.2 104.1	63.9 151.2 104.1	70.1 135.2 97.8	94.2 181.7 128.8	79.8 195.9 120.9	83.8 171.7 109.1	0.0 0.0 0.0	0.0 0.0 0.0				
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M Ž UK	18.1 7.2 12.5	2.1 1.1 1.6	0.0 0.0 0.0	0.0 1.0 0.5	0.0 0.0 0.0	1.6 0.0 0.8	0.0 0.0 0.0	0.7 0.0 0.4	0.7 0.0 0.4	1.4 1.5 1.1	3.7 1.5 2.6	12.0 5.8 8.4	27.6 5.2 16.0	50.5 18.5 27.2	54.0 77.0 34.8	77.0 18.5 41.4	67.0 18.5 37.6	57.2 38.7 45.3	71.9 50.0 56.3	0.0 0.0 0.0				
C23 VESICA FELLEA	M Ž UK	2.5 3.5 3.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.7	1.4 0.7 1.4	0.7 1.4 1.3	1.4 1.9 4.7	0.7 4.2 8.4	4.2 8.5 8.4	8.3 6.3 9.1	6.3 11.2 15.9	17.9 14.6 14.8	11.0 16.9 14.8	24.0 11.3 14.9	0.0 0.0 0.0				
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M Ž UK	3.6 3.5 3.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.5 0.7 1.1	1.4 1.4 1.4	5.5 2.6 5.4	7.0 3.9 7.3	7.5 7.1 12.4	20.2 6.5 8.8	8.9 7.8 22.6	26.4 20.6 22.6	24.0 27.4 26.4	0.0 0.0 0.0	0.0 0.0 0.0				
C25 PANCREAS	M Ž UK	20.6 18.8 19.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 1.0 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.0	0.0 2.2 1.4	0.7 2.5 2.9	4.3 5.2 6.0	6.7 11.6 11.0	18.4 24.6 25.7	26.9 23.2 31.3	40.0 36.2 3										

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA, PO SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018.
CANCER INCIDENCE RATES IN CROATIA IN 2018 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE

SIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	UKUPNO	DOB - AGE																										
ICD No X REV. PRIMARY SITE	SEX	ALL AGES	0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+	Nep. Unkn.								
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M Ž UK	0,8 0,3 0,6	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,9 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,0 0,4	0,0 0,7 0,4	0,7 0,7 0,7	0,7 0,0 0,4	0,7 0,6 0,7	0,7 0,0 0,7	0,7 0,0 0,3	3,3 0,0 1,5	0,0 0,0 0,5	1,5 0,0 0,6	2,2 0,0 0,8	12,0 0,0 5,7	0,0 0,0 0,0								
C31 SINUS PARANASALES	M Ž UK	0,8 0,3 0,5	0,0 0,0 0,0	0,0 0,0 0,0	1,0 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,7 0,0	0,0 0,0 0,0	0,0 0,0 0,0	1,4 0,0 1,3	2,1 0,6 1,7	3,5 0,0 1,1	0,8 1,4 1,1	2,5 0,0 1,1	1,5 0,0 0,6	0,0 0,0 0,8	0,0 1,2 0,8	0,0 1,6 1,1								
C32 LARYNX	M Ž UK	13,5 1,5 7,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 1,1	2,2 0,7 3,7	6,7 0,0 10,5	17,7 3,4 20,0	39,3 1,9 20,0	34,4 3,9 18,5	42,4 3,5 21,4	37,9 6,5 19,9	38,7 1,9 16,5	22,0 2,4 9,4	24,0 1,6 8,0	0,0 0,0 0,0								
C33 TRACHEA	M Ž UK	0,2 0,0 0,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,6 0,0	0,0 0,6 0,3	0,0 0,0 0,0	1,7 0,0 0,8	2,5 0,0 1,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0									
C34 BRONCHUS ET PULMO (PRIM.)	M Ž UK	113,4 47,2 79,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	2,2 0,0 1,1	5,6 2,2 3,9	7,9 4,4 6,2	30,6 15,0 22,8	74,2 30,3 51,9	144,8 77,0 109,8	305,9 128,5 213,5	418,0 143,4 269,9	444,6 136,5 267,6	422,9 105,9 231,1	431,3 111,2 224,7	363,5 91,9 170,0	0,0 0,0 0,0								
C33+C34 (162 ICD IX)	M Ž UK	113,6 47,2 79,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	2,2 0,0 1,1	5,6 2,2 3,9	7,9 4,4 6,2	30,6 15,0 22,8	74,2 30,3 51,9	144,8 77,6 110,2	305,9 128,5 213,5	419,6 143,4 270,7	447,1 136,5 268,7	422,9 105,9 231,1	431,3 111,2 224,7	363,5 91,9 170,0	0,0 0,0 0,0								
C37 THYMUS	M Ž UK	0,2 0,2 0,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,5	0,9 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,7 0,4	0,0 0,7 0,0	0,0 0,6 0,3	0,7 0,6 0,7	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,2 0,8	0,0 0,0 0,0									
C38 COR, MEDIASTINUM ET PLEURA	M Ž UK	0,3 0,2 0,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,7 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,3	0,0 0,0 0,4	0,8 0,0 0,5	1,3 0,0 1,2	3,0 0,0 1,6	2,2 1,2 2,3	0,0 3,2 0,0									
C39 ORGANA RESPIRATORIA ET INTRATHORAC.ALTERA ET NON SPEC.	M Ž UK	0,1 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,0 0,0	0,7 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,6 1,1	0,0 0,0 0,0									
C40 THELAE OSSIIUM MEMBRUM	M Ž UK	0,9 0,7 0,8	0,0 0,0 0,0	0,0 1,0 0,5	0,0 2,1 1,0	1,9 0,9 1,0	0,0 0,8 0,4	0,8 0,0 0,8	1,5 0,0 0,8	0,0 1,4 0,7	0,0 0,0 0,0	0,0 0,7 0,4	0,7 0,6 0,3	2,8 0,6 1,7	0,0 0,6 0,3	0,8 0,7 0,8	2,5 1,9 2,1	3,0 1,0 1,8	2,2 0,0 0,8	4,0 0,0 1,1	0,0 0,0 0,0								
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M Ž UK	0,7 0,8 0,7	1,0 0,0 0,5	0,0 0,0 0,5	0,0 1,0 0,5	0,9 0,0 0,5	0,0 0,8 0,4	0,0 0,8 0,0	0,0 0,8 0,4	0,0 0,0 0,0	0,0 0,0 0,7	1,5 2,1 1,4	0,7 0,6 1,0	1,4 0,0 0,3	0,7 0,0 0,3	0,8 2,1 1,5	2,5 0,9 1,6	1,5 3,9 2,9	2,2 2,4 2,3	0,0 0,0 0,0									
C43 MELANOMA MALIGNUM CUTIS	M Ž UK	25,4 20,1 22,7	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,5	0,9 5,1 3,3	1,6 5,9 5,4	4,9 10,7 8,3	5,9 12,9 12,0	11,1 19,1 18,9	18,8 27,7 22,8	27,7 31,7 23,4	26,8 39,3 31,7	39,3 44,4 35,3	57,3 33,4 35,3	57,3 33,4 44,4	104,8 54,2 75,8	71,5 38,9 51,7	68,2 49,6 56,2	91,9 45,1 58,6	0,0 0,0 0,0								
C45 MESOTHELIOMA	M Ž UK	3,5 1,3 2,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,7 0,4	0,7 0,0 0,4	2,8 1,4 2,1	2,1 3,2 2,7	7,0 3,9 5,4	10,8 2,8 6,5	17,7 2,8 9,1	14,9 2,9 7,6	26,4 3,6 11,7	8,0 1,6 3,4	0,0 0,0 0,0								
C46 SARCOMA KAPOSII	M Ž UK	0,4 0,1 0,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	1,4 0,0 0,7	0,0 0,0 0,3	0,0 0,0 0,8	0,7 1,4 0,5	1,3 0,0 0,6	1,5 0,0 0,0	0,0 0,0 0,0	8,0 1,6 3,4	0,0 0,0 0,0								
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M Ž UK	0,2 0,1 0,1	3,1 0,0 1,6	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,9 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,7 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,0 0,6	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0									
C48 RETROPERITONEUM ET PERITONEUM	M Ž UK	0,3 0,2 0,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,6 0,0	0,7 0,6 0,7	1,4 0,6 1,0	0,8 0,0 0,4	1,3 1,9 1,6	1,5 0,0 0,6	0,0 0,0 0,0	0,0 0,0 0,0									
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M Ž UK	4,6 3,7 4,1	0,0 1,1 0,5	1,9 1,0 1,0	1,0 1,0 1,0	1,9 1,7 1,4	0,0 0,8 0,8	1,6 2,3 1,2	2,2 2,2 2,3	1,4 3,7 1,8	2,2 3,7 2,9	6,7 0,7 3,7	3,5 2,1 2,8	7,6 7,8 7,7	5,6 3,2 4,4	9,1 8,5 8,8	11,4 9,4 10,2	13,4 5,8 8,8	22,0 7,3 12,5	12,0 9,7 10,3	0,0 0,0 0,0								
C50 MAMMA	M Ž UK	1,4 134,7 70,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,7 0,8	0,0 12,7 6,2	0,0 25,3 12,4	0,0 56,8 27,9	0,7 121,4 60,5	0,0 151,4 75,6	0,0 165,1 85,4	3,5 196,7 102,5	2,1 253,8 133,8	3,5 331,5 179,6	1,7 285,2 165,5	3,8 318,7 195,2	6,0 217,6 140,4	20,0 212,8 157,3	0,0 0,0 0,0								
C51 VULVA	Ž	4,1	0,0	0,0	0,0	0,0	0,0	0,8	0,8	0,0	1,5	2,2	0,7	0,0	8,4	5,7	11,2	15,5	20,6	21,0	0,0								
C52 VAGINA	Ž	0,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,0	0,9	1,0	1,2	3,2	0,0								
C53 CERVIX UTERI	Ž	13,0	0,0	0,0	0,0	0,0	2,6	5,9	10,0	17,2	17,7	20,2	19,9	26,5	20,0	18,5	15,9	9,7	14,5	16,1	0,0								
C54 CORPUS UTERI	Ž	36,8	0,0	0,0	0,0	0,0	0,0	0,8	3,1	5,0	11,8	24,0	55,0	68,6	77,5	99,4	86,0	89,4	61,7	59,6	0,0								
C55 UTERUS NON SPEC.	Ž	0,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,6	0,0	1,4	0,9	1,0	3,6	4,8	0,0								
C56 OVARIUM	Ž	19,9	1,1	0,0	1,0	2,0	0,0	1,7	2,3	6,5	16,2	24,7	22,0	27,2	33,6	44,7	33,7	58,3	38,7	50,0	0,0								
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž	2,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	1,5	4,5	2,1	5,2	5,2	5,0	7,5	7,8	4,8	8,1	0,0								
C58 PLACENTA	Z	0,1	0,0	0,0	0,0	0,0	0,0	0,0	1,5	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0								
C56+C57.0-C57.4 (183 ICD IX)	Ž	21,9	1,1	0,0	1,0	2,0	0,0	1,7	2,3	7,2	17,7	27,7	23,4	31,1	38,1	48,3	39,3	61,2	42,3	53,2	0,0								

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA, PO SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018.
CANCER INCIDENCE RATES IN CROATIA IN 2018 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE

SIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	UKUPNO	DOB - AGE																			
ICD No X REV. PRIMARY SITE	SEX	ALL AGES	0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+ 89	Nep. Unkn.	
C60 PENIS	M	2,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	1,5	1,4	3,4	7,0	4,2	2,5	3,0	22,0	8,0	0,0	
C61 PROSTATA	M	145,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	2,9	14,2	55,1	151,7	301,0	560,0	678,3	691,0	675,6	539,2	0,0	
C62 TESTIS	M	10,4	0,0	1,0	0,0	10,3	17,8	20,2	23,0	28,5	18,0	14,9	4,9	5,5	2,8	4,2	2,5	3,0	4,4	10,4	0,0	
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	0,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	
C64 REN EXCL. PELVIS RENALIS	M Ž UK	29,7 13,6 21,4	2,1 5,5 3,8	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,8 0,0 0,4	3,0 0,8 3,4	3,5 2,9 3,2	13,0 6,6 9,8	17,9 11,2 14,6	33,9 23,3 23,7	52,4 27,8 37,4	80,7 24,1 53,1	82,3 33,7 50,9	85,9 69,0 55,9	110,2 79,2 64,7	79,2 29,0 46,8	63,9 32,2 41,3	0,0 0,0 0,0	
C65 PELVIS RENALIS	M Ž UK	1,6 0,9 1,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	1,4 0,7 1,3	1,4 1,3 1,3	4,9 2,8 3,0	6,6 3,8 4,6	8,9 4,7 4,3	6,6 1,9 3,1	4,0 1,2 3,4	0,0 0,0 0,0		
C66 URETER	M Ž UK	1,0 0,6 0,8	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,7 0,0	0,0 0,7 0,0	0,0 1,3 0,7	0,7 0,6 0,7	5,8 2,9 3,1	2,5 0,9 1,6	4,5 2,9 3,5	11,0 3,6 6,2	0,0 1,6 1,1	0,0 0,0 0,0	
C67 VESICA URINARIA	M Ž UK	38,1 12,6 24,9	0,0 0,0 0,0	1,0 0,0 0,0	0,0 0,0 1,0	0,0 0,0 0,0	0,8 0,0 0,4	1,5 0,0 1,5	5,6 2,2 3,9	4,3 3,7 4,0	10,5 2,2 6,4	14,8 7,6 11,2	42,8 11,6 26,7	68,8 16,1 41,4	120,5 30,5 72,0	151,6 33,7 83,8	175,7 39,8 93,5	206,9 48,4 104,6	247,6 62,9 116,0	0,0 0,0 0,0		
C68 ORGANA URINARIA ALT. ET NON SPEC.	M Ž UK	0,4 0,4 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,6 0,7	0,7 1,4 1,5	1,7 0,9 1,6	2,5 1,9 1,8	1,5 0,9 1,6	2,2 1,2 2,3	0,0 3,2 0,0	0,0 0,0 0,0	
C69 OCULUS ET ADNEXA	M Ž UK	1,4 0,9 1,1	5,2 1,1 3,2	0,0 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	1,4 0,7 1,1	0,0 0,7 0,0	0,7 0,6 0,7	3,4 2,1 2,0	2,1 0,6 1,3	5,0 1,4 3,1	3,8 3,7 3,8	1,5 2,9 2,4	0,0 3,6 2,3	4,0 1,6 2,6	0,0 0,0 0,0	
C70 MENINGES	M Ž UK	0,4 0,4 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,4	0,0 0,7 0,0	0,0 0,0 0,4	0,0 0,7 0,4	0,7 0,0 0,4	0,7 0,0 0,4	0,0 0,7 0,3	0,0 0,7 0,0	0,0 0,6 0,3	0,8 2,1 1,5	1,3 0,0 0,5	3,0 1,0 1,8	2,2 0,2 1,6	0,0 0,0 0,0	0,0 0,0 0,0	
C71 CEREBRUM	M Ž UK	12,4 9,8 11,0	4,2 1,1 2,7	1,0 1,0 1,0	4,9 2,1 3,5	0,9 1,0 1,2	2,4 0,0 4,1	5,7 2,5 3,8	3,7 3,8 7,1	9,0 5,0 8,7	10,1 7,4 10,8	12,0 6,7 9,4	12,0 9,6 10,8	11,7 10,4 11,0	20,3 16,1 18,2	31,6 19,2 24,9	37,9 22,4 29,0	22,3 27,2 25,3	48,4 23,0 32,0	28,0 24,2 25,3	0,0 0,0 0,0	
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M Ž UK	0,3 0,6 0,4	0,0 2,2 1,1	0,0 0,0 0,5	0,0 1,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,7 0,7	0,0 0,0 0,0	0,7 0,0 0,3	0,0 1,9 1,0	0,0 0,0 0,0	0,8 1,4 1,1	1,3 0,9 0,0	0,0 0,0 1,1	4,4 1,2 2,3	0,0 1,6 1,1	0,0 0,0 0,0	
C73 GLANDULA THYREOIDEA	M Ž UK	10,2 27,5 19,1	0,0 0,0 0,0	0,0 1,0 0,5	2,8 6,9 4,8	3,2 12,8 7,9	7,3 28,0 17,4	10,4 32,2 21,1	14,6 41,0 27,6	9,4 37,5 23,3	22,4 45,0 34,5	16,3 52,3 34,3	13,1 34,3 24,0	18,2 37,5 28,2	10,0 44,0 28,2	10,7 25,3 22,0	17,7 22,3 16,5	7,4 22,3 12,5	11,0 13,3 12,5	16,0 3,2 6,9	0,0 0,0 0,0	
C74 GLANDULA SUPRARENALIS	M Ž UK	0,7 0,7 0,7	1,0 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 1,7	0,0 0,7 0,0	0,0 0,7 1,1	0,0 0,7 1,1	1,4 0,7 1,1	2,2 0,7 1,1	2,2 0,7 0,3	2,2 0,6 0,7	2,2 0,6 0,7	0,8 1,4 1,1	0,0 1,9 1,1	0,0 2,9 1,8	0,0 1,2 1,6	0,0 0,0 0,0	0,0 0,0 0,0	
C75 GLANDULAE ENDOCRINES ALTERAE	M Ž UK	0,4 0,1 0,2	1,0 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	1,4 0,0 0,7	0,0 0,0 0,0	1,4 0,6 1,0	1,7 0,7 1,1	0,0 0,0 0,0	0,0 0,0 0,0	2,2 0,0 0,8	0,0 0,0 0,0	0,0 0,0 0,0	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M Ž UK	1,0 1,4 1,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,7 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,6 0,3	2,8 3,5 1,7	5,0 3,5 4,2	5,1 1,9 3,2	4,5 7,3 5,5	2,2 1,7 13,8	4,0 17,7 0,0	0,0 0,0 0,0	
C80 MALIGNOMATA SINE REGIONE SPEC.	M Ž UK	17,9 15,6 16,7	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,5	0,0 1,0 0,0	0,0 0,0 0,0	0,0 0,0 0,8	1,5 0,0 0,8	2,2 2,2 1,4	8,2 5,2 3,6	12,0 10,3 11,2	25,5 35,5 24,4	39,3 52,0 33,6	49,0 50,5 36,4	49,3 55,5 41,4	49,3 52,0 60,0	74,5 52,0 71,0	105,6 52,0 101,1	123,8 91,9 101,1	0,0 0,0 0,0	
C81 MORBUS HODGKIN	M Ž UK	2,5 2,4 2,4	0,0 0,0 0,0	1,9 3,1 2,5	3,7 3,9 3,8	4,9 6,8 5,8	3,2 5,1 4,1	4,5 3,1 3,8	1,4 0,7 1,1	2,2 1,5 2,6	3,7 0,7 1,8	2,1 0,7 2,6	2,1 3,2 3,0	2,8 2,6 2,7	2,8 2,1 2,3	2,5 1,9 1,1	0,0 3,9 3,5	3,0 3,0 1,6	4,4 0,0 1,1	0,0 1,6 0,0	0,0 0,0 0,0	
C82 LYMPHOMA NON-HODGKIN FOLLICULLARE (NODULARE)	M Ž UK	3,3 3,5 3,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,8 0,0 0,4	0,0 0,8 0,4	0,0 0,0 0,4	0,7 1,4 0,7	1,4 6,4 1,1	0,7 9,7 5,6	6,4 9,7 8,0	6,2 13,1 9,1	11,2 19,9 8,8	7,5 13,1 12,4	11,4 30,1 6,5	6,0 36,7 6,2	11,0 29,0 0,0	0,0 14,5 0,0	0,0 0,0 0,0	
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M Ž UK	12,7 8,3 10,4	0,0 0,0 0,0	2,9 0,0 1,5	1,9 0,0 1,0	0,9 1,0 1,0	0,0 2,5 1,7	0,8 0,8 1,5	2,2 0,8 2,1	2,8 1,4 4,0	5,0 2,9 4,1	6,0 2,2 8,7	9,2 8,3 13,4	15,9 11,0 18,2	24,6 12,3 29,1	39,9 19,9 31,7	46,7 20,6 31,7	49,1 30,1 37,6	50,6 29,0 36,7	35,9 14,5 20,7	0,0 0,0 0,0	
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M Ž UK	1,5 0,9 1,2	0,0 0,0 0,0	0,0 0,0 1,0	1,9 0,0 0,5	0,0 1,0 0,0	0,0 0,0 0,8	1,6 0,0 1,1	1,5 0,8 0,7	1,4 0,0 0,7	1,4 0,0 0,4	0,0 0,7 0,4	0,0 0,6 1,0	1,4 0,6 1,7	2,8 0,6 3,8	1,4 0,6 2,1	5,8 2,1 1,6	1,3 1,9 3,6	1,5 2,9 2,4	6,6 4,8 3,9	0,0 4,8 0,0	
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M Ž UK	3,4 3,2 3,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,0 0,5	0,8 0,0 0,4	1,6 0,0 0,8	1,5 0,8 1,1	0,7 0,0 0,4	1,4 0,2 1,8	0,7 3,4 0,7	1,4 2,7 4,9	6,4 3,4 2,0	2,8 5,2 6,4	7,7 11,6 8,4	11,4 10,3 10,7	11,4 8,7 7,1	4,5 10,3 14,0	13,2 14,5 11,5	12,0 11,3 0,0	0,0 0,0 0,0	
C82-C85+C96 (202 ICD IX)	M Ž UK	21,2 16,6 18,8	0,0 1,1 0,5	2,9 0,0 1,5	4,9 1,0 3,0	0,9 3,0 1,9	0,8 0,9 0,8	4,9 2,5 3,7	5,2 3,1 4,1	5,6 1,4 3,5	9,4 5,2 7,3	7,5 6,7 7,1	23,3 18,6 20,9	27,6 23,3 25,4	44,9 26,5 35,3	65,6 37,6 50,5	73,3 47,7 58,6	61,1 49,6 54,1	81,4 49,6 60,9	47,9 32,2 36,8	0,0 0,0 0,0	
C86 LYMPHOMATA ALTERA SPEC.	M Ž UK	0,2 0,1 0,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,7 0,3	0,0 0,0 0,0	0,7 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	2,2 0,0 0,8	0,0 0,0 0,0	0,0 0,0 0,0	
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M Ž UK	1,0 1,6 1,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,4	0,0 0,0 0,0	0,0 0,7 0,4	0,0 1,5 1,1	0,0 0,7 0,0	0,0 1,5 1,4	0,0 1,9 1,3	1,4 5,8 3,7	0,7 2,8 3,1	1,4 2,9 2,1	3,3 8,9 6,5	3,8 0,9 2,1	6,0 6,8 6,5	2,2 4,8 3,9	4,0 0,0 1,1	0,0 0,0 0,0
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M Ž UK	7,9 7,7 7,8	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	1,5 0,0 0,8	0,7 0,7 0,7	0,7 1,5 1,1	0,7 3,7 2,6	1,5 6,2 4,2	2,1 8,4 11,7	15,2 12,3 13,5	14,7 18,5 18,4	18,3 27,1 27,9	29,1 34,3 27,0	34,3 52,8 39,0	51,9 14,5 25,3	0,0 0,0 0,0		

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA, PO SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2018.
CANCER INCIDENCE RATES IN CROATIA IN 2018 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	UKUPNO	DOB - AGE																			
ICD No X REV. PRIMARY SITE	SEX	ALL AGES	0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+	Nep. Unkn.	
C91 LEUKAEMIA LYMPHATICA	M Ž UK	10,2 7,9 9,0	7,3 7,7 9,0	4,8 5,0 4,9	2,9 4,1 3,5	0,9 0,0 0,5	1,6 0,0 1,2	0,8 0,8 0,8	0,0 0,8 0,4	2,1 0,0 1,1	1,4 1,5 1,5	5,2 1,5 3,4	4,9 4,1 4,5	12,4 5,8 9,0	20,3 17,0 13,8	15,8 17,0 16,5	36,6 36,6 26,9	37,2 26,2 30,6	41,8 31,4 35,1	95,9 29,0 48,2	0,0 0,0 0,0	
C92 LEUKAEMIA MYELOICA	M Ž UK	8,1 5,2 6,6	2,1 1,1 1,6	1,0 1,0 1,0	0,0 0,0 0,0	1,9 0,0 1,0	0,8 0,9 0,8	3,2 3,4 3,3	3,0 2,3 2,6	2,1 1,4 1,8	3,6 2,2 2,9	3,7 0,7 2,2	4,9 5,5 5,2	4,8 8,4 6,7	11,9 6,5 9,1	24,1 7,1 14,9	20,2 12,6 21,8	35,7 20,6 21,8	39,6 24,2 27,3	59,9 24,2 34,5	0,0 0,0 0,0	
C93 LEUKAEMIA MONOCITARIA	M Ž UK	0,7 0,5 0,6	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,9 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,0 0,4	0,0 0,0 0,0	0,7 0,6 0,6	0,0 0,0 0,3	0,0 0,0 0,3	0,0 0,0 0,0	2,5 1,4 1,9	6,0 0,0 0,5	2,2 2,9 4,1	4,0 3,2 0,8	
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA,LEUKAEMIA MEGAKARYOCYTICA)	M Ž UK	0,1 0,2 0,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,7 0,4	0,0 0,0 0,0	0,0 0,7 0,3	0,0 0,6 0,3	0,7 0,0 0,3	0,0 0,0 0,0	0,0 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	
C95 LEUKAEMIA NON SPEC.	M Ž UK	0,3 0,7 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,7 0,3	0,0 1,9 1,0	0,0 1,3 1,0	0,7 0,7 0,8	1,3 0,0 0,5	3,0 0,0 1,2	2,2 3,6 3,1	0,0 8,1 5,7	0,0 0,0 0,0	
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M Ž UK	0,2 0,7 0,4	0,0 1,1 0,5	0,0 0,0 0,0	1,0 0,0 1,0	0,0 0,0 0,0	0,0 0,9 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,5 0,0	0,0 1,4 0,7	0,0 0,6 0,3	0,0 1,3 0,7	0,8 0,0 0,4	1,3 1,9 2,1	3,0 1,0 0,6	0,0 1,0 0,0	0,0 1,6 1,1	0,0 0,0 0,0	
SVE LOKALIZACIJE ALL SITES C00 - C97	M Ž UK	706,4 552,4 626,8	29,2 23,2 26,3	12,4 10,1 11,3	18,5 20,6 19,5	29,9 19,7 24,9	35,7 37,5 36,5	59,0 83,3 70,8	77,2 118,0 97,3	109,9 182,5 145,6	156,5 298,0 226,5	283,3 397,1 340,1	498,1 551,7 525,2	902,1 743,3 820,1	1553,2 962,9 1245,8	2221,0 1250,2 1697,5	2567,9 1242,9 1806,6	2801,1 1416,6 1963,2	2946,7 1441,0 1974,9	2923,7 1504,0 1912,2	0,0 0,0 0,0	
CA IN SITU D00 - D09	M Ž UK	20,5 49,3 35,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 3,9 1,9	0,0 41,7 20,4	0,0 101,1 49,3	0,0 106,5 54,3	0,0 97,7 49,5	3,7 78,0 41,5	2,8 79,4 44,2	5,8 44,0 28,2	9,0 41,4 34,7	12,0 55,5 55,1	27,6 50,4 60,1	71,5 32,7 46,2	64,4 33,0 54,7	87,9 26,6 42,1	70,4 11,3 21,8	47,9 0,0 0,0	
D06 CERVIX UTERI - CA IN SITU	Ž	32,6	0,0	0,0	0,0	3,0	41,7	98,6	104,2	89,8	64,0	59,9	21,3	11,6	13,6	7,8	7,5	3,9	0,0	0,0	0,0	
D32 NEOPLASMA BENIGNUM MENINGUM	M Ž UK	1,7 5,3 3,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,4	0,0 3,1 1,5	1,4 1,4 1,4	1,4 2,9 2,2	1,5 3,0 2,2	2,8 6,2 4,5	2,8 7,8 5,3	2,8 13,6 8,4	4,2 13,5 9,2	1,3 9,4 5,9	8,9 12,6 11,2	6,6 7,3 7,0	4,0 9,7 8,0	0,0 0,0 0,0	
D33 NEOPLASMA BENIGNUM CEREBRI	M Ž UK	0,4 0,4 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,0 0,5	0,0 0,0 0,4	0,8 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,7 0,7	0,0 0,7 0,4	0,0 0,7 0,3	0,0 0,7 0,0	0,0 0,0 0,0	0,0 0,6 0,7	0,8 0,0 0,4	2,5 0,9 1,6	1,5 1,0 1,2	2,2 0,0 0,8	0,0 3,2 2,3	0,0 0,0 0,0	
D39.1 NEOPLASMA OVARIJ NON CLASS. ET BORDERLINE	Ž	2,1	0,0	0,0	0,0	0,0	0,0	0,0	2,3	0,7	5,2	5,2	4,1	5,2	3,2	2,8	0,9	1,9	0,0	1,6	0,0	
D42 NEOPLASMA MENINGUM NON CLASS.	M Ž UK	1,0 0,8 0,9	0,0 1,1 0,5	0,0 0,0 0,0	1,9 1,0 1,0	0,0 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,7 0,7	0,0 0,7 0,3	0,0 1,9 0,7	1,4 2,1 2,7	3,3 2,8 3,2	3,8 1,0 2,1	4,5 2,4 2,4	11,0 0,0 5,5	0,0 0,0 0,0	
D43 NEOPLASMA CEREBRI NON CLASS.	M Ž UK	1,6 1,3 1,4	3,1 2,2 2,7	1,9 1,0 1,5	0,9 2,1 1,5	2,4 2,0 1,4	0,0 0,0 1,2	0,0 1,7 0,8	0,7 1,5 1,1	0,0 0,7 0,4	1,4 1,5 1,1	1,5 0,7 1,5	0,7 2,1 1,4	1,4 2,1 0,7	1,4 0,6 1,7	2,8 0,6 1,9	1,7 2,1 1,1	1,3 0,9 1,2	3,0 0,0 3,1	4,4 2,4 3,1	8,0 3,2 4,6	0,0 0,0 0,0
D45 POLYCYTHAEMIA RUBRA VERA	M Ž UK	4,7 2,1 3,4	0,0 0,0 0,0	0,0 0,0 0,0	2,8 1,0 0,5	1,6 0,0 1,4	0,8 0,0 0,8	1,5 0,8 0,8	4,9 0,0 0,8	3,2 1,4 2,5	3,7 0,7 3,7	6,7 3,4 3,8	4,2 3,2 5,3	7,6 3,2 4,0	5,6 2,6 8,4	10,0 7,1 10,0	15,2 8,9 6,5	8,9 4,9 8,1	15,4 2,4 7,0	0,0 8,1 5,7	0,0 0,0 0,0	
D46 SYNDROMA MYELODISPLASTICUM	M Ž UK	4,4 2,7 3,5	0,0 0,0 0,5	1,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,0	0,0 0,8 0,4	0,0 0,0 0,4	0,7 0,0 0,4	0,7 0,0 0,4	1,5 0,7 1,1	2,1 0,7 1,4	1,4 0,7 0,7	1,4 5,2 7,1	9,1 2,1 5,7	10,0 12,6 8,6	10,1 12,1 17,6	25,3 12,1 14,8	19,8 21,0 34,5	67,9 0,0 0,0	
D47 SYNDROMA MYELOPROLIFERATIVUM	M Ž UK	4,4 4,7 4,6	0,0 0,0 0,0	0,0 0,0 0,0	1,0 0,0 0,5	0,0 0,0 0,0	0,8 1,7 1,2	0,8 0,8 0,8	0,7 1,4 0,8	0,0 3,7 2,5	1,4 4,5 4,1	3,7 4,5 3,5	4,9 2,6 4,7	6,9 2,1 5,7	7,0 4,5 8,0	10,0 6,4 16,8	16,4 16,8 17,6	22,3 14,6 17,6	8,8 21,8 12,9	20,0 12,9 0,0	0,0 0,0 0,0	

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

NOTE : EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2018. - NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2018

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	BROJ SLUČAJEVA		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN	
		NUMBER OF CASES		LOKALIZIRAN LOCALIZED		REGIONALNO PROŠIREN REGIONAL		UDALJENE METASTAZE DISTANT		UKUPNO TOTAL	
ICD No X REV. PRIMARY SITE	SEX	UKUPNO TOTAL	IZ ONKO FROM ONKO	BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%
C00 LABIUM ORIS	M	41	39	13		1				25	64,1
	Ž	33	32	10		1				21	65,6
	UK	74	71	23	32,4	2				46	64,8
C01 BASIS LINGVAE	M	34	33	4		12		1		16	48,5
	Ž	16	16	1		2				13	
	UK	50	49	5		14		1		29	59,2
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M	84	83	9		23	27,7	4		47	56,6
	Ž	34	33	6		8		1		18	54,5
	UK	118	116	15	12,9	31	26,7	5		65	56,0
C03 GINGIVA	M	19	19	1		5		1		12	
	Ž	17	16	1		6		1		8	
	UK	36	35	2		11		2		20	57,1
C04 BASIS ORIS	M	26	24	6		9				9	
	Ž	6	5	1						4	
	UK	32	29	7		9				13	
C05 PALATUM	M	21	21	4		8				9	
	Ž	14	14	3		3		1		7	
	UK	35	35	7		11		1		16	45,7
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M	27	26	4		7		2		13	
	Ž	12	10	1		4				5	
	UK	39	36	5		11		2		18	50,0
C07 GLANDULA PAROTIS	M	20	18	4		5				9	
	Ž	25	24	3		8		1		12	
	UK	45	42	7		13		1		21	50,0
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M	7	7			2				5	
	Ž	8	8	1		2				5	
	UK	15	15	1		4				10	
C09 TONSILLA	M	39	39	2		20	51,3	1		16	41,0
	Ž	8	8	2		3				3	
	UK	47	47	4		23	48,9	1		19	40,4
C10 OROPHARYNX	M	51	51	3		16	31,4	4		28	54,9
	Ž	11	11			8				3	
	UK	62	62	3		24	38,7	4		31	50,0
C11 EPIPHARYNX	M	14	14			4		1		9	
	Ž	5	4							4	
	UK	19	18			4		1		13	
C12 SINUS PIRIFORMIS	M	12	12			8				4	
	Ž	1	1							1	
	UK	13	13			8				5	
C13 HIPOPHARYNX	M	86	85	5		42	49,4	5		33	38,8
	Ž	7	7			5				2	
	UK	93	92	5		47	51,1	5		35	38,0
C14 PHARYNX NON SPEC.	M	3	2	1						1	
	Ž	3	2							2	
	UK	6	4	1						3	
C15 OESOPHAGUS	M	161	159	12		30	18,9	23	14,5	94	59,1
	Ž	37	34	6		5		2		21	61,8
	UK	198	193	18	9,3	35	18,1	25	13,0	115	59,6
C16 VENTRICULUS	M	535	520	51	9,8	123	23,7	94	18,1	252	48,5
	Ž	335	308	32	10,4	63	20,5	57	18,5	156	50,6
	UK	870	828	83	10,0	186	22,5	151	18,2	408	49,3
C17 INTESTINUM TENUE INC. DUODENUM	M	36	36	5		13		3		15	41,7
	Ž	39	39	2		12		3		22	56,4
	UK	75	75	7		25	33,3	6		37	49,3
C18 INTESTINUM CRASSUM EXCL. RECTUM	M	1240	1201	164	13,7	410	34,1	172	14,3	455	37,9
	Ž	929	893	106	11,9	318	35,6	114	12,8	355	39,8
	UK	2169	2094	270	12,9	728	34,8	286	13,7	810	38,7
C19 COLON RECTOSIGMOIDEUM	M	175	171	27	15,8	62	36,3	22	12,9	60	35,1
	Ž	113	112	7		43	38,4	17	15,2	45	40,2
	UK	288	283	34	12,0	105	37,1	39	13,8	105	37,1
C20 RECTUM	M	681	666	100	15,0	180	27,0	100	15,0	286	42,9
	Ž	443	426	41	9,6	116	27,2	69	16,2	200	46,9
	UK	1124	1092	141	12,9	296	27,1	169	15,5	486	44,5
C21 ANUS ET CANALIS ANALIS	M	25	24	2		4		2		16	66,7
	Ž	23	23	3		3		2		15	65,2
	UK	48	47	5		7		4		31	66,0
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M	357	325	19	5,8	31	9,5	44	13,5	231	71,1
	Ž	153	130	9		9		22	16,9	90	69,2
	UK	510	455	28	6,2	40	8,8	66	14,5	321	70,5
C23 VESICA FELLEA	M	50	48	3		5		10		30	62,5
	Ž	74	71	10		14		11		36	50,7
	UK	124	119	13		19	16,0	21	17,6	66	55,5
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M	71	68	13		5		7		43	63,2
	Ž	73	72	6		10		9		47	65,3
	UK	144	140	19	13,6	15	10,7	16	11,4	90	64,3
C25 PANCREAS	M	407	384	18	4,7	45	11,7	120	31,3	201	52,3
	Ž	398	379	16	4,2	42	11,1	96	25,3	225	59,4
	UK	805	763	34	4,5	87	11,4	216	28,3	426	55,8
C26 TRACTUS DIGESTIVUS NON SPEC.	M	26	23	3		1		6		13	
	Ž	43	34			1		15	44,1	18	52,9
	UK	69	57	3		2		21	36,8	31	54,4

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2018. - NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2018

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNO PROŠIREN REGIONAL		UDALJENE METASTAZE DISTANT		UKUPNO TOTAL	
				BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%
C30 NASUS, CAVUM NASI ET AURIS MEDIA	M Ž UK	16 7 23	16 6 22	2		2				12 6 18	
C31 SINUS PARANASALES	M Ž UK	15 6 21	14 6 20	1 1 2		5 1 6		1 1 1		7 4 11	81,8
C32 LARYNX	M Ž UK	266 32 298	260 32 292	47 8 55	18,1 2,7 18,8	66 7 73	25,4 2,4 25,0	4 1 5		143 16 159	55,0 5,0 54,5
C33 TRACHEA	M Ž UK	4 1 5	4 1 5			1 1 1				3 1 4	
C34 BRONCHUS ET PULMO (PRIM.)	M Ž UK	2240 997 3237	2141 942 3083	111 61 172	5,2 6,5 5,6	262 112 374	12,2 11,9 12,1	539 241 780	25,2 25,6 25,3	1229 528 1757	57,4 56,1 57,0
C37 THYMUS	M Ž UK	3 4 7	3 4 7			1 1 1		1 1 1		1 4 5	
C38 COR, MEDIASTINUM ET PLEURA	M Ž UK	6 4 10	6 4 10					1 1 2		5 3 8	
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M Ž UK	1 1 2	1 1 2							1 1 2	
C40 THELAE OSSIIUM MEMBRUM	M Ž UK	17 14 31	15 14 29	1 1 1		2 2 2		1 1 1		11 14 25	86,2
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M Ž UK	13 17 30	12 16 28	2 2 2						12 14 26	92,9
C43 MELANOMA MALIGNUM CUTIS	M Ž UK	501 425 926	496 417 913	249 242 491	50,2 58,0 53,8	82 55 137	16,5 13,2 15,0	36 16 52	7,3 3,8 5,7	129 104 233	26,0 24,9 25,5
C45 MESOTHELIOMA	M Ž UK	69 28 97	65 28 93	2 2 4		8 1 9		5 1 6		50 24 74	76,9 85,7 79,6
C46 SARCOMA KAPOSII	M Ž UK	7 3 10	7 3 10	1 1 1						7 2 9	
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M Ž UK	3 3 6	3 3 6							3 3 6	
C48 RETROPERITONEUM ET PERITONEUM	M Ž UK	6 4 10	6 4 10			1 1 1		1 1 2		5 2 7	
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M Ž UK	90 78 168	90 76 166	5 6 11		6 8 14		3 4 7		76 58 134	84,4 76,3 80,7
C50 MAMMA	M Ž UK	28 2845 2873	28 2791 2819	5 1113 1118	39,9 39,7	11 610 621	21,9 22,0	123 123 123	4,4 4,4	945 957 957	33,9 33,9
C51 VULVA	Ž	87	83	14		14		2		53	63,9
C52 VAGINA	Ž	6	5					1		4	
C53 CERVIX UTERI	Ž	274	271	47	17,3	54	19,9	9		161	59,4
C54 CORPUS UTERI	Ž	778	771	244	31,6	87	11,3	34	4,4	406	52,7
C55 UTERUS NON SPEC.	Ž	12	9	2						7	
C56 OVARIUM	Ž	421	396	25	6,3	60	15,2	105	26,5	206	52,0
C57 ORGANA GENITALIA FEMININA	Ž	60	57	7		8		17	29,8	25	43,9
C58 PLACENTA	Z	2	2							2	
C60 PENIS	M	41	39	19	48,7	4		1		15	38,5

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2018. - NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2018

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNO PROŠIREN REGIONAL		UDALJENE METASTAZE DISTANT		UKUPNO TOTAL	
ICD No X REV. PRIMARY SITE	SEX			BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%
C61 PROSTATA	M	2867	2771	1074	38,8	212	7,7	99	3,6	1386	50,0
C62 TESTIS	M	206	205	104	50,7	21	10,2	10		70	34,1
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	1	1							1	
C64 REN EXCL. PELVIS RENALIS	M	586	563	191	33,9	81	14,4	60	10,7	231	41,0
	Ž	287	268	91	34,0	41	15,3	26	9,7	110	41,0
	UK	873	831	282	33,9	122	14,7	86	10,3	341	41,0
C65 PELVIS RENALIS	M	32	32	12		8		3		9	
	Ž	19	19	10		5				4	
	UK	51	51	22	43,1	13		3		13	
C66 URETER	M	19	18	7		1				10	
	Ž	13	13	5		1		3		4	
	UK	32	31	12		2		3		14	
C67 VESICA URINARIA	M	752	724	353	48,8	35	4,8	15	2,1	321	44,3
	Ž	267	256	115	44,9	17	6,6	8		116	45,3
	UK	1019	980	468	47,8	52	5,3	23	2,3	437	44,6
C68 ORGANA URINARIA ALT. ET NON SPEC.	M	7	7			3		2		2	
	Ž	9	9	4		3				2	
	UK	16	16	4		6		2		4	
C69 OCULUS ET ADNEXA	M	27	27	5		2		2		18	66,7
	Ž	19	19	2		1				16	84,2
	UK	46	46	7		3		2		34	73,9
C70 MENINGES	M	7	6							6	
	Ž	9	8							8	
	UK	16	14							14	
C71 CEREBRUM	M	244	235							235	100,0
	Ž	207	192							192	100,0
	UK	451	427							427	100,0
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M	6	6							6	
	Ž	12	11							11	
	UK	18	17							17	100,0
C73 GLANDULA THYREOIDEA	M	202	200	75	37,5	45	22,5			80	40,0
	Ž	580	577	228	39,5	79	13,7	2		268	46,4
	UK	782	777	303	39,0	124	16,0	2		348	44,8
C74 GLANDULA SUPRARENALIS	M	13	12	2		2				8	
	Ž	15	14			2		1		11	
	UK	28	26	2		4		1		19	73,1
C75 GLANDULAE ENDOCRINES ALTERAE	M	8	8	3		1				4	
	Ž	2	2							2	
	UK	10	10	3		1				6	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M	19	13			1		3		9	
	Ž	29	22			2		5		15	68,2
	UK	48	35			3		8		24	68,6
C80 MALIGNOMATA SINE REGIONE SPEC.	M	354	336	12		57	17,0	185	55,1	82	24,4
	Ž	330	297	8		37	12,5	170	57,2	82	27,6
	UK	684	633	20	3,2	94	14,8	355	56,1	164	25,9

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

* POSTOCI NISU RAČUNATI ZA MANJE OD 15 SLUČAJEVA.

NOTE: EXCLUDED FROM "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

* PERCENTAGES ARE NOT CALCULATED ON SAMPLES CONTAINING LESS THAN 15 CASES.

Tablica B5.1

BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2018.**NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2018**

ŽUPANIJA STALNOG BORAVKA	SPOL	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO	C34	C50	C61	C18	C20	C67	C43	C64	C16	C25	C73	C54	C80	C22	C71	OSTALO OTHER SITES	
COUNTY OF RESIDENCE	SEX	ALL SITES																	
BJELOVARSKO- BILOGORSKA	M(M)	396	70		68	32	30	15	10	22	8	17	5		13	13	3	90	
	Ž(F)	292	26	73		25	7	6	6	9	6	9	17	21	5	6	2	74	12
	UK(T)	688	96	73	68	57	37	21	16	31	14	26	22	21	18	19	5	164	
BRODSKO- POSAVSKA	M(M)	493	96	1	115	44	22	28	5	16	17	18	5		12	14	9	91	
	Ž(F)	397	34	87		24	19	10	7	10	20	13	19	27	7	4	7	109	7
	UK(T)	890	130	88	115	68	41	38	12	26	37	31	24	27	19	18	16	200	
DUBROVAČKO- NERETVANSKA	M(M)	412	55	1	84	39	16	21	17	22	14	13	8		15	10	8	89	
	Ž(F)	318	37	81		25	8	7	2	8	10	7	19	17	5	7	3	82	36
	UK(T)	730	92	82	84	64	24	28	19	30	24	20	27	17	20	17	11	171	
GRAD ZAGREB	M(M)	2679	411	9	561	250	122	149	111	121	87	87	55		52	59	49	556	
	Ž(F)	2619	235	732		205	77	56	117	63	56	87	139	158	75	35	49	535	209
	UK(T)	5298	646	741	561	455	199	205	228	184	143	174	194	158	127	94	98	1091	
ISTARSKA	M(M)	651	95	2	124	63	33	50	16	21	12	17	8		14	18	12	166	
	Ž(F)	561	47	110		44	17	12	24	9	22	22	23	53	21	9	10	138	4
	UK(T)	1212	142	112	124	107	50	62	40	30	34	39	31	53	35	27	22	304	
KARLOVAČKA	M(M)	466	65		110	32	28	22	15	27	22	10	6		13	12	4	100	
	Ž(F)	363	26	78		20	16	4	11	5	13	13	26	31	14	2	4	100	26
	UK(T)	829	91	78	110	52	44	26	26	32	35	23	32	31	27	14	8	200	
KOPRIVNIČKO- KRIŽEVAČKA	M(M)	367	89	1	48	26	28	22	13	23	13	7	4		6	9	7	71	
	Ž(F)	297	21	70		15	23	9	6	16	7	11	15	29	8	4	1	62	9
	UK(T)	664	110	71	48	41	51	31	19	39	20	18	19	29	14	13	8	133	
KRAPINSKO- ZAGORSKA	M(M)	450	78		67	36	22	18	11	30	24	10	4		16	15	3	116	
	Ž(F)	337	29	66		19	16	10	17	11	18	11	12	21	11	2	9	85	21
	UK(T)	787	107	66	67	55	38	28	28	41	42	21	16	21	27	17	12	201	
LIČKO-SENJSKA	M(M)	192	33		32	10	18	17	3	6	9	3	1		13	2	3	42	
	Ž(F)	122	11	25		11	6	3	2	2	1	9	4	5	6		3	34	3
	UK(T)	314	44	25	32	21	24	20	5	8	10	12	5	5	19	2	6	76	
MEĐIMURSKA	M(M)	381	72		100	29	23	6	14	15	30	6	2		10	3	6	65	
	Ž(F)	278	20	55		30	12	5	10	8	13	9	9	21	10	2	8	66	26
	UK(T)	659	92	55	100	59	35	11	24	23	43	15	11	21	20	5	14	131	
OSJEČKO- BARANJSKA	M(M)	822	126		183	65	35	32	27	33	39	24	6		31	29	16	176	
	Ž(F)	682	61	172		38	40	17	22	20	19	21	25	40	29	11	12	155	62
	UK(T)	1504	187	172	183	103	75	49	49	53	58	45	31	40	60	40	28	331	
POŽEŠKO- SLAVONSKA	M(M)	234	35	1	45	28	13	9	7	15	15	5	1		6	7	2	45	
	Ž(F)	175	11	35		15	4	4	4	5	9	3	7	12	7	4	6	49	6
	UK(T)	409	46	36	45	43	17	13	11	20	24	8	8	12	13	11	8	94	

Tablica B5.1

BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2018.**NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2018**

ŽUPANIJA STALNOG BORAVKA	SPOL	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO	C34	C50	C61	C18	C20	C67	C43	C64	C16	C25	C73	C54	C80	C22	C71	OSTALO	
COUNTY OF RESIDENCE	SEX	ALL SITES																OTHER SITES	
PRIMORSKO GORANSKA	M(M)	978	167	2	215	102	52	44	36	21	28	32	15		25	27	22	190	
	Ž(F)	818	87	227		66	27	22	20	8	10	35	32	44	29	11	15	185	13
	UK(T)	1796	254	229	215	168	79	66	56	29	38	67	47	44	54	38	37	375	
SISAČKO MOSLAVAČKA	M(M)	575	102	1	126	48	27	37	19	21	23	18	7		20	16	7	103	
	Ž(F)	454	40	108		44	18	13	16	12	16	18	15	30	8	8	14	94	22
	UK(T)	1029	142	109	126	92	45	50	35	33	39	36	22	30	28	24	21	197	
SPLITSKO- DALMATINSKA	M(M)	1487	240	2	230	162	66	103	77	66	54	45	40		19	47	27	309	
	Ž(F)	1272	107	277		115	49	41	63	37	39	40	96	72	27	15	15	279	101
	UK(T)	2759	347	279	230	277	115	144	140	103	93	85	136	72	46	62	42	588	
ŠIBENSKO- KNINSKA	M(M)	386	61	1	96	30	13	26	12	13	10	9	8		10	5	11	81	
	Ž(F)	292	21	76		17	11	2	8	5	7	14	16	18	7	4	6	80	6
	UK(T)	678	82	77	96	47	24	28	20	18	17	23	24	18	17	9	17	161	
VARAŽDINSKA	M(M)	573	72		158	36	21	31	17	25	32	12	2		16	16	9	126	
	Ž(F)	441	24	108		40	12	12	24	9	16	13	13	40	8	1	7	114	20
	UK(T)	1014	96	108	158	76	33	43	41	34	48	25	15	40	24	17	16	240	
VIROVITIČKO- PODRAVSKA	M(M)	248	34	1	49	14	13	15	10	14	10	7	1		7	4	3	66	
	Ž(F)	200	14	48		20	11	5	6	7	7	6	7	11	4	8	5	41	6
	UK(T)	448	48	49	49	34	24	20	16	21	17	13	8	11	11	12	8	107	
VUKOVARSKO- SRIJEMSKA	M(M)	502	108	2	89	39	25	29	10	19	23	15	4		17	6	15	101	
	Ž(F)	390	31	90		43	21		8	10	4	11	22	33	18	6	9	84	11
	UK(T)	892	139	92	89	82	46	29	18	29	27	26	26	33	35	12	24	185	
ZADARSKA	M(M)	631	79	2	149	66	23	42	23	24	18	11	3		17	15	14	145	
	Ž(F)	500	45	129		40	16	15	12	13	8	18	20	28	4	4	8	140	4
	UK(T)	1131	124	131	149	106	39	57	35	37	26	29	23	28	21	19	22	285	
ZAGREBAČKA	M(M)	1029	152	2	218	89	51	36	48	32	47	41	17		22	30	14	230	
	Ž(F)	863	70	198		73	33	14	40	20	34	28	44	67	27	10	14	191	85
	UK(T)	1892	222	200	218	162	84	50	88	52	81	69	61	67	49	40	28	421	
UKUPNO RH CROATIA'S TOTAL	M(M)	13952	2240	28	2867	1240	681	752	501	586	535	407	202		354	357	244	2958	
	Ž(F)	11671	997	2845		929	443	267	425	287	335	398	580	778	330	153	207	2697	689
	UK(T)	25623	3237	2873	2867	2169	1124	1019	926	873	870	805	782	778	684	510	451	5655	

NAPOMENA: UKLJUČENA SVA SIJELA, OSIM NE-MELANOMSKOG RAKA KOŽE (C44). PRIKAZAN POSEBNO I CA IN SITU CERVIXSA UTERUSA (D06)
 NOTE: INCLUDED ARE ALL SITES WITH ICD CODES, EXCEPT NON-MELANOMA SKIN CANCER (C44). UTERINE CERVICAL CA IN SITU (D06) IS SHOWN SEPARATELY.

Tablica B5.2

STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2018.**CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2018**

ŽUPANIJA STALNOG BORAVKA	SPOL	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO	C34	C50	C61	C18	C20	C67	C43	C64	C16	C25	C73	C54	C80	C22	C71	OSTALO OTHER SITES	
COUNTY OF RESIDENCE	SEX	ALL SITES																	
BJELOVARSKO- BILOGORSKA	M(M)	752,0	132,9	0,0	129,1	60,8	57,0	28,5	19,0	41,8	15,2	32,3	9,5		24,7	24,7	5,7	170,9	
	Ž(F)	528,5	47,1	132,1		45,3	12,7	10,9	10,9	16,3	10,9	16,3	30,8	38,0	9,1	10,9	3,6	133,9	21,7
	UK(T)	637,6	89,0	67,6		52,8	34,3	19,5	14,8	28,7	13,0	24,1	20,4		16,7	17,6	4,6	152,0	
BRODSKO- POSAVSKA	M(M)	724,9	141,2	1,5	169,1	64,7	32,3	41,2	7,4	23,5	25,0	26,5	7,4		17,6	20,6	13,2	133,8	
	Ž(F)	550,9	47,2	120,7		33,3	26,4	13,9	9,7	13,9	27,8	18,0	26,4	37,5	9,7	5,6	9,7	151,3	9,7
	UK(T)	635,4	92,8	62,8		48,5	29,3	27,1	8,6	18,6	26,4	22,1	17,1		13,6	12,9	11,4	142,8	
DUBROVAČKO- NERETVANSKA	M(M)	694,9	92,8	1,7	141,7	65,8	27,0	35,4	28,7	37,1	23,6	21,9	13,5		25,3	16,9	13,5	150,1	
	Ž(F)	513,5	59,7	130,8		40,4	12,9	11,3	3,2	12,9	16,1	11,3	30,7	27,5	8,1	11,3	4,8	132,4	58,1
	UK(T)	602,2	75,9	67,6		52,8	19,8	23,1	15,7	24,7	19,8	16,5	22,3		16,5	14,0	9,1	141,1	
GRAD ZAGREB	M(M)	709,8	108,9	2,4	148,6	66,2	32,3	39,5	29,4	32,1	23,1	23,1	14,6		13,8	15,6	13,0	147,3	
	Ž(F)	613,2	55,0	171,4		48,0	18,0	13,1	27,4	14,8	13,1	20,4	32,5	37,0	17,6	8,2	11,5	125,3	48,9
	UK(T)	658,5	80,3	92,1		56,6	24,7	25,5	28,3	22,9	17,8	21,6	24,1		15,8	11,7	12,2	135,6	
ISTARSKA	M(M)	636,2	92,8	2,0	121,2	61,6	32,3	48,9	15,6	20,5	11,7	16,6	7,8		13,7	17,6	11,7	162,2	
	Ž(F)	527,1	44,2	103,3		41,3	16,0	11,3	22,5	8,5	20,7	20,7	21,6	49,8	19,7	8,5	9,4	129,6	3,8
	UK(T)	580,6	68,0	53,6		51,3	24,0	29,7	19,2	14,4	16,3	18,7	14,8		16,8	12,9	10,5	145,6	
KARLOVAČKA	M(M)	818,9	114,2	0,0	193,3	56,2	49,2	38,7	26,4	47,4	38,7	17,6	10,5		22,8	21,1	7,0	175,7	
	Ž(F)	605,8	43,4	130,2		33,4	26,7	6,7	18,4	8,3	21,7	21,7	43,4	51,7	23,4	3,3	6,7	166,9	43,4
	UK(T)	709,6	77,9	66,8		44,5	37,7	22,3	22,3	27,4	30,0	19,7	27,4		23,1	12,0	6,8	171,2	
KOPRIVNIČKO- KRIŽEVAČKA	M(M)	701,8	170,2	1,9	91,8	49,7	53,5	42,1	24,9	44,0	24,9	13,4	7,6		11,5	17,2	13,4	135,8	
	Ž(F)	535,9	37,9	126,3		27,1	41,5	16,2	10,8	28,9	12,6	19,8	27,1	52,3	14,4	7,2	1,8	111,9	16,2
	UK(T)	616,5	102,1	65,9		38,1	47,3	28,8	17,6	36,2	18,6	16,7	17,6		13,0	12,1	7,4	123,5	
KRAPINSKO- ZAGORSKA	M(M)	737,9	127,9	0,0	109,9	59,0	36,1	29,5	18,0	49,2	39,4	16,4	6,6		26,2	24,6	4,9	190,2	
	Ž(F)	523,5	45,0	102,5		29,5	24,9	15,5	26,4	17,1	28,0	17,1	18,6	32,6	17,1	3,1	14,0	132,0	32,6
	UK(T)	627,8	85,4	52,6		43,9	30,3	22,3	22,3	32,7	33,5	16,8	12,8		21,5	13,6	9,6	160,3	
LIČKO-SENJSKA	M(M)	850,8	146,2	0,0	141,8	44,3	79,8	75,3	13,3	26,6	39,9	13,3	4,4		57,6	8,9	13,3	186,1	
	Ž(F)	539,4	48,6	110,5		48,6	26,5	13,3	8,8	8,8	4,4	39,8	17,7	22,1	26,5	0,0	13,3	150,3	13,3
	UK(T)	694,9	97,4	55,3		46,5	53,1	44,3	11,1	17,7	22,1	26,6	11,1		42,1	4,4	13,3	168,2	
MEĐIMURSKA	M(M)	709,5	134,1	0,0	186,2	54,0	42,8	11,2	26,1	27,9	55,9	11,2	3,7		18,6	5,6	11,2	121,0	
	Ž(F)	494,5	35,6	97,8		53,4	21,3	8,9	17,8	14,2	23,1	16,0	16,0	37,4	17,8	3,6	14,2	117,4	46,2
	UK(T)	599,5	83,7	50,0		53,7	31,8	10,0	21,8	20,9	39,1	13,6	10,0		18,2	4,5	12,7	119,2	
OSJEČKO- BARANJSKA	M(M)	615,5	94,3	0,0	137,0	48,7	26,2	24,0	20,2	24,7	29,2	18,0	4,5		23,2	21,7	12,0	131,8	
	Ž(F)	474,7	42,5	119,7		26,4	27,8	11,8	15,3	13,9	13,2	14,6	17,4	27,8	20,2	7,7	8,4	107,9	43,2
	UK(T)	542,5	67,5	62,0		37,2	27,1	17,7	17,7	19,1	20,9	16,2	11,2		21,6	14,4	10,1	119,4	
POŽEŠKO- SLAVONSKA	M(M)	705,9	105,6	3,0	135,8	84,5	39,2	27,2	21,1	45,3	45,3	15,1	3,0		18,1	21,1	6,0	135,8	
	Ž(F)	504,1	31,7	100,8		43,2	11,5	11,5	11,5	14,4	25,9	8,6	20,2	34,6	20,2	11,5	17,3	141,2	17,3
	UK(T)	602,7	67,8	53,0		63,4	25,1	19,2	16,2	29,5	35,4	11,8	11,8		19,2	16,2	11,8	138,5	

Tablica B5.2

STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2018.**CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2018**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	
		UKUPNO																OSTALO	
	SEX	ALL SITES	C34	C50	C61	C18	C20	C67	C43	C64	C16	C25	C73	C54	C80	C22	C71	OTHER SITES	D06
PRIMORSKO- GORANSKA	M(M)	712,6	121,7	1,5	156,7	74,3	37,9	32,1	26,2	15,3	20,4	23,3	10,9		18,2	19,7	16,0	138,4	
	Ž(F)	556,5	59,2	154,4		44,9	18,4	15,0	13,6	5,4	6,8	23,8	21,8	29,9	19,7	7,5	10,2	125,9	8,8
	UK(T)	631,9	89,4	80,6		59,1	27,8	23,2	19,7	10,2	13,4	23,6	16,5		19,0	13,4	13,0	131,9	
SISAČKO- MOSLAVAČKA	M(M)	796,1	141,2	1,4	174,4	66,5	37,4	51,2	26,3	29,1	31,8	24,9	9,7		27,7	22,2	9,7	142,6	
	Ž(F)	594,6	52,4	141,4		57,6	23,6	17,0	21,0	15,7	21,0	23,6	19,6	39,3	10,5	10,5	18,3	123,1	28,8
	UK(T)	692,5	95,6	73,4		61,9	30,3	33,6	23,6	22,2	26,2	24,2	14,8		18,8	16,2	14,1	132,6	
SPLITSKO- DALMATINSKA	M(M)	680,6	109,8	0,9	105,3	74,1	30,2	47,1	35,2	30,2	24,7	20,6	18,3		8,7	21,5	12,4	141,4	
	Ž(F)	554,0	46,6	120,7		50,1	21,3	17,9	27,4	16,1	17,0	17,4	41,8	31,4	11,8	6,5	6,5	121,5	44,0
	UK(T)	615,8	77,4	62,3		61,8	25,7	32,1	31,2	23,0	20,8	19,0	30,4		10,3	13,8	9,4	131,2	
ŠIBENSKO- KNINSKA	M(M)	783,9	123,9	2,0	195,0	60,9	26,4	52,8	24,4	26,4	20,3	18,3	16,2		20,3	10,2	22,3	164,5	
	Ž(F)	573,5	41,2	149,3		33,4	21,6	3,9	15,7	9,8	13,7	27,5	31,4	35,4	13,7	7,9	11,8	157,1	11,8
	UK(T)	677,0	81,9	76,9		46,9	24,0	28,0	20,0	18,0	17,0	23,0	24,0		17,0	9,0	17,0	160,8	
VARAŽDINSKA	M(M)	705,8	88,7	0,0	194,6	44,3	25,9	38,2	20,9	30,8	39,4	14,8	2,5		19,7	19,7	11,1	155,2	
	Ž(F)	514,0	28,0	125,9		46,6	14,0	14,0	28,0	10,5	18,6	15,2	15,2	46,6	9,3	1,2	8,2	132,9	23,3
	UK(T)	607,3	57,5	64,7		45,5	19,8	25,8	24,6	20,4	28,7	15,0	9,0		14,4	10,2	9,6	143,7	
VIROVITIČKO- PODRAVSKA	M(M)	681,5	93,4	2,7	134,6	38,5	35,7	41,2	27,5	38,5	27,5	19,2	2,7		19,2	11,0	8,2	181,4	
	Ž(F)	514,6	36,0	123,5		51,5	28,3	12,9	15,4	18,0	18,0	15,4	18,0	28,3	10,3	20,6	12,9	105,5	15,4
	UK(T)	595,3	63,8	65,1		45,2	31,9	26,6	21,3	27,9	22,6	17,3	10,6		14,6	15,9	10,6	142,2	
VUKOVARSKO- SRIJEMSKA	M(M)	673,2	144,8	2,7	119,3	52,3	33,5	38,9	13,4	25,5	30,8	20,1	5,4		22,8	8,0	20,1	135,4	
	Ž(F)	488,7	38,8	112,8		53,9	26,3	0,0	10,0	12,5	5,0	13,8	27,6	41,4	22,6	7,5	11,3	105,3	13,8
	UK(T)	577,8	90,0	59,6		53,1	29,8	18,8	11,7	18,8	17,5	16,8	16,8		22,7	7,8	15,5	119,8	
ZADARSKA	M(M)	763,4	95,6	2,4	180,3	79,8	27,8	50,8	27,8	29,0	21,8	13,3	3,6		20,6	18,1	16,9	175,4	
	Ž(F)	584,8	52,6	150,9		46,8	18,7	17,5	14,0	15,2	9,4	21,1	23,4	32,7	4,7	4,7	9,4	163,7	4,7
	UK(T)	672,6	73,7	77,9		63,0	23,2	33,9	20,8	22,0	15,5	17,2	13,7		12,5	11,3	13,1	169,5	
ZAGREBAČKA	M(M)	685,1	101,2	1,3	145,1	59,3	34,0	24,0	32,0	21,3	31,3	27,3	11,3		14,6	20,0	9,3	153,1	
	Ž(F)	541,9	44,0	124,3		45,8	20,7	8,8	25,1	12,6	21,3	17,6	27,6	42,1	17,0	6,3	8,8	119,9	53,4
	UK(T)	611,4	71,7	64,6		52,3	27,1	16,2	28,4	16,8	26,2	22,3	19,7		15,8	12,9	9,0	136,0	
UKUPNO RH CROATIA'S TOTAL	M(M)	706,4	113,4	1,4	145,2	62,8	34,5	38,1	25,4	29,7	27,1	20,6	10,2		17,9	18,1	12,4	149,8	
	Ž(F)	552,4	47,2	134,7		44,0	21,0	12,6	20,1	13,6	15,9	18,8	27,5	36,8	15,6	7,2	9,8	127,7	32,6
	UK(T)	626,8	79,2	70,3		53,1	27,5	24,9	22,7	21,4	21,3	19,7	19,1		16,7	12,5	11,0	138,3	

NAPOMENA: UKLJUČENA SVA SIJELA, OSIM NE-MELANOMSKOG RAKA KOŽE (C44). PRIKAZAN POSEBNO I CA IN SITU CERVIXA UTERUSA (D06)

NOTE: INCLUDED ARE ALL SITES WITH ICD CODES, EXCEPT NON-MELANOMA SKIN CANCER (C44). UTERINE CERVICAL CA IN SITU (D06) IS SHOWN SEPARATELY.

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2018. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2018

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C00 LABIUM ORIS	M(M) Ž(F) UK(T)	2,1 1,6 1,8	1,36 0,65 0,96	0,22 0,13 0,12	0,94 0,18 0,55	0,87 0,4 0,61	0,14 0,1 0,08	0,91 0,17 0,53	0,03 0,01 0,02	0,09 0,03 0,06
C01 BASIS LINGVAE	M(M) Ž(F) UK(T)	1,7 0,8 1,2	1,29 0,6 0,92	0,23 0,16 0,13	2,46 1,28 1,85	0,91 0,44 0,66	0,16 0,12 0,1	2,24 1,2 1,7	0,08 0,04 0,06	0,11 0,05 0,08
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M(M) Ž(F) UK(T)	4,3 1,6 2,9	3,35 1,07 2,18	0,37 0,2 0,21	6,27 1,69 3,93	2,48 0,79 1,61	0,28 0,16 0,16	5,9 1,6 3,71	0,21 0,06 0,13	0,29 0,08 0,18
C03 GINGIVA	M(M) Ž(F) UK(T)	1 0,8 0,9	0,72 0,39 0,56	0,17 0,1 0,1	1,06 0,38 0,72	0,51 0,25 0,38	0,12 0,07 0,07	0,99 0,33 0,66	0,03 0,01 0,02	0,06 0,03 0,05
C04 BASIS ORIS	M(M) Ž(F) UK(T)	1,3 0,3 0,8	0,99 0,17 0,57	0,2 0,07 0,1	2,14 0,18 1,13	0,76 0,12 0,43	0,15 0,05 0,08	2,1 0,17 1,11	0,07 0,01 0,04	0,09 0,02 0,05
C05 PALATUM	M(M) Ž(F) UK(T)	1,1 0,7 0,9	0,84 0,51 0,67	0,19 0,15 0,12	1,71 0,8 1,24	0,61 0,4 0,5	0,14 0,12 0,09	1,59 0,78 1,17	0,06 0,03 0,04	0,08 0,04 0,06
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M(M) Ž(F) UK(T)	1,4 0,6 1	1,08 0,34 0,69	0,21 0,11 0,12	1,95 0,27 1,1	0,76 0,26 0,5	0,15 0,09 0,09	1,82 0,25 1,02	0,06 0,01 0,04	0,09 0,03 0,06
C07 GLANDULA PAROTIS	M(M) Ž(F) UK(T)	1 1,2 1,1	0,75 0,69 0,69	0,17 0,15 0,11	0,58 0,66 0,62	0,47 0,5 0,47	0,11 0,12 0,08	0,55 0,65 0,6	0,02 0,02 0,02	0,05 0,05 0,05
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M(M) Ž(F) UK(T)	0,4 0,4 0,4	0,29 0,22 0,26	0,11 0,09 0,07	0,59 0,35 0,46	0,2 0,17 0,18	0,08 0,07 0,05	0,52 0,37 0,44	0,02 0,01 0,01	0,02 0,01 0,02
C09 TONSILLA	M(M) Ž(F) UK(T)	2 0,4 1,1	1,47 0,28 0,84	0,24 0,1 0,12	2,33 0,42 1,35	1,05 0,19 0,6	0,17 0,07 0,09	2,12 0,36 1,22	0,08 0,01 0,04	0,14 0,03 0,08
C10 OROPHARYNX	M(M) Ž(F) UK(T)	2,6 0,5 1,5	1,94 0,34 1,09	0,28 0,1 0,14	3,31 0,45 1,84	1,41 0,25 0,8	0,2 0,08 0,11	3,14 0,42 1,75	0,11 0,02 0,06	0,19 0,04 0,11
C11 EPIPHARYNX	M(M) Ž(F) UK(T)	0,7 0,2 0,5	0,56 0,18 0,35	0,15 0,09 0,08	0,96 0,12 0,53	0,38 0,15 0,25	0,11 0,08 0,07	0,85 0,11 0,47	0,03 0,01 0,02	0,04 0,02 0,03
C12 SINUS PIRIFORMIS	M(M) Ž(F) UK(T)	0,6 0 0,3	0,47 0,03 0,24	0,14 0,03 0,07	0,84 0,08 0,45	0,34 0,03 0,17	0,1 0,03 0,05	0,77 0,08 0,42	0,03 0 0,02	0,05 0 0,02
C13 HIPOPHARYNX	M(M) Ž(F) UK(T)	4,4 0,3 2,3	3,16 0,23 1,59	0,35 0,09 0,17	4,74 0,23 2,42	2,27 0,18 1,16	0,25 0,07 0,13	4,44 0,23 2,27	0,16 0,01 0,08	0,3 0,02 0,15
C14 PHARYNX NON SPEC.	M(M) Ž(F) UK(T)	0,2 0,1 0,1	0,11 0,14 0,12	0,07 0,08 0,05	0,11 0,22 0,17	0,07 0,11 0,08	0,04 0,06 0,04	0,09 0,19 0,14	0 0,01 0,01	0,01 0,01 0,01
C15 OESOPHAGUS	M(M) Ž(F) UK(T)	8,2 1,8 4,8	5,89 1,01 3,26	0,47 0,17 0,24	8,55 1,25 4,81	4,13 0,7 2,3	0,34 0,13 0,17	8,04 1,19 4,53	0,28 0,05 0,16	0,51 0,09 0,29
C16 VENTRICULUS	M(M) Ž(F) UK(T)	27,1 15,9 21,3	18,65 8,26 12,65	0,82 0,5 0,45	16,36 7,88 11,98	12,24 5,48 8,4	0,56 0,36 0,32	15,64 7,49 11,43	0,57 0,28 0,42	1,41 0,6 0,97
C17 INTESTINUM TENUE INC. DUODENUM	M(M) Ž(F) UK(T)	1,8 1,8 1,8	1,43 1,04 1,22	0,24 0,18 0,15	1,63 1,4 1,52	1,02 0,71 0,86	0,18 0,13 0,11	1,57 1,38 1,48	0,06 0,05 0,05	0,11 0,08 0,09
C18 INTESTINUM CRASSUM EXCL. RECTUM	M(M) Ž(F) UK(T)	62,8 44 53,1	43,1 23,81 32,02	1,25 0,85 0,72	37,51 24,52 30,8	28,85 16,04 21,61	0,87 0,62 0,52	36,32 23,36 29,63	1,3 0,83 1,05	3,49 1,81 2,57
C19 COLON RECTOSIGMOIDEUM	M(M) Ž(F) UK(T)	8,9 5,3 7	6,11 3,14 4,43	0,47 0,32 0,27	5,94 4,06 4,96	4,17 2,17 3,05	0,33 0,23 0,2	5,64 3,88 4,72	0,2 0,13 0,17	0,53 0,26 0,38
C20 RECTUM	M(M) Ž(F) UK(T)	34,5 21 27,5	24,24 12,28 17,55	0,95 0,63 0,55	27,61 14,58 20,9	16,6 8,49 12,13	0,67 0,46 0,39	26,37 14 20	0,93 0,49 0,7	2,02 1,03 1,49
C21 ANUS ET CANALIS ANALIS	M(M) Ž(F) UK(T)	1,3 1,1 1,2	0,98 0,77 0,86	0,2 0,17 0,13	1,74 1,47 1,6	0,71 0,57 0,63	0,15 0,13 0,1	1,69 1,43 1,56	0,05 0,04 0,05	0,07 0,06 0,06
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M(M) Ž(F) UK(T)	18,1 7,2 12,5	12,87 3,7 7,84	0,7 0,34 0,36	13,93 2,81 8,19	8,98 2,52 5,48	0,52 0,27 0,28	13,15 2,63 7,72	0,5 0,1 0,3	1,16 0,27 0,68
C23 VESICA FELLEA	M(M) Ž(F) UK(T)	2,5 3,5 3	1,73 1,77 1,74	0,25 0,22 0,16	1,29 1,34 1,32	1,13 1,16 1,14	0,17 0,15 0,11	1,28 1,28 1,29	0,04 0,05 0,04	0,12 0,14 0,13
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M(M) Ž(F) UK(T)	3,6 3,5 3,5	2,47 1,63 2,01	0,3 0,21 0,18	2,27 1,04 1,76	1,63 1,04 1,31	0,2 0,14 0,12	2,13 1,2 1,65	0,08 0,04 0,06	0,22 0,11 0,16
C25 PANCREAS	M(M) Ž(F) UK(T)	20,6 18,8 19,7	14,3 10,09 11,89	0,73 0,55 0,44	14,67 10,33 12,44	9,47 6,73 7,93	0,5 0,4 0,31	13,87 9,66 11,71	0,49 0,35 0,41	1,09 0,8 0,93
C26 TRACTUS DIGESTIVUS NON SPEC.	M(M) Ž(F) UK(T)	1,3 2 1,7	0,95 0,9 0,96	0,19 0,15 0,12	1,24 0,41 0,81	0,67 0,54 0,62	0,14 0,09 0,08	1,24 0,36 0,79	0,04 0,01 0,03	0,07 0,06 0,06

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2018. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2018

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	GRUBE STOPE	DOBNO STANDARD. STOPE I POGREŠKE (EU)		ZA DOB 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO)		ZA DOB 35 - 64 (W)	KUMULATIVNE STOPE (0-64)	KUMULATIVNE STOPE (0-74)
ICD No X REV. PRIMARY SITE	SEX	CRUDE RATE	AGE-STANDARD. RATES & S.E. (EU)		TRUNCATED 35 - 64 (EU)	AGE-STANDARD. RATES & S.E. (WORLD)		TRUNCATED 35 - 64 (W)	CUMULATIVE RATES (0-64)	CUMULATIVE RATES (0-74)
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M(M) Ž(F) UK(T)	0,8 0,3 0,6	0,65 0,25 0,42	0,17 0,1 0,09	0,59 0,48 0,53	0,49 0,18 0,32	0,14 0,08 0,08	0,58 0,48 0,52	0,03 0,01 0,02	0,04 0,02 0,03
C31 SINUS PARANASALES	M(M) Ž(F) UK(T)	0,8 0,3 0,5	0,61 0,17 0,38	0,16 0,08 0,09	1,02 0,23 0,61	0,47 0,13 0,29	0,14 0,06 0,07	0,95 0,22 0,57	0,04 0,01 0,02	0,06 0,01 0,03
C32 LARYNX	M(M) Ž(F) UK(T)	13,5 1,5 7,3	10 1,02 5,15	0,62 0,19 0,31	15,22 1,55 8,2	7,01 0,73 3,65	0,44 0,12 0,22	14,08 1,45 7,59	0,5 0,05 0,27	0,9 0,1 0,48
C33 TRACHEA	M(M) Ž(F) UK(T)	0,2 0 0,1	0,14 0,04 0,08	0,07 0,04 0,04	0 0,1 0,05	0,1 0,03 0,06	0,05 0,03 0,03	0 0,08 0,04	0 0 0	0,02 0 0,01
C34 BRONCHUS ET PULMO (PRIM.)	M(M) Ž(F) UK(T)	113,4 47,2 79,2	78,89 28,65 50,68	1,7 0,96 0,92	82,73 37,62 59,5	54,15 20,13 35,31	1,19 0,69 0,66	78,66 35,57 56,47	2,86 1,29 2,05	7,17 2,69 4,73
C37 THYMUS	M(M) Ž(F) UK(T)	0,2 0,2 0,2	0,14 0,15 0,15	0,08 0,08 0,06	0,2 0,35 0,27	0,14 0,12 0,13	0,09 0,07 0,06	0,18 0,37 0,27	0,01 0,01 0,01	0,01 0,01 0,01
C38 COR, MEDIASTINUM ET PLEURA	M(M) Ž(F) UK(T)	0,3 0,2 0,2	0,19 0,1 0,14	0,08 0,06 0,05	0,09 0,13 0,11	0,12 0,07 0,09	0,05 0,05 0,03	0,09 0,14 0,11	0 0 0	0,01 0 0,01
C39 CAVITATIS THORACIS, LOCI ALTERIUS	M(M) Ž(F) UK(T)	0,1 0 0	0,05 0,02 0,04	0,05 0,02 0,03	0,13 0 0,07	0,04 0,01 0,03	0,04 0,01 0,02	0,14 0 0,07	0 0 0	0 0 0
C40 THELAE OSSIIUM MEMBRUM	M(M) Ž(F) UK(T)	0,9 0,7 0,8	0,74 0,66 0,68	0,19 0,19 0,13	0,55 0,57 0,56	0,6 0,67 0,63	0,17 0,21 0,13	0,47 0,59 0,52	0,04 0,04 0,04	0,06 0,05 0,05
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	0,7 0,8 0,7	0,58 0,58 0,59	0,17 0,16 0,12	0,7 0,47 0,58	0,52 0,47 0,5	0,18 0,15 0,12	0,67 0,42 0,54	0,03 0,03 0,03	0,05 0,04 0,04
C43 MELANOMA MALIGNUM CUTIS	M(M) Ž(F) UK(T)	25,4 20,1 22,7	19,63 14,17 16,52	0,9 0,74 0,57	26,23 20,4 23,25	14,23 10,73 12,25	0,68 0,6 0,45	25,61 20,16 22,82	0,88 0,74 0,81	1,69 1,18 1,41
C45 MESOTHELIOMA	M(M) Ž(F) UK(T)	3,5 1,3 2,4	2,33 0,84 1,47	0,29 0,17 0,16	1,86 1,37 1,61	1,55 0,59 1	0,2 0,12 0,11	1,77 1,28 1,52	0,06 0,05 0,06	0,21 0,07 0,13
C46 SARCOMA KAPOSI	M(M) Ž(F) UK(T)	0,4 0,1 0,2	0,28 0,07 0,16	0,11 0,04 0,05	0,34 0 0,17	0,18 0,05 0,11	0,07 0,03 0,04	0,32 0 0,16	0,01 0 0,01	0,02 0,01 0,01
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M(M) Ž(F) UK(T)	0,2 0,1 0,1	0,25 0,13 0,19	0,14 0,08 0,08	0 0,13 0,06	0,38 0,12 0,25	0,22 0,08 0,12	0 0,14 0,07	0,02 0,01 0,01	0,02 0,01 0,01
C48 RETROPERITONEUM ET PERITONEUM	M(M) Ž(F) UK(T)	0,3 0,2 0,2	0,21 0,13 0,17	0,09 0,06 0,05	0,29 0,18 0,23	0,15 0,09 0,12	0,06 0,05 0,04	0,27 0,17 0,22	0,01 0,01 0,01	0,02 0,02 0,02
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M(M) Ž(F) UK(T)	4,6 3,7 4,1	3,62 2,71 3,11	0,4 0,34 0,26	4,37 3,16 3,75	2,84 2,18 2,48	0,35 0,31 0,23	4,26 3,03 3,63	0,18 0,14 0,16	0,28 0,23 0,25
C50 MAMMA	M(M) Ž(F) UK(T)	1,4 134,7 70,3	1,1 94,39 50,69	0,21 1,89 0,99	1,53 151,57 77,68	0,73 69,71 37,01	0,14 1,46 0,75	1,43 148,53 76	0,05 4,92 2,53	0,08 8,01 4,25
C51 VULVA	Ž(F)	4,1	2,13	0,25	1,87	1,47	0,19	1,91	0,07	0,16
C52 VAGINA	Ž(F)	0,3	0,14	0,07	0,13	0,1	0,05	0,15	0	0,01
C53 CERVIX UTERI	Ž(F)	13	10,86	0,69	20,12	8,57	0,57	19,89	0,7	0,87
C54 CORPUS UTERI	Ž(F)	36,8	24,53	0,93	37,68	17,5	0,69	35,62	1,23	2,16
C55 UTERUS NON SPEC.	Ž(F)	0,6	0,28	0,09	0,22	0,17	0,06	0,19	0,01	0,02
C56 OVARIUM	Ž(F)	19,9	13,6	0,72	20,94	10,09	0,58	20,56	0,69	1,08
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž(F)	2,8	1,89	0,26	3,03	1,36	0,2	2,96	0,1	0,16
C58 PLACENTA	Ž(F)	0,1	0,11	0,08	0	0,09	0,07	0	0,01	0,01

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2018. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2018

SIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	GRUBE STOPE	DOBNO STANDARD. STOPE I POGREŠKE (EU)		ZA DOB 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO)		ZA DOB 35 - 64 (W)	KUMULATIVNE STOPE (0-64)	KUMULATIVNE STOPE (0-74)
ICD No X REV. PRIMARY SITE	SEX	CRUDE RATE	AGE-STANDARD. RATES & S.E. (EU)		TRUNCATED 35 - 64 (EU)	AGE-STANDARD. RATES & S.E. (WORLD)		TRUNCATED 35 - 64 (W)	CUMULATIVE RATES (0-64)	CUMULATIVE RATES (0-74)
C60 PENIS	M(M)	2,1	1,41	0,23	2,08	0,98	0,16	2,01	0,07	0,1
C61 PROSTATA	M(M)	145,2	97,92	1,86	74,89	65,24	1,27	70,61	2,62	8,82
C62 TESTIS	M(M)	10,4	10,53	0,74	13,14	9,94	0,73	13,78	0,73	0,77
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M(M)	0,1	0,05	0,05	0,13	0,04	0,04	0,11	0	0
C64 REN EXCL. PELVIS RENALIS	M(M) Ž(F) UK(T)	29,7 13,6 21,4	21,89 9,2 14,95	0,93 0,59 0,53	30,67 13,33 21,77	15,58 6,92 10,88	0,69 0,51 0,42	29,3 12,82 20,85	1,04 0,47 0,75	1,88 0,76 1,28
C65 PELVIS RENALIS	M(M) Ž(F) UK(T)	1,6 0,9 1,2	1,09 0,53 0,78	0,2 0,13 0,11	1,1 0,49 0,78	0,74 0,36 0,53	0,14 0,09 0,08	1,04 0,44 0,73	0,04 0,02 0,03	0,09 0,05 0,07
C66 URETER	M(M) Ž(F) UK(T)	1 0,6 0,8	0,58 0,33 0,44	0,14 0,1 0,08	0,2 0,42 0,31	0,38 0,22 0,29	0,09 0,07 0,06	0,18 0,4 0,29	0,01 0,01 0,01	0,05 0,02 0,03
C67 VESICA URINARIA	M(M) Ž(F) UK(T)	38,1 12,6 24,9	26,12 6,92 15,12	0,97 0,46 0,5	21,71 6,67 13,97	17,34 4,7 10,22	0,67 0,34 0,35	20,72 6,37 13,34	0,75 0,23 0,48	2,11 0,55 1,26
C68 ORGANA URINARIA ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	0,4 0,4 0,4	0,23 0,2 0,22	0,09 0,07 0,06	0,09 0,08 0,09	0,15 0,13 0,14	0,06 0,05 0,04	0,09 0,08 0,09	0 0 0	0,02 0,01 0,02
C69 OCULUS ET ADNEXA	M(M) Ž(F) UK(T)	1,4 0,9 1,1	1,26 0,61 0,93	0,26 0,16 0,15	1,19 0,44 0,8	1,23 0,54 0,88	0,31 0,19 0,18	1,11 0,42 0,76	0,06 0,02 0,04	0,11 0,05 0,08
C70 MENINGES	M(M) Ž(F) UK(T)	0,4 0,4 0,4	0,26 0,31 0,27	0,1 0,11 0,07	0,26 0,34 0,3	0,18 0,25 0,21	0,08 0,1 0,06	0,28 0,33 0,31	0,01 0,01 0,01	0,02 0,02 0,02
C71 CEREBRUM	M(M) Ž(F) UK(T)	12,4 9,8 11	9,98 6,72 8,27	0,67 0,51 0,42	12,15 8,82 10,48	8,05 5,16 6,56	0,6 0,44 0,37	12,09 8,67 10,38	0,49 0,33 0,41	0,84 0,54 0,68
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M(M) Ž(F) UK(T)	0,3 0,6 0,4	0,22 0,53 0,37	0,09 0,18 0,1	0,26 0,43 0,35	0,15 0,56 0,35	0,07 0,22 0,11	0,25 0,39 0,33	0,01 0,03 0,02	0,02 0,04 0,03
C73 GLANDULA THYREOIDEA	M(M) Ž(F) UK(T)	10,2 27,5 19,1	9,09 25,17 17,19	0,65 1,09 0,63	15,6 41,61 28,69	7,43 21,12 14,3	0,56 0,96 0,55	15,65 41,58 28,68	0,59 1,65 1,12	0,73 2 1,37
C74 GLANDULA SUPRARENALIS	M(M) Ž(F) UK(T)	0,7 0,7 0,7	0,63 0,52 0,59	0,18 0,15 0,12	1,11 0,57 0,84	0,59 0,42 0,51	0,19 0,13 0,12	1,16 0,56 0,86	0,04 0,03 0,03	0,05 0,04 0,04
C75 GLANDULAE ENDOCRINES ALTERAE	M(M) Ž(F) UK(T)	0,4 0,1 0,2	0,34 0,06 0,2	0,13 0,04 0,07	0,43 0,08 0,25	0,31 0,05 0,18	0,15 0,03 0,24	0,41 0,08 0,24	0,02 0 0,01	0,03 0,01 0,02
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M(M) Ž(F) UK(T)	1 1,4 1,2	0,64 0,61 0,65	0,15 0,12 0,1	0,36 0,31 0,33	0,44 0,38 0,42	0,1 0,09 0,07	0,36 0,31 0,33	0,01 0,01 0,01	0,06 0,04 0,05
C80 MALIGNOMATA SINE REGIONE SPEC.	M(M) Ž(F) UK(T)	17,9 15,6 16,7	12,44 8,68 10,27	0,68 0,52 0,41	13,11 10,43 11,72	8,29 5,89 6,93	0,47 0,38 0,29	12,44 10,01 11,18	0,45 0,35 0,4	0,94 0,65 0,79
C81 MORBUS HODGKIN	M(M) Ž(F) UK(T)	2,5 2,4 2,4	2,44 2,4 2,42	0,35 0,36 0,25	2,47 1,61 2,04	2,32 2,41 2,36	0,36 0,39 0,26	2,47 1,58 2,02	0,17 0,16 0,16	0,18 0,18 0,18
C82 LYMPHOMA NON-HODGKIN FOLLICULARE (NODULARE)	M(M) Ž(F) UK(T)	3,3 3,5 3,4	2,51 2,4 2,45	0,32 0,29 0,21	4,05 3,54 3,79	1,82 1,7 1,76	0,23 0,21 0,16	3,83 3,24 3,53	0,14 0,12 0,13	0,23 0,23 0,23
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M(M) Ž(F) UK(T)	12,7 8,3 10,4	9,25 5,07 6,94	0,6 0,42 0,36	9,72 5,94 7,78	6,7 3,61 5,03	0,47 0,32 0,28	9,37 5,62 7,45	0,36 0,21 0,29	0,79 0,41 0,59
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M(M) Ž(F) UK(T)	1,5 0,9 1,2	1,25 0,57 0,91	0,24 0,15 0,14	1,37 0,44 0,9	1,05 0,43 0,74	0,22 0,13 0,13	1,31 0,42 0,86	0,07 0,02 0,04	0,1 0,04 0,07
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	3,4 3,2 3,3	2,62 1,87 2,24	0,33 0,25 0,2	3,07 2,01 2,53	1,94 1,33 1,63	0,25 0,2 0,16	2,94 1,96 2,44	0,12 0,07 0,1	0,23 0,15 0,19
C86 MALIGNOMATA ALTERA SPEC.	M(M) Ž(F) UK(T)	0,2 0,1 0,1	0,11 0,11 0,1	0,07 0,08 0,05	0,22 0,12 0,17	0,08 0,1 0,09	0,05 0,08 0,05	0,24 0,11 0,17	0,01 0,01 0,01	0,01 0,01 0,01
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M(M) Ž(F) UK(T)	1 1,6 1,3	0,69 1,04 0,86	0,16 0,19 0,12	0,67 1,68 1,19	0,46 0,77 0,62	0,11 0,15 0,09	0,64 1,65 1,15	0,02 0,06 0,04	0,06 0,08 0,07
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M(M) Ž(F) UK(T)	7,9 7,7 7,8	5,44 4,43 4,79	0,44 0,37 0,28	5,13 5,04 5,07	3,56 3,04 3,23	0,3 0,27 0,2	4,76 4,82 4,77	0,18 0,16 0,17	0,42 0,39 0,4

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2018. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2018

SIFRA MKB X REVIZIJA PRIMARNO SIJELO	SPOL	GRUBE STOPE	DOBNO STANDARD. STOPE I POGREŠKE (EU)		ZA DOB 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO)		ZA DOB 35 - 64 (W)	KUMULATIVNE STOPE (0-64)	KUMULATIVNE STOPE (0-74)
ICD No X REV. PRIMARY SITE	SEX	CRUDE RATE	AGE-STANDARD. RATES & S.E. (EU)		TRUNCATED 35 - 64 (EU)	AGE-STANDARD. RATES & S.E. (WORLD)		TRUNCATED 35 - 64 (W)	CUMULATIVE RATES (0-64)	CUMULATIVE RATES (0-74)
C91 LEUKAEMIA LYMPHATICA	M(M) Ž(F) UK(T)	10,2 7,9 9	7,93 5,07 6,26	0,59 0,46 0,36	6,98 3,16 5,02	6,24 4,38 5,18	0,56 0,52 0,38	6,72 2,99 4,81	0,32 0,2 0,26	0,59 0,38 0,48
C92 LEUKAEMIA MYELOICA	M(M) Ž(F) UK(T)	8,1 5,2 6,6	6,03 3,35 4,48	0,5 0,36 0,29	4,85 3,9 4,37	4,48 2,56 3,41	0,42 0,32 0,26	4,78 3,66 4,22	0,22 0,17 0,19	0,44 0,24 0,33
C93 LEUKAEMIA MONOCITARIA	M(M) Ž(F) UK(T)	0,7 0,5 0,6	0,48 0,27 0,36	0,14 0,09 0,08	0,24 0,18 0,21	0,35 0,19 0,26	0,12 0,07 0,07	0,23 0,17 0,2	0,01 0,01 0,01	0,03 0,02 0,02
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA, LEUKAEM. MEGAKARYOCYTICA)	M(M) Ž(F) UK(T)	0,1 0,2 0,1	0,04 0,17 0,1	0,04 0,09 0,05	0,09 0,36 0,22	0,03 0,12 0,08	0,03 0,06 0,04	0,09 0,34 0,21	0 0,01 0,01	0 0,01 0,01
C95 LEUKAEMIA NON SPEC.	M(M) Ž(F) UK(T)	0,3 0,7 0,5	0,19 0,37 0,29	0,08 0,11 0,07	0,09 0,59 0,35	0,12 0,24 0,19	0,05 0,07 0,05	0,09 0,53 0,32	0 0,02 0,01	0,01 0,02 0,02
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M(M) Ž(F) UK(T)	0,2 0,7 0,4	0,18 0,62 0,4	0,09 0,18 0,1	0 0,78 0,4	0,16 0,58 0,37	0,1 0,2 0,11	0 0,76 0,39	0,01 0,04 0,02	0,02 0,05 0,03
SVE LOKALIZACIJE ALL SITES C00 - C97	M(M) Ž(F) UK(T)	706,4 552,4 626,8	504,36 359,96 418,69	4,38 3,62 2,75	525,98 494,33 508,02	352,75 263,9 300,47	3,24 2,89 2,13	503,55 478,98 489,15	18,82 17,24 17,95	42,77 29,7 35,47
CA IN SITU D00 - D09	M(M) Ž(F) UK(T)	20,5 49,3 35,4	14,45 47,97 30,61	0,73 1,54 0,84	16,56 67,18 41,74	10,07 42,24 25,71	0,53 1,41 0,74	15,95 68,99 42,31	0,58 3,25 1,9	1,26 3,66 2,43
D06 CERVIX UTERI - CA IN SITU	Ž(F)	32,6	35,77	1,38	45,72	33,06	1,31	48,06	2,54	2,62
D32 NEOPLASMA BENIGNUM MENINGUM	M(M) Ž(F) UK(T)	5,3 3,5 0,4	3,61 2,52 0,3	0,36 0,22 0,11	5,37 3,76 0,22	2,66 1,83 0,24	0,28 0,17 0,1	5,18 3,64 0,23	0,19 0,13 0,01	0,31 0,21 0,03
D33 NEOPLASMA BENIGNUM CEREBRI	M(M) Ž(F) UK(T)	0,4 0,4 5,3	0,33 0,32 3,61	0,12 0,08 0,36	0,47 0,35 5,37	0,28 0,26 2,66	0,12 0,08 0,28	0,48 0,36 5,18	0,02 0,02 0,19	0,02 0,03 0,31
D39.1 NEOPLASMA OVARIJ NON CLASS. ET BORDERLINE	Ž(F)	2,1	1,9	0,29	3,95	1,48	0,23	3,9	0,13	0,15
D42 NEOPLASMA MENINGUM NON CLASS.	M(M) Ž(F) UK(T)	1 0,8 0,9	0,7 0,61 0,63	0,17 0,17 0,12	0,31 0,47 0,39	0,54 0,55 0,53	0,15 0,18 0,12	0,3 0,44 0,37	0,02 0,03 0,03	0,06 0,06 0,06
D43 NEOPLASMA CEREBRI NON CLASS.	M(M) Ž(F) UK(T)	1,6 1,3 1,4	1,51 1,31 1,38	0,29 0,28 0,2	1,23 0,98 1,1	1,52 1,37 1,44	0,33 0,33 0,23	1,22 0,99 1,1	0,09 0,08 0,09	0,1 0,1 0,1
D45 POLYCYTHAEMIA RUBRA VERA	M(M) Ž(F) UK(T)	4,7 2,1 3,4	3,8 1,47 2,59	0,41 0,24 0,23	5,51 1,97 3,73	3 1,11 2,03	0,34 0,2 0,2	5,47 1,87 3,66	0,2 0,07 0,13	0,33 0,12 0,22
D46 SYNDROMA MYELODISPLASTICUM	M(M) Ž(F) UK(T)	4,4 2,7 3,5	3,09 1,31 2,04	0,34 0,19 0,18	2,28 0,92 1,59	2,03 0,86 1,36	0,24 0,14 0,13	2,26 0,92 1,58	0,09 0,04 0,06	0,19 0,09 0,13
D47 SYNDROMA MYELOPROLIFERATIVUM	M(M) Ž(F) UK(T)	4,4 4,7 4,6	3,33 2,83 3,05	0,37 0,32 0,24	3,78 3,07 3,4	2,37 2,06 2,2	0,28 0,26 0,19	3,6 3,11 3,33	0,14 0,11 0,12	0,27 0,23 0,25

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

NOTE: EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Podaci Registra za rak Republike Hrvatske u zadnjih godinu dana korišteni su za:**Projekti:**

Projekti Europske komisije:

- iPAAC (Innovative Partnership for Action Against Cancer), www.ipaac.eu
- JARC (Joint Action on Rare Cancers) jointactionrarecancers.eu
- ECIS – European Cancer Information System – ecis.jrc.ec.europa.eu
- Global cancer observatory (GLOBOCAN 2018) - gco.iarc.fr

Ostali projekti:

- CONCORD (Global surveillance of cancer survival), London School of Hygiene and Tropical Medicine, <http://csq.lshtm.ac.uk/research/themes/concord-programme/>
- IICC (International Incidence of Childhood Cancer), Međunarodna agencija za istraživanje raka (IARC), iicc.iarc.fr/
- EU-TOPIA - eu-topia.org

Izlaganja na znanstvenim i stručnim skupovima:

- 3. hrvatski kongres kirurške onkologije, Vodice (ožujak 2020.)
- Simpozij „Karcinom štitnjače“, Zagreb/on-line (studen 2020.)
- 12. kongres društva za internističku onkologiju, on-line (studen 2020.)
- Godišnji sastanak Hrvatskog gastroenterološkog društva, on-line (prosinac 2020.)

Izrada doktorskih disertacija, specijalističkih radova, diplomskih radova i znanstveno-stručnih radova:

Obranjena je jedna disertacija te su u pripremi nekoliko disertacija i drugih radova u kojima se koriste podaci Registra za rak. Podaci o objavljenim znanstvenim i stručnim radovima su navedeni u idućem odlomku.

Objavljeni znanstveni i stručni radovi:

1. Karalexi MA, Dessypris N, Georgakis MK, Ryzhov A, Jakab Z, Zborovskaya A, et al. (SEKERIJA M). Birth seasonality of childhood central nervous system tumors: Analysis of primary data from 16 Southern-Eastern European population-based registries. *Int J Cancer*. 2020;147(5):1252-63.
2. Ganczak M, Miazgowski T, Kozybska M, Kotwas A, Korzen M, Rudnicki B, et al. (SEKERIJA M). Changes in disease burden in Poland between 1990-2017 in comparison with other Central European countries: A systematic analysis for the Global Burden of Disease Study 2017. *PLoS One*. 2020;15(3):e0226766.
3. Nakata, K, Colombet, M, Stiller, CA, Pritchard-Jones, K, Steliarova-Foucher, E, IICC-3 Contributors. (SEKERIJA M). Incidence of childhood renal tumours: An international population-based study. *Int. J. Cancer*. 2020; 147: 3313– 3327.
4. Šekerija M, Korda K, Čukelj P, Erceg M. Uloga Registra za rak u praćenju epidemiologije raka u Hrvatskoj. *Bilten Hrvatskog društva za medicinsku informatiku [Internet]*. 2020 [pristupljeno 02.12.2020.];26(2):23-29.
5. Botta L, Gatta G, Trama A, Bernasconi A, Sharon E, Capocaccia R, et al. (SEKERIJA M) Incidence and survival of rare cancers in the US and Europe. *Cancer Medicine*. 2020;9(15):5632-42.
6. Virgili G, Parravano M, Gatta G, Capocaccia R, Mazzini C, Mallone S, et al. (SEKERIJA M) Incidence and Survival of Patients With Conjunctival Melanoma in Europe. *JAMA Ophthalmology*. 2020;138(6):601-8.

7. GBD 2017 Oesophageal Cancer Collaborators (SEKERIJA M) The global, regional, and national burden of oesophageal cancer and its attributable risk factors in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet Gastroenterology & Hepatology*. 2020;5(6):582-97.
8. GBD 2017 Stomach Cancer Collaborators, et al. (SEKERIJA M) The global, regional, and national burden of stomach cancer in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease study 2017. *The Lancet Gastroenterology & Hepatology*. 2020;5(1):42-54.
9. Bannon F, Di Carlo V, Harewood R, Engholm G, Ferretti S, Johnson CJ, et al. (SEKERIJA M) Survival trends for primary liver cancer, 1995–2009: analysis of individual data for 578,740 patients from 187 population-based registries in 36 countries (CONCORD-2). *Annals of Cancer Epidemiology*. 2019;3.