

HRVATSKI ZAVOD ZA JAVNO ZDRAVSTVO

Registar za rak Republike Hrvatske


CROATIAN INSTITUTE OF PUBLIC HEALTH

Croatian National Cancer Registry

INCIDENCIJA RAKA U HRVATSKOJ

CANCER INCIDENCE IN CROATIA

2020.



Zagreb, 2022.

**Bilten br. 45
Bulletin No. 45**

Glavni i odgovorni urednik: doc. dr. sc. Mario Šekerija, dr. med.
Editor-in-chief: Asst Prof Mario Šekerija, MD, PhD

Osoblje Registra za rak Hrvatske i suradnici u izradi biltena:
Croatian National Cancer Registry staff and technical associates:

Mario Šekerija
Ljubica Bubanović
Jelena Lončar
Petra Čukelj
Jana Veltruski
Leonarda Mikolaj
Deni Stupnik

**MOLIMO KORISNIKE OVE PUBLIKACIJE DA PRILIKOM
KORIŠTENJA PODATAKA OBVEZNO NAVEDU IZVOR**

PLEASE QUOTE THE DATA SOURCE

**Hrvatski zavod za javno zdravstvo, Registar za rak Republike Hrvatske.
Incidencija raka u Hrvatskoj 2020., Bilten 45, Zagreb, 2022.**

Izdao: Hrvatski zavod za javno zdravstvo
Rockefellerova 7
10000 Zagreb
Hrvatska
Tel. (01) 48-63-280
Web-stranice: <https://www.hzjz.hr/sluzba-epidemiologija-prevencija-nezaraznih-bolesti/odjel-za-maligne-bolesti/>

Publisher: Croatian Institute of Public Health
Rockefellerova 7
HR-10000 Zagreb
Croatia
Tel. 00 385 1 48 63 280
Web-site: <https://www.hzjz.hr/sluzba-epidemiologija-prevencija-nezaraznih-bolesti/odjel-za-maligne-bolesti/>

Ravnatelj: izv.prof. dr. sc. Krunoslav Capak, prim. dr. med.
Director: Assoc Prof Krunoslav Capak, MD, PhD

ISSN 1333-7777

SADRŽAJ - CONTENTS

STRANICA - Page

UVOD INTRODUCTION	1
Slika 1. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ PREMA SPOLU U 2020. GODINI Figure 1. MOST COMMON CANCER SITES IN CROATIA BY SEX IN 2020	5
Slika 2. RASPODJELA NOVOOBOLJELIH OD RAKA PREMA SIJELIMA U 2020. GODINI Figure 2. DISTRIBUTION OF NEW CANCER CASES IN 2020 BY SITE	6
Slika 3. INCIDENCIJA NAJČEŠĆIH SIJELA RAKA 2020. GODINE U HRVATSKOJ PREMA DOBI I SPOLU Figure 3. MOST COMMON CANCER SITES INCIDENCE BY AGE AND SEX, CROATIA, 2020	7
Slika 4. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ 2020. GODINE PREMA SPOLU Figure 4. MOST COMMON CANCER SITES BY SEX, CROATIA, 2020	8
Slika 5.0 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2020. GODINI - MUŠKARCI Figure 5.0 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2020, MALES	9
Slika 5.1 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2020. GODINI - ŽENE Figure 5.1 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2020, FEMALES	10
Tablica B 1. POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2020. Table B 1. DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2020	11
Tablica B 2.1 NOVI SLUČAJEVI RAKA U HRVATSKOJ 2020. GODINE NAJČEŠĆA SIJELA - BROJ, POSTOTAK, STOPE INCIDENCIJE, KUMULATIVNE STOPE Table B 2.1 NEW CANCER CASES IN CROATIA IN 2020 MOST COMMON SITES: NUMBER OF CASES, PERCENTAGE, INCIDENCE RATES AND CUMULATIVE RATES	13
Tablica B 3.0 BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020. Table B 3.0 NEW CANCER CASES IN CROATIA IN 2020 BY SEX, AGE AND PRIMARY SITE	14
Tablica B 3.1 STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020. Table B 3.1 CANCER INCIDENCE RATES IN CROATIA IN 2020 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE	18
Tablica B 4.1 BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2020. Table B 4.1 NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2020.....	22
Tablica B 5.1 BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2020. Table B 5.1 NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2020	25
Tablica B 5.2 STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2020. Table B 5.2 CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2020	27
Tablica B 6.1 DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2020. GODINE Table B 6.1 AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2020	29
PROJEKTI, ZNANSTVENI I STRUČNI RADOVI, IZLAGANJA PROJECTS, SCIENTIFIC AND PROFESSIONAL PAPERS AND CONFERENCE PRESENTATIONS	33

UVOD

Rak je značajan javnozdravstveni problem stanovništva Hrvatske. Drugi je vodeći uzrok smrti iza bolesti srca i krvnih žila, pa je vrlo važno raspolagati odgovarajućim podacima koji će pomoći u izradi strategije za prevenciju i odgovarajuću onkološku službu i zaštitu, kao i u izradi Nacionalnog strateškog okvira za borbu protiv raka. Samo dobro organizirana registracija raka može omogućiti dobivanje takvih podataka. Incidenciju raka u Hrvatskoj prati i proučava Registar za rak Republike Hrvatske, populacijski registar pri Hrvatskom zavodu za javno zdravstvo.

Podaci o incidenciji raka za 2020. godinu su obrađeni iz Registra za rak unutar Nacionalnog javnozdravstvenog informacijskog sustava (NAJS) Hrvatskog zavoda za javno zdravstvo. Korištene su definicije multiplih primarnih sjela raka Međunarodne agencije za istraživanje raka (način na koji se izvještava o podacima o raku prema vanjskim institucijama). U popratnom tekstu i materijalima prikazane su usporedbe s podacima za 2019. godinu prema sadašnjem stanju baze Registra.

Podaci o mortalitetu od raka preuzeti su iz službenih podataka Državnog zavoda za statistiku koje obrađuje Odjel za mortalitetnu statistiku Hrvatskog zavoda za javno zdravstvo – za obradu navedenih podataka nije nadležan Registar za rak te su ovdje prikazani samo kako bi se dala zaokružena epidemiološka situacija vezana uz rak.

Registar za rak Hrvatske osnovan je 1959. godine. Najprije su se prikupljali samo podaci o umrlima, a od 1962. godine obrađuju se podaci o novooboljelima od raka. Počevši od 1968. godine podaci se obrađuju elektronički.

Izvori podataka su prijava iz bolnice za otpuštene bolesnike - Bolesničko-statistički list - ONKO tip (obrazac JZ-ONK), vanbolnička Prijava maligne neoplazme (obrazac JZ-NEO) i kopije histološkog/citološkog nalaza. Te su prijave dužne Hrvatskom zavodu za javno zdravstvo slati, prema Programu statističkih istraživanja kojeg donosi Sabor, zdravstvene ustanove i zdravstveni djelatnici privatne prakse. Prijava se ispunjava nakon postavljanja dijagnoze. Izvor podataka o umrlima od raka je mortalitetna baza Državnog zavoda za statistiku i Hrvatskog zavoda za javno zdravstvo. Kao dopunski izvor podataka koristi se i baza podataka Bolesničko-statističkih obrazaca Hrvatskog zavoda za javno zdravstvo. Od 1. siječnja 2017. godine bolnice mogu slati JZ-ONK tipove obrasca elektronički, direktnim učitavanjem u NAJS sustav.

Bilten br. 45 sadrži: pokazatelje kvalitete podataka Registra – postotak morfološki potvrđenih slučajeva, postotak registriranih samo iz potvrda o smrti (DCO) i omjer mortaliteta i incidencije za muške i žene (Tablica B1); broj, postotak, stope incidencije (grube i dobno

INTRODUCTION

Cancer poses a major public health problem in Croatia. It is the second cause of death (after cardiovascular diseases), so it is very important to have adequate data that will help in the elaboration of a strategy for cancer prevention and the development of an adequate oncological service and care, as well as development of National Strategic Framework Against Cancer. Such data can only be made available by a well-organised cancer registration system. In Croatia, cancer incidence is monitored and studied by the Croatian National Cancer Registry, a population-based registry at the Croatian Institute of Public Health.

Data on cancer incidence for 2020 have been extracted from the new cancer registry platform, a part of the National Public Health Information System (NAJS), developed within the Croatian Institute of Public Health. The definitions of the multiple primary cancers of the International Agency for Research on Cancer were used (the standard used for international reporting of cancer registry data). In the accompanying text and materials the comparison with current data for 2019 (the previous year) is shown.

Data on cancer mortality has been obtained from the official data of the Croatian Bureau of Statistics processed by the Department for mortality statistics of the Croatian Institute of Public Health. The Croatian National Cancer Registry is not responsible for producing this data – it is displayed in this bulletin in order to present a more thorough picture of epidemiological situation related to cancer in Croatia.

The Croatian National Cancer Registry was founded in 1959. Originally, it only collected data relating to cancer deaths. Since 1962, it has been processing data on cancer incidence. Electronic data processing was introduced in 1968.

The data sources for cancer registration are hospital discharge notifications called "Onco type forms" (form JZ-ONK), outpatient "Malignant neoplasm notification" (form JZ-NEO), and copies of the histological/cytological findings. Under the Statistical Research Program promulgated by the Parliament, health institutions and private health practitioners are required to submit these notifications to the Croatian National Cancer Registry. The form is completed when a cancer diagnosis is made. The data source on cancer mortality is the National Bureau of Statistics and Croatian Institute of Public Health mortality database. The electronic hospital discharge data file from the Croatian Institute of Public Health has also been used as a supplementary data source. Since January 1, 2017, hospitals can upload the JZ-ONK forms in electronic format directly to the NAJS system.

Bulletin no. 45 contains the Registry data quality indicators. These are: percentage of morphologically confirmed cases; percentage of cases recorded based on death certificates only (DCO); mortality/incidence ratio for males and females (Table B1), number of cases, percentage and incidence rates (crude and age-standardised per standard European and World

standardizirane na standardno europsko i svjetsko stanovništvo) i kumulativne stope za najčešća sijela u 2020. godini (Tablica B2.1); incidenciju (apsolutni broj i stopu) raka (osim raka kože) u Hrvatskoj prema spolu, dobi, primarnom sijelu, stadiju bolesti prilikom postavljanja dijagnoze (Tablice B3.0, B3.1, B4.1), te incidenciju najučestalijih sijela raka (apsolutni broj i stopa) prema županijama i prema spolu (Tablica B5.1, B5.2).

U Tablici B6.1 prikazane su dobno-standardizirane stope, standardne pogreške i kumulativne stope (0-64 i 0-74 godina) incidencije prema pojedinim sijelima te prema spolu.

Slike 1 i 2 prikazuju najčešća sijela raka te raspodjelu novooboljelih od raka prema sijelima u 2020. za muškarce i za žene. Slika 3 prikazuje stope incidencije raka specifične za dob za najčešća sijela raka u muškaraca i žena u 2020., dok slika 4 prikazuje broj i stope novooboljelih i umrlih od raka u Hrvatskoj 2020. godine za deset najčešćih sijela.

Dobno-standardizirane stope incidencije raka prema spolu prikazane su i za županije (Slika 5.0 i 5.1).

Za šifriranje dijagnoza koristila se X. revizija Međunarodne klasifikacije bolesti, povreda i uzroka smrti (MKB-10). Stope incidencije računate su na službene procjene stanovništva Hrvatske za 2020. godinu Državnog zavoda za statistiku, a standardizirane na standardno europsko (1976.), standardno svjetsko stanovništvo i hrvatsko stanovništvo prema popisu 2011., ovisno o vrsti analiza. Objavljeni podaci odnose se na stanje po završenoj obradi za 2020. godinu. S obzirom na kontinuirani rad na kvaliteti i obuhvatu podataka te korištenje za brojna istraživanja, baza Registra za rak podložna je manjim promjenama već obrađenih podataka, tako da trenutačni podaci za prošle godine ne moraju odgovarati onima koji su objavljeni u biltenima za te godine. Zahvaljujemo djelatnicima u zdravstvu i županijskim zavodima za javno zdravstvo koji u Registar šalju prijave za bolesnike oboljele od raka.

Od 1994. godine Registar za rak Hrvatske punopravni je član Međunarodne udruge registara za rak (IACR), a član je i Europske mreže registara za rak (ENCR). Podaci Registra uključeni su u baze podataka o incidenciji, prevalenciji i mortalitetu od raka u Europi (ECO, ECIS) i svijetu (GLOBOCAN), kao i međunarodne studije o preživljenju od raka (EUROCARE, CONCORD).

U 2017. godini Međunarodna agencija za istraživanje raka (IARC) Svjetske zdravstvene organizacije i Međunarodna udruga registara za rak (IACR) iz Lyona objavili su XI. svezak publikacije "Incidencija raka na pet kontinenata". Podaci se odnose na razdoblje od 2008.-2012. godine. To je peti za redom svezak te publikacije koji sadrži podatke za Hrvatsku. Podaci za novi svezak (XII.) su poslani prema IARC-u i uskoro se očekuje nova publikacija.

populations) and cumulative rates for the most common cancer sites in 2020 (Table B2.1); cancer incidence (absolute number and rate) in Croatia by sex, age, primary site, cancer stage at the time of diagnosis (Tables B3.0, B3.1, B4.1), as well as the incidence of the most common cancer sites by county and sex (Tables B5.1, B5.2).

In Table B6.1 the age-standardised incidence rates, standard errors and cumulative incidence rates (0-64 and 0-74 years) are displayed by individual sites and sex.

Figures 1 and 2 show the most common cancer sites and new cancer case distribution by site in males and females for 2020. Figure 3 shows age-specific cancer incidence rates for most common cancer sites in Croatia in 2020 by sex, while Figure 4 shows number and crude rates of cancer incidence and mortality in Croatia in 2020 for ten most common cancer sites. Age-standardised incidence rates by sex for counties are presented as well (Figs. 5.0, 5.1.).

In coding the diagnoses, we used the International Classification of Diseases, Injuries and Causes of Death, 10th Revision (ICD-10). The calculation of incidence rates was based on the official mid-year estimates of the Croatian population by the National Bureau of Statistics, and standardised using standard European (1976; ASR-E), standard World (ASR-W) and Croatian 2011 census population, depending on the types of analyses. The published data refer to the state of the cancer registry database after processing of data for 2020. Due to the continuous efforts on data quality and coverage improvement, as well as use of data for research purposes, the cancer registry database is subject to minor changes of already processed data so the current data for previous years does not necessarily have to correspond to those published in respective bulletins. We extend our thanks to the employees of the Health Service and of county public health institutes who submit notifications to our Registry.

The Croatian National Cancer Registry has been a full member of the International Association of Cancer Registries (IACR) since 1994, as well as a member of the European Network of Cancer Registries (ENCR). The Registry data have been included in the databases of cancer incidence, prevalence and mortality in Europe (European Cancer Observatory, ECO; European Cancer Information System, ECIS), and in the world (GLOBOCAN), as well as international cancer survival studies (EUROCARE, CONCORD).

In 2017, WHO's International Agency for Research on Cancer (IARC) and the International Association of Cancer Registries (IACR) in Lyon published Volume XI of the "Cancer Incidence in Five Continents" for the 2008-2012 period. Cancer incidence data from Croatia was included for the fifth time. The data for the Volume XII has been sent and we are expecting the publication of the new volume.

During 2014 and 2015 results of two major international studies on cancer survival were published. The EUROCARE-5 study evaluated survival in selected European population-

Tijekom 2014. i 2015. godine objavljeni su rezultati velikih međunarodnih istraživanja o preživljenju od raka na europskoj (EUROCORE-5) i svjetskoj (CONCORD-2) razini. Po prvi put, podaci hrvatskog Registra za rak su uključeni u međunarodne, standardizirane usporedbe. U 2018. godini objavljen je i treći val CONCORD istraživanja, kao i procjene incidencije i mortaliteta za 2018. godinu (ECIS) Europske komisije. Početkom 2020. godine objavljene su i ECIS procjene za 2020. godinu, kao i procjene IARC-a (GLOBOCAN 2020). Uskoro se očekuju i procjene za 2022. godinu, temeljene na podacima registara za rak i mortaliteta pojedinih država.

Vanjske poveznice:

Europski informacijski sustav za rak (ECIS) - <https://ecis.jrc.ec.europa.eu/>
Globalni opservatorij za rak - <https://gco.iarc.fr/>

Novodijagnosticirani i umrli od raka u 2020. godini

Ukupan broj novodijagnosticiranih zloćudnih bolesti (šifre C00-C97 MKB-10, bez raka kože - šifra C44) bio je 23 230 i to 12 326 muškaraca i 10 904 žene. Stopa incidencije je iznosila 573,9/100 000; 626,4/100 000 za muškarce i 524,2/100 000 za žene. Odnos M:Ž je 53:47. U Hrvatskoj je 2020. godine od raka (šifre C00-C97 MKB-10, bez raka kože - šifra C44) umrlo 13 138 osoba, 7 557 muškaraca i 5 581 žena. Stope mortaliteta bile su 324,6/100 000; odnosno 383,5/100 000 (M) i 268,3/100 000 (Ž). Odnos M:Ž je 58:42.

Najčešća sijela

Pet najčešćih sijela raka čine ukupno 60% novih slučajeva raka u muškaraca: prostata (19%), traheja, bronh i pluća (16%), kolon, rektum i rektosigma (16%), mokraćni mjehur (5%) i želudac (4%). Pet najčešćih sijela raka u žena: dojka (26%), kolon, rektum i rektosigma (13%), traheja, bronh i pluća (10%), tijelo maternice (6%) i štitnjača (5%) čine 60% novih slučajeva raka u žena.

Za karcinom *in situ* vrata maternice stope incidencije su najviše u dobi 30-34 godine. Odnos između karcinoma *in situ* i invazivnog raka vrata maternice je u 2020. godini u Hrvatskoj bio 2,1:1.

Dobno-standardizirane stope

Za međunarodne usporedbe koriste se dobno-standardizirane stope, jer grube stope mogu biti odraz razlika u dobnoj strukturi stanovništva. U tablici B6.1 prikazane su grube i dobno-standardizirane stope prema primarnom sijelu i spolu. Za dobnu standardizaciju korišteno je standardno svjetsko i europsko stanovništvo, a prikazana je i standardna pogreška (SE), te standardizirane stope za dob 35-64 godine (eng. truncated rate) i kumulativne stope 0-64 i 0-74 godine.

Dobno standardizirane stope na Standardno europsko stanovništvo iznosile su u 2020. godini za Hrvatsku

based cancer registries, while the CONCORD-2 study investigated cancer survival worldwide. For the first time, data from Croatian National Cancer Registry was also included and standardised comparisons of cancer survival for Croatia are now available. In 2018 the results of the CONCORD-3 were published, as well as the estimates of cancer incidence and mortality for 2018 by the European Commission (ECIS portal). The ECIS has updated these estimates for 2020, as did IARC (GLOBOCAN 2020). The estimates for 2022 are expected to be published soon, based on the countries' cancer registry and mortality data.

Weblinks:

European Cancer Information System (ECIS) - <https://ecis.jrc.ec.europa.eu/>
Global cancer observatory - <https://gco.iarc.fr/>

Newly diagnosed cancer cases and cancer deaths in 2020

There were 23,230 newly diagnosed cancer cases (ICD-10 codes C00-C97, excluding skin cancer, C44); 12,326 males and 10,904 females. The incidence rate was 573,9/100,000; 626.4/100,000 for males and 524.2/100,000 for females. The male to female ratio was 53:47.

In 2020, there were 13,138 cancer (ICD-10 codes C00-C97, excluding skin cancer, C44) deaths (7,557 males and 5,581 females). Total cancer mortality rate was 324.6/100,000 (383.5/100,000 for males and 268.3/100,000 for females). The male to female ratio is 58:42.

Most common cancer sites

The five most common cancer sites making up 60% of new male cancer cases involved the prostate (19%), trachea, bronchus and lungs (16%), colon, rectum and rectosigmoid (16%), urinary bladder (5%) and stomach (4%). In females, the five most common cancer sites, namely the breast (26%), colon, rectum and rectosigmoid (13%), trachea, bronchus and lung (10%), uterine body (6%) and thyroid (5%), also accounted for 60% of new cancer cases.

The highest cervical carcinoma *in situ* incidence rates were at ages 30-34 years. Carcinoma *in situ* - invasive cancer ratio was 2.1 to 1 in 2020 in Croatia.

Age-standardised rates

Since crude rates may reflect differences in a population's age pattern, for international comparisons age-standardised rates are used. Table B6.1 shows crude and age-standardised rates by cancer site and sex. Age-standardised rates were calculated per Standard World and European Populations and the standard error (SE) is shown. Truncated rates for ages 35-64 years and cumulative rates for ages 0-64 and 0-74 years are also shown.

In 2020, age-standardised rates using the standard European population were 377.5/100,000 for incidence and 185.1/100,000 for mortality.

377,5/100 000 za incidenciju i 185,1/100 000 za mortalitet.

Indikatori kojima se prate ostvarenja HFA strategije za Europu "Zdravlje za sve" prikazani su za 2020. u tablici ispod.

The indicators used to monitor the achievements of the "Health for All" (HFA) strategy for Europe are shown for 2020 in the table below.


	Grube stope / 100 000	Stand. stope (EU) / 100 000		Crude rates / 100,000	Stand. rates (EU) / 100,000
INCIDENCIJA RAKA			CANCER INCIDENCE		
• Ukupna	573,9	377,5	• Total	573.9	377.5
• Muškarci	626,4	435,7	• Male	626.4	435.7
• Žene	524,2	340,4	• Female	524.2	340.4
INCIDENCIJA RAKA VRATA MATERNICE	13,3	11,0	CERVICAL CANCER INCIDENCE	13.3	11.0
INCIDENCIJA RAKA DOJKE	137,9	98,6	BREAST CANCER INCIDENCE	137.9	98.6
INCIDENCIJA RAKA TRAHEJE, BRONHA I PLUĆA			TRACHEA, BRONCHUS AND LUNG CANCER INCIDENCE		
• Ukupno	76,2	47,2	• Total	76.2	47.2
• Muškarci	102,6	69,0	• Male	102.6	69.0
• Žene	51,2	29,9	• Female	51.2	29.9
MORTALITET OD RAKA			CANCER MORTALITY		
• Ukupni	324,6	185,1	• Total	324.6	185.1
• Muškarci	383,5	256,4	• Male	383.5	256.4
• Žene	268,3	137,2	• Female	268.3	137.2
MORTALITET OD RAKA VRATA MATERNICE	6,1	4,2	CERVICAL CANCER MORTALITY	6.1	4.2
MORTALITET OD RAKA DOJKE	34,7	19,1	BREAST CANCER MORTALITY	34.7	19.1
MORTALITET OD RAKA TRAHEJE, BRONHA I PLUĆA			TRACHEA, BRONCHUS AND LUNG CANCER MORTALITY		
• Ukupno	69,6	41,8	• Total	69.6	41.8
• Muškarci	97,3	65,6	• Male	97.3	65.6
• Žene	43,3	24,1	• Female	43.3	24.1

Kumulativna stopa incidencije (od 0 do 74 godina) bila je 32,0% za oba spola. Viša je za muškarce – 37,0% nego za žene – 28,3%. Kumulativna stopa mortaliteta (od 0 do 74 godine) bila je 14,3%; odnosno 19,8% za muškarce i 10,3% za žene.


Cumulative incidence rate for 0-74 years was 32.0% for both sexes, being higher in males (37.0%), than females (28.3%). Cumulative mortality rate (0-74) was 14.3%, respectively 19.8% for males and 10.3% for females.

Slika 1. **NAJČEŠĆA SIJELA RAKA U HRVATSKOJ PREMA SPOLU U 2020. GODINI**
 Figure 1. **MOST COMMON CANCER SITES IN CROATIA BY SEX IN 2020**

Muški spol, sve dobi (Male, all ages)
N= 12 326




Ženski spol, sve dobi (Female, all ages)
N=10 904







Slika 2. RASPODJELA NOVOOBLJELIH OD RAKA PREMA SIJELIMA U 2020. GODINI

Figure 2. DISTRIBUTION OF NEW CANCER CASES IN 2020 BY SITE




Slika 3. **INCIDENCIJA NAJČEŠĆIH SIJELA RAKA 2020. GODINE U HRVATSKOJ PREMA DOBI I SPOLU**
 Figure 3. **MOST COMMON CANCER SITES INCIDENCE RATES BY AGE AND SEX, CROATIA, 2020**



Slika 4. **NAJČEŠĆA SIJELA RAKA U HRVATSKOJ 2020. GODINE PREMA SPOLU**Figure 4. **MOST COMMON CANCER SITES BY SEX, CROATIA, 2020**

Slika 5.0 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2020. GODINI - MUŠKARCI*

Figure 5.0 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2020, MEN*




* STANDARDIZIRANO NA UKUPNO HRVATSKO STANOVNIŠTVO PREMA POPISU STANOVNIŠTVA 2011. (HR11)

* STANDARDISED PER TOTAL CROATIAN POPULATION CENSUS 2011 (HR11)

Slika 5.1 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2020. GODINI - ŽENE*

Figure 5.1 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2020, WOMEN*



* STANDARDIZIRANO NA UKUPNO HRVATSKO STANOVNIŠTVO PREMA POPISU STANOVNIŠTVA 2011. (HR11)

* STANDARDISED PER TOTAL CROATIAN POPULATION CENSUS 2011 (HR11)

Tablica B1.

POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2020.
DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2020

MUŠKI – Men	% MV	% DCO	M / I
USNA ŠUPLJINA I ŽDRIJELO (C00-C14)	81	1,9	0,57
JEDNJAK (C15)	54	4,3	0,95
ŽELUDAC (C16)	62	5,0	0,82
DEBELO CRIJEVO (C18)	67	4,6	0,64
REKTUM I REKTOSIGMA (C19-C20)	70	2,1	0,57
ŽUČNI MJEHUR I OSTALI DIJELOVI BILIJARNOG TRAKTA (C23-C24)	30	10,8	0,82
GUŠTERAČA (C25)	33	8,3	0,92
GRKLJAN (C32)	75	2,5	0,58
PLUĆA I TRAHEJA (C33-C34)	67	6,9	0,95
MELANOM (C43)	92	0,7	0,28
PROSTATA (C61)	70	3,4	0,34
TESTIS (C62)	73	0,0	0,06
BUBREG (C64)	67	4,6	0,51
MOKRAĆNI MJEHUR (C67)	68	2,8	0,53
MOZAK (C71)	62	4,8	0,93
ŠTITNJAČA (C73)	79	0,0	0,09
LIMFOMI (C81-C85, C96)	93	1,8	0,37
MULTIPLI MIJELOM, DRUGE ZLOĆUDNE IMUNOPROLIFERATIVNE BOLESTI (C88, C90)	91	4,4	0,60
LEUKEMIJE (C91-C95)	87	3,3	0,54
SVA SIJELA - ALL CANCERS	68	4,6	0,61

% MV = UDIO MORFOLOŠKI POTVRĐENIH SLUČAJEVA (PROPORTION OF NEW CASES MORPHOLOGICALLY VERIFIED)

% DCO = UDIO REGISTRIRANIH SAMO IZ PODATAKA O SMRTI (PROPORTION NOTIFIED BY DEATH CERTIFICATE ONLY)

M / I = OMJER MORTALITETA I INCIDENCIJE (MORTALITY – INCIDENCE RATIO)

Tablica B1.

POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2020.
DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2020

ŽENE - Women	% MV	% DCO	M / I
USNA ŠUPLJINA I ŽDRIJELO (C00-C14)	75	4,4	0,42
JEDNJAK (C15)	57	5,7	1,03
ŽELUDAC (C16)	63	7,2	0,85
DEBELO CRIJEVO (C18)	64	6,3	0,62
REKTUM I REKTOSIGMA (C19-C20)	66	4,2	0,58
ŽUČNI MJEHUR I OSTALI DIJELOVI BILIJARNOG TRAKTA (C23-C24)	43	11,6	0,98
GUŠTERAČA (C25)	30	6,3	1,01
GRKLJAN (C32)	64	4,0	0,52
PLUĆA I TRAHEJA (C33-C34)	68	8,2	0,85
MELANOM (C43)	91	1,8	0,27
DOJKA (C50)	87	1,3	0,25
VRAT MATERNICE (C53)	75	2,2	0,46
TIJELO MATERNICE (C54)	80	0,6	0,27
JAJNIK (C56)	59	7,9	0,86
BUBREG (C64)	52	9,5	0,48
MOKRAĆNI MJEHUR (C67)	61	3,0	0,58
MOZAK (C71)	58	6,3	1,00
ŠTITNJAKA (C73)	81	0,0	0,02
LIMFOMI (C81-C85, C96)	92	1,5	0,45
MULTIPLI MIJELOM, DRUGE ZLOČUDNE IMUNOPROLIFERATIVNE BOLESTI (C88, C90)	87	2,2	0,65
LEUKEMIJE (C91-C95)	84	6,0	0,70
SVA SIJELA - ALL CANCERS	72	4,5	0,51

% MV = UDIO MORFOLOŠKI POTVRĐENIH SLUČAJEVA (PROPORTION OF NEW CASES MORPHOLOGICALLY VERIFIED)

% DCO = UDIO REGISTRIRANIH SAMO IZ PODATAKA O SMRTI (PROPORTION NOTIFIED BY DEATH CERTIFICATE ONLY)

M / I = OMJER MORTALITETA I INCIDENCIJE (MORTALITY – INCIDENCE RATIO)

Tablica B2.1

NOVI SLUČAJEVI RAKA U HRVATSKOJ 2020. GODINE

NAJČEŠĆA SIJELA - BROJ, POSTOTAK, STOPE INCIDENCIJE, KUMULATIVNE STOPE

NEW CANCER CASES IN CROATIA IN 2020

MOST COMMON SITES: NUMBER OF CASES, PERCENTAGE, INCIDENCE RATES AND CUMULATIVE RATES

MUŠKARCI - Primarno sjelo	BROJ NOVIH SLUČAJEVA	POSTOTAK %	STOPA INCIDENCIJE	STANDARDIZIRANE STOPE (SVJETSKO STANOVNIŠTVO)*	KUMULATIVNE STOPE (0 - 74 godine)
MEN - Primary site	NUMBER OF NEW CASES	PERCENT %	CRUDE INCIDENCE RATE	STANDARDISED INCIDENCE RATE (WORLD)*	CUMULATIVE RATE (0 - 74 years)
SVA SIJELA - ALL SITES	12326	100	626,4	305,1	37,0
PROSTATA (Prostate)	2299	19	116,8	50,2	6,7
PLUĆA I TRAHEJA (Lung and trachea)	2019	16	102,6	47,2	6,4
KOLON (Colon)	1193	10	60,6	27,0	3,3
REKTUM I REKTOSIGMA (Rectum and rectosigmoid)	814	7	41,4	19,6	2,5
MOKRAĆNI MJEHUR (Urinary bladder)	638	5	32,4	14,2	1,7
ŽELUDAC (Stomach)	480	4	24,4	10,9	1,3
BUBREG (Kidney)	459	4	23,3	12,4	1,4
GUŠTERAČA (Pancreas)	422	3	21,4	9,5	1,1
MELANOM (Melanoma)	412	3	20,9	11,1	1,2
JETRA (Liver)	336	3	17,1	7,8	1,0
OSTALO (Other)	3254	26			

ŽENE - Primarno sjelo	BROJ NOVIH SLUČAJEVA	POSTOTAK %	STOPA INCIDENCIJE	STANDARDIZIRANE STOPE (SVJETSKO STANOVNIŠTVO)*	KUMULATIVNE STOPE (0 - 74 godine)
WOMEN - Primary site	NUMBER OF NEW CASES	PERCENT %	CRUDE INCIDENCE RATE	STANDARDISED INCIDENCE RATE (WORLD)*	CUMULATIVE RATE (0 - 74 years)
SVA SIJELA - ALL SITES	10904	100	524,2	250,6	28,3
DOJKA (Breast)	2869	26	137,9	73,4	8,4
PLUĆA I TRAHEJA (Lung and trachea)	1065	10	51,2	20,9	2,8
KOLON (Colon)	884	8	42,5	16,3	1,9
TIJELO MATERNICE (Uterine body)	688	6	33,1	15,9	1,9
ŠTITNJAKA (Thyroid)	514	5	24,7	19,2	1,8
REKTUM I REKTOSIGMA (Rectum and rectosigmoid)	505	5	24,3	9,5	1,2
GUŠTERAČA (Pancreas)	379	3	18,2	6,1	0,7
JAJNIK (Ovary)	368	3	17,7	9,0	1
MELANOM (Melanoma)	341	3	16,4	8,6	1
ŽELUDAC (Stomach)	318	3	15,3	5,4	0,6
OSTALO (Other)	2973	27			

- STOPE NA 100.000 (CRUDE AND STANDARDISED INCIDENCE ARE RATES PER 100.000 PERSONS)

- SAMO INVAZIVNI RAK (ONLY INVASIVE CANCERS, EXCLUDING NON-MELANOMA SKIN CANCER, ARE INCLUDED IN THE ABOVE TABULATIONS)

- * DIREKTNA METODA (DIRECT METHOD)

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020.
NEW CANCER CASES IN CROATIA IN 2020 BY SEX, AGE AND PRIMARY SITE

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																	
			0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+
C00 LABIUM ORIS	M	40	0	0	0	0	0	0	1	0	0	2	2	2	2	6	6	7	5	7
	Ž	23	0	0	0	0	0	0	0	0	0	0	0	0	1	4	1	5	5	7
	UK	63	0	0	0	0	0	0	1	0	0	2	2	2	3	10	7	12	10	14
C01 BASIS LINGVAE	M	35	0	0	0	0	0	0	0	0	1	1	8	6	6	7	4	1	1	0
	Ž	11	0	0	0	0	0	0	0	0	0	2	1	3	1	0	1	2	0	1
	UK	46	0	0	0	0	0	0	0	0	1	3	9	9	7	7	5	3	1	1
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M	63	0	0	0	0	0	0	0	2	0	2	10	12	19	7	5	3	1	2
	Ž	21	0	0	0	0	0	0	0	2	0	0	1	2	4	3	4	1	1	3
	UK	84	0	0	0	0	0	0	0	4	0	2	11	14	23	10	9	4	2	5
C03 GINGIVA	M	22	0	0	0	0	0	0	0	0	0	0	3	4	5	4	3	0	2	1
	Ž	13	0	0	0	0	0	0	0	0	0	0	1	1	4	1	2	0	0	4
	UK	35	0	0	0	0	0	0	0	0	0	0	4	5	9	5	5	0	2	5
C04 BASIS ORIS	M	38	0	0	0	0	0	0	0	1	1	2	6	9	8	5	2	4	0	0
	Ž	13	0	0	0	0	0	0	0	0	1	0	1	3	2	4	2	0	0	0
	UK	51	0	0	0	0	0	0	0	1	2	2	7	12	10	9	4	4	0	0
C05 PALATUM	M	23	0	0	0	0	0	0	0	0	1	5	3	4	7	1	0	0	1	1
	Ž	4	0	0	0	0	0	1	0	0	0	0	1	0	0	2	0	0	0	0
	UK	27	0	0	0	0	0	1	0	0	1	0	2	5	3	6	7	1	0	1
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M	23	0	0	0	0	0	0	0	0	1	2	3	3	6	4	0	2	1	1
	Ž	15	0	0	0	0	0	0	0	0	0	2	0	2	4	2	3	1	0	1
	UK	38	0	0	0	0	0	0	0	0	1	4	3	5	10	6	3	3	1	2
C07 GLANDULA PAROTIS	M	16	0	0	0	0	0	0	0	0	0	1	1	0	2	0	2	3	2	3
	Ž	13	0	0	0	0	0	0	0	0	0	0	0	0	2	2	3	4	0	1
	UK	29	0	0	0	0	0	0	0	0	0	1	1	0	4	2	5	7	2	4
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M	13	0	0	0	0	0	0	0	0	0	0	1	0	1	3	3	3	2	0
	Ž	13	0	0	0	0	0	0	1	0	0	0	0	1	2	1	2	1	2	1
	UK	26	0	0	0	0	0	1	0	0	0	0	2	2	2	5	4	5	3	2
C09 TONSILLA	M	40	0	0	0	0	0	0	1	0	0	1	5	9	8	9	5	1	1	0
	Ž	4	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	0
	UK	44	0	0	0	0	0	0	1	0	0	3	5	10	9	9	5	1	1	0
C10 OROPHARYNX	M	60	0	0	0	0	0	0	0	1	2	0	2	12	10	11	11	7	4	0
	Ž	11	0	0	0	0	0	0	0	1	0	0	1	1	1	1	1	1	2	2
	UK	71	0	0	0	0	0	0	0	2	2	0	3	13	11	12	12	8	6	2
C11 EPIPHARYNX	M	17	0	0	0	0	0	0	1	0	1	1	2	1	3	3	4	1	0	0
	Ž	6	0	0	0	0	0	0	1	0	0	0	1	2	0	1	1	0	0	0
	UK	23	0	0	0	0	0	0	2	0	1	1	3	3	3	4	5	1	0	0
C12 SINUS PIRIFORMIS	M	15	0	0	0	0	0	0	0	0	0	1	2	1	1	4	4	1	1	0
	Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	UK	16	0	0	0	0	0	0	0	0	0	1	2	1	1	4	4	1	2	0
C13 HIPOPHARYNX	M	57	0	0	0	0	0	0	0	0	0	1	6	11	13	12	10	1	3	0
	Ž	6	0	0	0	0	0	0	0	0	0	0	0	2	0	2	2	0	0	0
	UK	63	0	0	0	0	0	0	0	0	0	1	6	13	13	14	12	1	3	0
C14 PHARYNX NON SPEC.	M	13	0	0	0	0	0	0	0	0	0	1	3	2	2	3	0	0	0	0
	Ž	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
	UK	17	0	0	0	0	0	0	0	0	0	1	3	3	2	2	3	1	0	2
C15 OESOPHAGUS	M	162	0	0	0	0	0	0	1	1	3	4	11	20	26	33	27	13	19	4
	Ž	35	0	0	0	0	0	1	0	0	1	1	2	3	3	3	4	7	4	6
	UK	197	0	0	0	0	0	1	1	1	4	5	13	23	29	36	31	20	23	10
C16 VENTRICULUS	M	480	0	0	0	0	0	0	3	1	6	13	22	36	70	63	82	83	56	45
	Ž	318	0	0	0	0	0	1	2	2	8	10	8	11	32	42	49	52	50	51
	UK	798	0	0	0	0	0	1	5	3	14	23	30	47	102	105	131	135	106	96
C17 INTESTINUM TENUE INC. DUODENUM	M	47	0	0	0	0	0	0	0	1	2	1	5	3	6	12	7	5	3	2
	Ž	27	0	0	0	0	0	0	0	0	0	3	3	4	1	3	2	2	6	3
	UK	74	0	0	0	0	0	0	0	1	2	4	8	7	7	15	9	7	9	5
C18 INTESTINUM CRASSUM EXCL. RECTUM	M	1193	0	0	1	0	1	3	3	8	10	25	48	78	164	216	227	159	158	92
	Ž	884	0	0	1	0	0	1	4	14	24	27	37	53	91	125	133	152	113	109
	UK	2077	0	0	2	0	1	4	7	22	34	52	85	131	255	341	360	311	271	201
C19 COLON RECTOSIGMOIDEUM	M	196	0	0	0	0	0	0	0	0	2	4	8	18	35	37	39	26	19	8
	Ž	137	0	0	0	0	0	0	0	1	3	4	9	13	23	14	31	15	16	8
	UK	333	0	0	0	0	0	0	0	1	5	8	17	31	58	51	70	41	35	16
C20 RECTUM	M	618	0	0	0	0	1	1	4	5	3	17	34	72	101	131	101	63	54	31
	Ž	368	0	0	0	0	1	0	1	4	7	8	20	25	48	56	50	43	63	42
	UK	986	0	0	0	0	2	1	5	9	10	25	54	97	149	187	151	106	117	73
C21 ANUS ET CANALIS ANALIS	M	20	0	0	0	0	0	0	0	1	2	2	1	3	3	2	1	2	0	0
	Ž	32	0	0	0	0	0	0	0	2	2	2	7	1	1	3	3	5	2	4
	UK	52	0	0	0	0	0	0	0	3	4	4	8	4	4	6	5	6	4	4
C19+C20+C21 (154 ICD IX)	M	834	0	0	0	0	1	1	4	6	7	23	43	93	139	171	142	90	75	39
	Ž	537	0	0	0	0	1	0	1	7	12	14	36	39	72	73	84	63	81	54
	UK	1371	0	0	0	0	2	1	5	13	19	37	79	132	211	244	226	153	156	93
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M	336	0	0	0	0	0	0	1	0	4	15	35	51	68	69	43	31	15	15
	Ž	187	0	0	1	0	0	0	1	0	0	1	7	18	29	34	31	37	27	7
	UK	523	0	0	1	0	0	0	2	0	4	5	16	42	69	97	103	74	68	42
C23 VESICA FELLEA	M	40	0	0	0	0	0	0	0	0	0	0	1	1	5	10	4	8	10	1
	Ž	80	0	0	0	0	0	0	0	0	0	0	1	3	10	19	9	7	15	16
	UK	120	0	0	0	0	0	0	0	0	0	0	2	4	15	29	13	15	25	17
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M	90	0	0	0	0	0	0	0	0	1	2	2	4	15	16	13	11	21	5
	Ž	58	0	0	0	0	0	0	0	0	0	0	1	3	8	12	10	9	7	7
	UK	148	0	0	0	0	0	0	0	0	1	2	3	7	23	24	25	21	30	12
C25 PANCREAS	M	422	0	0	0	0	0	0	0	1	5	13	17	33	50	81	67	83	47	25
	Ž	379	0	0	0	0	0	0	1	2	3	7	15	22	31	50	64	69	58	57
	UK	801	0	0	0	0	0	0	1	3	8	20	32	55	81	131	131	152	105	82

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020.
NEW CANCER CASES IN CROATIA IN 2020 BY SEX, AGE AND PRIMARY SITE

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																	
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
C26 TRACTUS DIGESTIVUS NON SPEC.	M	27	0	0	0	0	0	0	0	0	0	2	2	3	3	4	3	2	4	4
	Ž	26	0	0	0	0	0	0	0	0	0	0	0	0	1	3	3	6	5	5
	UK	53	0	0	0	0	0	0	0	0	0	2	2	6	4	7	6	8	9	9
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M	11	0	0	0	0	0	0	0	0	0	1	0	0	3	3	1	2	1	0
	Ž	8	0	0	0	0	0	0	0	0	0	0	3	0	1	1	1	1	0	1
	UK	19	0	0	0	0	0	0	0	0	0	1	3	0	4	4	2	3	1	1
C31 SINUS PARANASALES	M	12	0	0	0	0	0	0	0	0	0	0	0	3	3	4	0	2	0	0
	Ž	6	0	0	0	0	0	0	0	0	0	0	0	2	2	0	2	0	0	0
	UK	18	0	0	0	0	0	0	0	0	0	0	0	5	5	4	2	2	0	0
C32 LARYNX	M	236	0	0	0	0	0	0	0	1	0	6	28	28	47	45	49	14	15	3
	Ž	25	0	0	0	0	0	0	0	1	0	2	4	1	6	6	4	1	0	0
	UK	261	0	0	0	0	0	0	0	2	0	6	30	32	48	51	55	18	16	3
C33 TRACHEA	M	4	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0	0
	Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	UK	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	0	0	0
C34 BRONCHUS ET PULMO (PRIM.)	M	2015	0	0	0	0	0	1	2	2	9	28	85	187	359	471	379	241	181	70
	Ž	1064	0	0	0	0	0	0	1	3	11	22	42	107	196	201	182	132	98	69
	UK	3079	0	0	0	0	0	1	3	5	20	50	127	294	555	672	561	373	279	139
C33+C34 (162 ICD IX)	M	2019	0	0	0	0	0	1	2	2	9	28	85	188	359	472	381	241	181	70
	Ž	1065	0	0	0	0	0	0	1	3	11	22	42	107	196	201	183	132	98	69
	UK	3084	0	0	0	0	0	1	3	5	20	50	127	295	555	673	564	373	279	139
C37 THYMUS	M	4	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0
	Ž	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
	UK	6	0	0	0	0	0	1	0	0	1	1	1	1	0	0	0	1	0	0
C38 COR, MEDIASTINUM ET PLEURA	M	12	1	0	0	1	1	0	1	0	0	0	1	0	1	4	1	1	0	0
	Ž	5	1	1	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
	UK	17	2	1	0	1	1	0	1	0	0	0	1	0	2	5	2	1	0	0
C39 ORGANA RESPIRATORIA ET INTRATHORAC.ALTERA ET NON SPEC-	M	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	UK	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
C40 THELAE OSSIIUM MEMBRUM	M	13	1	0	1	0	1	0	1	1	1	1	0	1	0	1	2	2	1	0
	Ž	9	0	0	3	1	0	0	0	0	0	1	0	0	1	1	0	1	0	1
	UK	22	1	0	4	1	1	0	1	1	1	1	1	0	1	2	2	3	1	1
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M	17	0	0	0	0	0	3	2	1	0	0	1	0	0	2	4	1	3	0
	Ž	16	0	1	0	0	0	1	0	0	1	0	1	0	1	5	2	1	2	2
	UK	33	0	1	0	0	0	3	3	1	0	1	1	0	1	7	6	3	4	2
C43 MELANOMA MALIGNUM CUTIS	M	412	0	0	0	0	4	3	14	10	13	26	32	42	49	62	54	51	36	16
	Ž	341	0	0	0	1	3	6	9	13	22	44	28	32	42	43	46	29	26	27
	UK	753	0	0	0	1	7	9	23	23	35	40	60	74	91	105	100	80	62	43
C45 MESOTHELIOMA	M	59	0	0	0	0	0	0	0	0	1	1	0	3	3	10	13	11	11	6
	Ž	28	0	0	0	0	0	0	0	0	0	1	1	1	6	4	7	5	2	1
	UK	87	0	0	0	0	0	0	0	0	1	2	1	4	9	14	20	16	13	7
C46 SARCOMA KAPOSII	M	4	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0
	Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
	UK	7	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	2	2	0
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	Ž	5	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
	UK	7	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
C48 RETROPERITONEUM ET PERITONEUM	M	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0
	Ž	8	0	0	0	0	0	0	0	0	1	0	0	0	1	2	1	2	1	0
	UK	12	0	0	0	0	0	0	0	0	1	0	0	0	3	2	3	2	1	0
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M	80	2	2	1	0	0	2	4	0	5	3	5	5	8	10	10	6	9	8
	Ž	50	1	2	1	4	0	1	2	2	4	4	2	5	4	7	2	3	3	3
	UK	130	3	4	2	4	0	3	6	2	9	7	7	10	12	17	12	9	12	11
C50 MAMMA	M	25	0	0	0	0	1	0	0	0	0	0	1	3	3	4	3	5	4	1
	Ž	2869	0	0	0	0	1	9	48	85	176	247	265	313	392	443	337	247	187	119
	UK	2894	0	0	0	0	2	9	48	85	176	247	266	316	395	447	340	252	191	120
C51 VULVA	Ž	100	0	0	0	0	0	1	0	0	5	5	5	6	6	9	15	20	9	19
C52 VAGINA	Ž	15	0	0	0	0	0	0	0	0	0	0	0	1	2	6	1	3	2	0
C53 CERVIX UTERI	Ž	276	0	0	0	0	3	9	16	25	20	21	24	42	36	27	21	15	8	9
C54 CORPUS UTERI	Ž	688	0	0	0	0	0	0	4	5	19	38	65	97	107	125	75	78	56	19
C55 UTERUS NON SPEC.	Ž	9	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	3	2	2
C56 OVARIUM	Ž	368	0	0	0	2	2	4	3	10	19	18	40	36	50	43	45	40	31	25
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž	48	0	0	0	0	0	1	0	0	1	5	2	8	6	9	8	7	0	1
C56+C57.0-C57.4 (183 ICD IX)	Ž	401	0	0	0	2	2	4	3	10	20	21	41	42	54	51	50	45	31	25
C60 PENIS	M	52	0	0	0	0	0	0	0	0	2	2	4	8	7	10	5	4	6	4

Tablica B3.0

BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020.
NEW CANCER CASES IN CROATIA IN 2020 BY SEX, AGE AND PRIMARY SITE

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																	
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
C61 PROSTATATA	M	2299	0	0	0	0	0	1	0	0	5	17	47	152	330	496	502	387	253	109
C62 TESTIS	M	200	4	0	1	8	10	25	35	38	27	24	10	12	2	1	0	3	0	0
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
C64 REN EXCL. PELVIS RENALIS	M Ž UK	459 264 723	1 3 4	2 0 2	0 0 0	1 1 2	1 0 1	2 0 2	6 2 8	6 5 11	12 5 17	19 11 30	44 13 57	55 26 81	79 39 118	72 37 109	57 38 95	50 30 80	32 28 60	20 26 46
C65 PELVIS RENALIS	M Ž UK	24 23 47	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 2 2	4 1 5	3 1 4	5 3 8	4 4 8	5 4 9	1 4 5	2 3 5
C66 URETER	M Ž UK	16 10 26	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 2	0 0 2	1 0 2	2 0 8	6 2 10	4 6 1	0 1 3
C67 VESICA URINARIA	M Ž UK	638 235 873	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	3 0 3	5 2 5	3 2 5	9 5 14	23 7 30	49 24 73	91 25 116	112 42 142	114 34 156	91 42 125	87 34 119	51 32 85
C68 ORGANA URINARIA ALT. ET NON SPEC.	M Ž UK	6 5 11	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 2 2	0 0 0	0 0 0	1 0 1	1 1 2	2 1 3	1 0 1	1 0 2
C69 OCULUS ET ADNEXA	M Ž UK	24 19 43	1 1 2	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 1	1 0 2	0 1 0	2 1 3	3 1 6	2 2 4	4 3 7	3 2 5	3 2 5	3 2 4	0 1 3
C70 MENINGES	M Ž UK	4 4 8	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 1 1	0 0 0	1 0 1	0 0 0	1 3 4	1 0 1	0 0 1	0 0 0
C71 CEREBRUM	M Ž UK	210 208 418	4 2 6	3 4 7	3 1 4	1 5 8	3 5 3	2 6 11	5 6 3	4 2 6	13 6 19	9 5 14	20 13 33	21 29 41	25 29 54	36 36 72	25 27 52	22 14 36	13 20 33	1 17 18
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M Ž UK	6 8 14	0 0 0	0 1 0	0 1 1	1 0 1	0 1 0	0 1 0	0 1 0	1 0 2	0 1 0	1 2 1	1 2 3	0 0 0	0 0 1	1 2 3	1 2 3	0 1 0	0 1 0	0 1 0
C73 GLANDULA THYREOIDEA	M Ž UK	154 514 668	0 0 0	0 0 0	1 0 1	0 10 10	7 16 23	9 35 44	12 30 42	15 48 63	11 56 67	19 48 67	11 56 54	19 43 75	15 54 69	20 54 74	7 34 41	6 22 28	2 5 7	0 3 3
C74 GLANDULA SUPRARENALIS	M Ž UK	9 10 19	1 1 2	1 0 1	0 0 0	0 1 1	1 0 1	0 0 0	1 0 1	0 0 0	0 1 1	0 1 1	0 0 0	0 1 1	0 1 3	0 1 1	1 0 1	0 0 1	0 1 1	2 1 3
C75 GLANDULAE ENDOCRINES ALTERAE	M Ž UK	4 2 6	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 1 1	0 0 0	2 1 3	0 0 0	1 0 1	0 0 1	0 0 0	0 0 0
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M Ž UK	17 35 52	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 2 2	0 2 2	4 2 6	0 2 2	2 2 4	1 2 3	3 7 7	0 7 13	7 20 23
C80 MALIGNOMATA SINE REGIONE SPEC.	M Ž UK	252 214 466	0 0 0	0 0 0	0 0 0	0 0 1	1 0 1	0 0 0	1 0 1	1 0 4	5 3 11	6 8 9	11 9 20	18 9 26	19 18 37	48 20 68	39 28 67	37 40 77	30 34 71	26 48 74
C81 MORBUS HODGKIN	M Ž UK	71 37 108	0 0 0	0 0 0	7 2 9	5 4 14	9 5 12	8 3 10	7 3 14	7 4 7	5 7 8	6 2 5	3 4 5	1 1 2	1 0 1	6 1 7	2 1 3	3 1 5	1 2 5	0 0 0
C82 LYMPHOMA NON-HODGKIN FOLLICULARE (NODULARE)	M Ž UK	50 54 104	0 0 0	0 0 0	0 0 0	0 0 1	1 0 1	0 0 0	0 1 1	0 0 2	2 4 9	5 4 7	3 4 12	5 7 13	6 7 15	8 7 22	5 9 15	6 1 11	4 6 11	0 1 1
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M Ž UK	210 165 375	3 0 3	1 0 1	0 0 0	1 0 1	2 0 2	2 0 7	3 4 7	3 5 6	6 4 11	12 10 16	13 10 23	24 23 36	22 26 45	26 30 52	36 20 66	30 13 50	18 15 31	8 23 23
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M Ž UK	21 14 35	1 0 1	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 1 0	0 0 0	0 2 3	0 2 4	3 2 6	2 2 4	4 1 6	3 4 6	2 4 6	1 3 1	1 0 3	0 0 0
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M Ž UK	77 66 143	0 0 0	0 0 0	0 0 0	0 0 1	1 0 2	2 0 4	1 0 3	1 0 6	2 2 3	2 4 6	5 4 9	5 6 11	11 6 17	12 9 21	10 8 18	7 8 15	9 11 20	9 6 18
C82-C85+C96 (202 ICD IX)	M Ž UK	365 300 665	4 0 4	2 0 2	0 0 0	2 0 2	5 0 5	4 0 4	4 6 10	6 5 11	13 15 28	20 10 30	25 23 48	39 28 67	45 37 82	47 46 93	54 49 103	42 29 71	35 30 65	15 22 40
C86 LYMPHOMATA ALTERA SPEC.	M Ž UK	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M Ž UK	17 19 36	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 1 1	0 1 1	0 1 1	0 2 4	2 3 3	0 5 8	6 2 9	4 5 5	3 2 3	1 2 0
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M Ž UK	143 116 259	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 2	1 1 2	4 2 6	10 11 15	16 12 27	15 26 27	29 22 55	26 12 48	20 22 32	14 17 31	7 7 14
C91 LEUKAEMIA LYMPHATICA	M Ž UK	190 128 318	10 6 16	5 2 7	4 2 6	2 0 2	2 0 2	1 0 1	0 1 1	3 1 4	2 5 7	3 3 6	8 4 12	16 7 23	22 11 33	29 24 53	28 11 39	23 11 41	21 18 38	11 16 27

Tablica B3.0

BRJ NOVH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020.
NEW CANCER CASES IN CROATIA IN 2020 BY SEX, AGE AND PRIMARY SITE

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																	
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
C92 LEUKAEMIA MYELOICA	M	115	0	0	3	2	2	1	0	2	2	2	4	8	12	23	22	15	11	6
	Ž	101	0	1	0	1	1	2	2	1	2	5	9	6	7	12	12	22	8	10
	UK	216	0	1	3	3	3	3	2	3	4	7	13	14	19	35	34	37	19	16
C93 LEUKAEMIA MONOCITARIA	M	11	1	0	0	0	0	0	0	0	0	0	1	1	1	3	0	1	1	2
	Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
	UK	14	1	0	0	0	0	0	0	0	0	0	1	1	1	3	1	2	1	3
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA, LEUKAEMIA MEGAKARYOCYTICA)	M	5	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	1	0
	Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
	UK	8	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	2	1
C95 LEUKAEMIA NON SPEC.	M	13	0	0	0	0	0	0	0	1	0	1	1	0	0	2	0	3	2	3
	Ž	13	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	2	1	6
	UK	26	0	0	0	0	0	0	0	1	0	2	1	0	1	2	2	4	4	9
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M	7	0	1	0	0	1	0	0	0	0	0	0	0	1	2	1	0	0	1
	Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	UK	8	0	1	0	0	1	0	0	0	0	0	0	0	1	2	1	0	0	1
SVE LOKALIZACIJE ALL SITES C00 - C97	M	12326	31	16	22	23	51	66	113	129	181	313	601	1088	1769	2329	2136	1598	1234	626
	Ž	10904	18	11	12	26	37	80	145	246	429	543	732	1021	1388	1609	1459	1251	1029	868
	UK	23230	49	27	34	49	88	146	258	375	610	856	1333	2109	3157	3938	3595	2849	2263	1494
CA IN SITU D00 - D09	M	457	0	0	0	1	0	1	3	3	1	13	32	40	89	94	81	46	35	18
	Ž	985	0	0	0	2	42	77	131	99	117	87	59	69	81	87	61	42	15	16
	UK	1.442	0	0	0	3	42	78	132	101	118	99	90	107	155	171	135	84	50	33
D06 CERVIX UTERI - CA IN SITU	Ž	590	0	0	0	2	41	69	125	93	88	59	30	32	20	14	6	4	4	3
D32 NEOPLASMA BENIGNUM MENINGUM	M	41	0	0	1	0	0	1	0	1	0	3	4	2	5	8	6	3	5	2
	Ž	117	0	0	0	0	1	1	0	1	3	8	9	18	9	18	16	14	14	5
	UK	158	0	0	1	0	1	2	0	2	3	11	13	20	14	26	22	17	19	7
D33 NEOPLASMA BENIGNUM CEREBRI	M	15	0	0	0	1	0	0	0	0	2	3	2	1	2	2	0	0	1	1
	Ž	27	1	0	1	0	1	0	0	2	1	2	3	1	4	3	4	2	0	2
	UK	42	1	0	1	1	1	0	0	2	3	5	5	2	6	5	4	2	1	3
D39.1 NEOPLASMA OVARIJ NON CLASS. ET BORDERLINE	Ž	60	0	1	1	0	3	2	3	6	2	9	9	5	4	9	2	2	2	0
D42 NEOPLASMA MENINGUM NON CLASS	M	14	0	0	0	0	0	0	0	1	0	0	0	1	2	2	4	2	2	0
	Ž	18	0	1	0	0	0	1	0	0	2	0	1	2	3	3	2	2	1	0
	UK	32	0	1	0	0	0	1	0	1	2	0	1	3	5	5	6	4	3	0
D43 NEOPLASMA CEREBRI NON CLASS.	M	27	2	0	3	2	2	1	1	0	5	2	1	0	1	2	2	1	2	0
	Ž	21	0	1	2	1	0	1	2	0	1	2	3	0	1	1	1	1	4	2
	UK	48	2	1	5	3	2	2	3	0	5	3	3	3	1	2	3	2	6	2
D45 POLYCYTHAEMIA RUBRA VERA	M	51	0	0	0	0	1	0	3	0	1	3	5	5	12	7	8	1	4	1
	Ž	43	1	0	0	0	0	0	0	4	2	1	2	3	4	8	10	5	3	0
	UK	94	1	0	0	1	0	0	3	4	3	4	7	8	16	15	18	6	7	1
D46 SYNDROMA MYELODISPLASTICUM	M	69	0	0	1	0	0	0	0	0	1	2	1	4	7	11	13	17	12	12
	Ž	56	0	0	1	0	0	0	0	0	2	0	2	3	1	5	11	10	12	9
	UK	125	0	0	2	0	0	0	0	0	2	1	4	4	5	12	22	23	29	21
D47 SYNDROMA MYELOPROLIFERATIVUM	M	84	0	1	1	1	1	2	0	2	1	4	3	6	10	14	13	12	5	8
	Ž	76	0	0	0	0	1	2	1	1	5	0	3	5	6	13	14	12	6	7
	UK	160	0	1	1	1	2	4	1	3	6	4	6	11	16	27	27	24	11	15

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).
 NOTE : EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA, PO SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020.
CANCER INCIDENCE RATES IN CROATIA IN 2020 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE

SIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																			
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C00 LABIUM ORIS	M Ž UK	2.0 1.1 1.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.8 0.0 0.4	0.0 0.0 0.0	0.0 0.0 0.0	1.5 0.0 0.7	1.5 0.0 0.7	1.4 0.0 0.7	1.4 0.6 1.0	4.8 0.8 3.7	6.6 0.8 3.3	11.2 2.1 7.6	10.7 2.1 7.7	24.8 6.0 14.7		
C01 BASIS LINGVAE	M Ž UK	1.8 0.5 1.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 1.1	0.7 1.5 3.3	5.8 0.7 3.1	4.3 2.0 2.4	4.3 0.6 2.6	5.6 0.0 2.4	5.5 0.8 2.4	6.6 2.1 1.9	4.4 0.8 2.5	1.6 2.1 4.3	1.1 0.0 2.5	10.7 2.1 5.2
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M Ž UK	3.2 1.0 2.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 1.5 1.4	0.0 0.0 0.0	0.0 0.0 0.7	1.5 0.0 4.0	7.3 0.7 4.9	8.6 1.4 7.8	13.5 2.6 3.7	5.6 2.1 3.7	5.5 3.3 4.3	6.6 1.1 2.5	5.5 3.3 4.3	4.8 1.1 2.5	4.8 1.2 2.1	7.1 4.5 5.2
C03 GINGIVA	M Ž UK	1.1 0.6 0.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	2.2 0.7 1.7	2.9 0.7 2.6	3.6 0.7 1.7	3.7 0.7 1.9	3.2 0.7 1.9	4.3 1.7 0.0	0.0 0.0 0.0	4.3 0.0 1.5	3.5 6.0 5.2	
C04 BASIS ORIS	M Ž UK	1.9 0.6 1.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 0.7	0.7 0.0 0.7	1.5 0.0 0.7	4.4 2.0 4.2	6.4 1.3 3.4	5.7 2.8 3.3	4.0 1.7 1.9	2.2 0.0 2.5	6.4 0.0 1.9	0.0 0.0 2.5	0.0 0.0 0.0		
C05 PALATUM	M Ž UK	1.2 0.2 0.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.9 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	0.0 0.0 0.0	0.7 0.7 0.7	3.6 0.0 1.7	2.1 0.0 1.0	3.2 1.4 2.2	7.7 0.0 3.3	1.6 0.0 0.6	0.0 0.0 0.0	3.5 0.0 1.0		
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M Ž UK	1.2 0.7 0.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 1.5	1.5 0.0 1.1	2.2 2.1 1.7	2.1 4.3 3.4	4.3 2.6 2.2	3.2 1.4 2.2	0.0 2.5 1.4	3.2 1.1 1.9	2.1 0.0 0.8	2.1 1.1 0.8	3.5 1.5 2.1	
C07 GLANDULA PAROTIS	M Ž UK	0.8 0.6 0.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 0.4	0.7 0.0 0.0	0.0 0.0 0.0	1.4 1.4 1.4	0.0 1.3 0.7	1.6 3.1 1.9	3.3 3.3 3.3	3.2 0.0 1.3	6.4 1.5 4.3	7.1 2.1 3.1		
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M Ž UK	0.7 0.6 0.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.9 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.7	0.7 1.4 0.7	0.0 0.6 0.7	0.7 1.4 1.9	2.4 0.8 3.2	3.3 1.4 1.9	4.3 0.8 3.2	4.3 2.1 2.3	0.0 1.2 0.0		
C09 TONSILLA	M Ž UK	2.0 0.2 1.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.8 0.0 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.7 1.5 1.1	3.6 0.0 1.8	6.4 0.7 3.5	5.7 0.6 3.1	7.1 3.0 2.4	5.5 0.0 3.3	1.6 0.0 0.0	2.1 0.0 0.6	0.0 0.0 0.8		
C10 OROPHARYNX	M Ž UK	3.0 0.5 1.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.7	0.7 0.0 0.7	1.4 0.0 0.0	0.0 0.0 1.1	1.5 0.7 4.5	8.6 0.7 3.7	7.1 0.6 4.4	8.7 0.7 5.7	12.1 0.8 4.4	11.2 0.8 5.1	8.6 2.4 4.6	0.0 3.0 2.1		
C11 EPIPHARYNX	M Ž UK	0.9 0.3 0.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.8 0.8	0.0 0.0 0.0	0.7 0.0 0.4	0.7 0.0 0.4	0.7 0.0 1.1	1.5 0.7 1.0	0.7 1.4 1.0	2.1 0.7 1.0	2.4 0.8 1.5	4.4 0.7 2.4	1.6 0.8 0.6	0.0 0.0 0.0			
C12 SINUS PIRIFORMIS	M Ž UK	0.8 0.0 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.4	1.5 0.0 0.7	0.7 0.0 0.3	0.7 0.0 0.0	0.7 0.0 0.3	3.2 0.0 1.5	4.4 0.0 1.9	1.6 0.0 0.6	2.1 0.0 1.5	0.0 1.2 0.0		
C13 HIPOPHARYNX	M Ž UK	2.9 0.3 1.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 2.2	4.4 0.0 4.5	7.9 1.4 4.4	9.3 0.0 5.2	9.3 1.4 4.4	11.0 1.7 5.7	1.6 0.0 0.6	6.4 0.0 2.3	0.0 0.0 0.0		
C14 PHARYNX NON SPEC.	M Ž UK	0.7 0.2 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 1.1	2.2 0.0 1.0	1.4 0.7 0.7	1.6 0.0 0.0	3.3 0.0 1.4	0.0 0.0 0.7	0.0 1.1 0.6	0.0 0.0 0.0	2.1 3.0 2.0		
C15 OESOPHAGUS	M Ž UK	8.2 1.7 4.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.9 0.4	0.0 0.0 0.4	0.8 0.0 0.4	0.7 0.0 1.4	2.1 0.7 1.9	2.9 0.8 4.7	8.0 1.4 8.0	14.3 2.0 9.8	18.5 1.9 13.3	26.2 2.1 14.7	29.8 3.3 17.8	20.8 7.4 12.7	40.7 4.8 17.8	14.2 8.9 10.5		
C16 VENTRICULUS	M Ž UK	24.4 15.3 19.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.0 0.9 2.0	2.3 1.6 5.0	0.7 1.5 1.1	4.2 5.9 5.9	9.6 7.6 8.6	16.1 5.7 10.9	25.8 7.4 16.3	49.9 20.8 34.6	50.0 29.2 62.1	90.4 40.8 85.9	133.0 54.9 60.5	119.8 60.5 75.9	159.3 75.9 100.6		
C17 INTESTINUM TENUE INC. DUODENUM	M Ž UK	2.4 1.3 1.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.0 0.7	1.4 0.0 1.5	0.7 2.3 2.9	3.6 2.2 2.4	2.1 0.6 2.4	4.3 0.6 2.4	9.5 7.7 5.6	7.7 2.1 4.3	8.0 1.7 4.5	6.4 7.3 7.0	7.1 4.5 5.2		
C18 INTESTINUM CRASSUM EXCL. RECTUM	M Ž UK	60.6 42.5 51.3	0.0 0.0 0.0	0.0 1.0 1.0	0.0 0.0 0.0	0.8 0.0 0.4	2.4 0.9 1.7	2.3 3.3 2.8	5.6 10.3 7.9	7.6 35.8 12.2	18.4 26.6 19.4	35.0 59.0 30.8	55.8 59.0 45.5	116.8 171.4 86.6	171.4 250.3 126.4	250.3 110.7 197.9	254.8 160.4 197.9	338.1 162.2 209.4	325.7 162.2 210.6			
C19 COLON RECTOSIGMOIDEUM	M Ž UK	10.0 6.6 8.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.0 0.7 1.8	1.4 2.2 3.0	2.9 3.0 6.2	5.8 6.5 10.8	12.9 8.8 19.7	24.9 14.9 18.9	29.4 9.7 33.2	43.0 25.8 26.1	47.0 15.8 21.7	40.7 19.3 27.0	28.3 11.9 16.8		
C20 RECTUM	M Ž UK	10.0 6.6 8.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.0 0.7 1.8	1.4 2.2 3.0	2.9 6.5 6.2	5.8 8.8 10.8	12.9 14.9 19.7	24.9 9.7 18.9	29.4 25.8 33.2	43.0 15.8 26.1	47.0 19.3 21.7	40.7 11.9 16.8			
C21 ANUS ET CANALIS ANALIS	M Ž UK	1.0 1.5 1.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 1.1	0.7 1.5 1.4	1.4 1.5 1.4	1.5 5.0 2.9	0.7 0.7 1.4	2.1 0.6 2.4	2.1 2.5 2.4	2.4 5.3 3.8	2.2 2.5 4.2	1.6 5.3 3.1	4.3 2.4 6.0			
C19+C20+C21 (154 ICD IX)	M Ž UK	42.4 25.8 33.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.8 0.9 0.8	0.8 0.0 0.4	0.8 0.0 2.0	3.1 0.8 5.2	4.2 0.0 6.8	4.9 8.8 13.8	16.9 10.6 28.6	31.4 25.9 28.6	66.6 46.7 45.9	99.0 26.4 71.6	135.7 46.7 107.2	156.6 69.9 104.7	144.2 66.5 97.4	160.5 97.9 120.5	138.0 80.4 97.4		
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M Ž UK	17.1 9.0 12.9	0.0 0.0 0.0	0.0 1.0 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.8 0.0 0.8	0.0 0.8 0.0	2.8 0.0 1.4	2.9 10.9 1.9	25.0 0.7 5.8	36.3 11.7 14.6	53.9 28.3 36.0	76.1 20.2 48.8	68.9 28.3 47.1	66.3 32.7 52.5	53.1 44.7 47.1	50.4 40.2 44.0		
C23 VESICA FELLEA	M Ž UK	2.0 3.8 3.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.7 0.7	1.5 2.0 1.1	2.9 5.6 2.4	10.7 12.7 10.7	7.6 13.2 6.2	9.4 7.5 9.5	12.8 18.1 19.3	21.4 23.8 17.8		
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M Ž UK	4.6 2.8 3.7	0.0 0.0 0.0	0.0																		

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA, PO SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020.
CANCER INCIDENCE RATES IN CROATIA IN 2020 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C26 TRACTUS DIGESTIVUS NON SPEC.	M Ž UK	1,4 1,3 1,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	1,5 0,0 0,7	1,5 0,0 0,7	2,1 2,0 2,1	2,1 0,6 1,4	3,2 2,1 2,6	3,3 2,5 2,8	3,2 6,3 5,1	8,6 6,0 7,0	14,2 7,4 9,4
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M Ž UK	0,6 0,4 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,0 0,4	0,0 2,2 1,1	0,0 0,0 0,0	2,1 0,6 1,4	2,4 0,7 1,5	1,1 0,8 0,9	3,2 1,1 1,9	2,1 0,0 0,8	0,0 1,5 1,0
C31 SINUS PARANASALES	M Ž UK	0,6 0,3 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	2,1 1,4 1,7	3,2 1,3 1,5	0,0 0,0 0,9	3,2 1,7 1,5	0,0 0,0 1,3	0,0 0,0 0,0	0,0 0,0 0,0
C32 LARYNX	M Ž UK	12,0 1,2 6,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,0 0,7	0,0 0,0 0,0	4,4 1,4 10,9	20,4 2,7 16,3	33,5 0,6 18,9	35,7 4,2 26,1	54,0 5,0 26,1	22,4 4,2 11,5	32,1 1,2 12,4	10,6 0,0 3,1	
C33 TRACHEA	M Ž UK	0,2 0,0 0,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,3	0,0 0,0 0,4	0,0 0,8 1,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0
C34 BRONCHUS ET PULMO (PRIM.)	M Ž UK	102,4 51,2 76,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,8 0,0 0,4	1,5 0,0 1,2	1,4 0,8 1,8	6,3 2,2 7,2	20,6 8,1 18,7	62,0 30,2 46,0	133,8 72,3 102,2	255,7 127,1 188,4	373,7 139,9 249,1	418,0 151,4 266,1	386,2 139,3 237,4	387,3 118,5 215,5	247,8 102,7 145,6	
C33+C34 (162 ICD IX)	M Ž UK	102,6 51,2 76,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,8 0,0 0,4	1,5 0,0 1,2	1,4 0,8 1,8	6,3 2,2 7,2	20,6 8,1 18,7	62,0 30,2 46,0	134,5 72,3 102,5	255,7 127,1 188,4	374,5 139,9 249,5	420,2 152,3 267,5	386,2 139,3 237,4	387,3 118,5 215,5	247,8 102,7 145,6		
C37 THYMUS	M Ž UK	0,2 0,1 0,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,9 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,0 0,4	0,7 0,0 0,4	0,7 0,0 0,3	0,7 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,1 0,6	0,0 0,0 0,0	0,0 0,0 0,0
C38 COR, MEDIASTINUM ET PLEURA	M Ž UK	0,6 0,2 0,4	1,1 1,1 1,1	0,0 0,0 0,5	0,0 0,0 0,0	1,0 0,0 0,5	0,8 0,0 0,4	0,0 0,0 0,0	0,8 0,0 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,0 0,7	0,0 0,6 0,7	0,7 0,0 1,9	3,2 0,8 0,9	1,1 0,0 0,6	1,6 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0
C39 ORGANA RESPIRATORIA ET INTRATHORAC.ALTERA ET NON SPEC-	M Ž UK	0,1 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	2,1 0,0 0,8	3,5 1,0 1,0
C40 THELAE OSSIIUM MEMBRUM	M Ž UK	0,7 0,4 0,5	1,1 0,0 0,6	0,0 0,0 0,0	1,0 3,1 2,0	0,0 1,0 0,5	0,8 0,0 0,4	0,0 0,0 0,0	0,8 0,0 0,4	0,7 0,0 0,4	0,7 0,0 0,4	0,0 0,8 0,4	0,7 0,0 0,4	0,0 0,0 0,0	0,0 0,6 0,3	0,0 0,7 0,0	0,8 0,0 0,7	2,2 0,0 0,9	3,2 1,1 1,9	2,1 0,0 0,8	0,0 1,5 1,0
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M Ž UK	0,9 0,8 0,8	0,0 0,0 0,0	0,0 1,1 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 1,3	2,4 0,0 1,2	1,5 0,8 0,4	0,7 0,0 0,0	0,0 0,0 0,4	0,0 0,8 0,4	0,7 0,0 0,4	0,0 0,0 0,0	0,0 0,6 0,3	0,0 0,6 0,3	1,6 3,5 2,6	4,4 1,7 2,8	1,6 2,1 1,9	6,4 1,2 3,1	0,0 3,0 2,1
C43 MELANOMA MALIGNUM CUTIS	M Ž UK	20,9 16,4 18,6	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,5	0,0 1,0 3,0	3,3 2,6 3,8	2,4 5,3 9,1	10,8 7,4 8,2	7,0 9,6 8,2	9,1 16,1 12,5	19,1 10,6 14,9	23,3 20,1 21,7	30,1 21,6 25,7	34,9 29,9 30,9	49,2 29,9 38,9	59,6 38,3 47,4	81,7 30,6 50,9	77,0 31,4 47,9	56,6 40,2 45,1	
C45 MESOTHELIOMA	M Ž UK	3,0 1,3 2,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,0 0,4	0,7 0,8 0,7	0,0 0,7 1,4	0,0 0,0 3,1	2,1 0,7 5,2	7,9 2,8 9,5	14,3 5,8 10,2	17,1 5,3 10,0	23,5 2,4 10,0	21,2 1,5 7,3	
C46 SARCOMA KAPOSI	M Ž UK	0,2 0,1 0,2	0,0 0,0 0,0	1,0 0,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,0 0,4	0,7 0,0 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 2,1 1,3	0,0 1,2 1,5	0,0 0,0 0,0	
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M Ž UK	0,1 0,2 0,2	1,1 3,4 2,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,5	0,0 1,1 0,6	0,0 0,0 0,8	2,1 0,0 0,0	0,0 0,0 0,0
C48 RETROPERITONEUM ET PERITONEUM	M Ž UK	0,2 0,4 0,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,7 0,4	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	1,4 0,6 1,0	0,0 0,6 0,7	2,2 1,4 1,4	0,0 0,8 1,3	0,0 2,1 0,8	0,0 1,2 0,0	0,0 0,0 0,0
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M Ž UK	4,1 2,4 3,2	2,1 1,1 1,7	2,0 2,1 2,1	1,0 1,0 1,0	0,0 4,2 2,0	0,0 0,9 0,0	1,6 0,9 1,3	3,1 1,6 2,4	0,0 1,5 0,7	3,5 2,9 3,2	2,2 3,0 2,6	3,6 1,4 2,5	3,6 3,4 4,1	5,7 2,6 6,3	7,9 4,9 5,7	11,0 1,7 5,7	9,6 3,2 9,3	19,3 3,6 9,3	28,3 4,5 11,5	
C50 MAMMA	M Ž UK	1,3 137,9 71,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,9 0,8	0,8 7,9 3,8	0,0 39,3 19,1	0,0 62,6 30,4	0,0 129,0 63,1	0,0 187,3 92,3	0,7 211,5 109,8	0,7 254,3 134,1	0,7 308,2 165,7	2,1 280,4 161,2	2,1 302,8 161,2	3,3 280,4 160,4	8,0 226,1 147,6	8,6 177,1 125,7	3,5 177,1 125,7	
C51 VULVA	Ž	4,8	0,0	0,0	0,0	0,0	0,0	0,9	0,0	0,0	3,7	3,8	3,6	4,1	3,9	6,3	12,5	21,1	10,9	28,3	
C52 VAGINA	Ž	0,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	1,3	4,2	0,8	3,2	2,4	0,0	
C53 CERVIX UTERI	Ž	13,3	0,0	0,0	0,0	0,0	2,6	7,9	13,1	18,4	14,7	15,9	17,2	28,4	23,4	18,8	17,5	15,8	9,7	13,4	
C54 CORPUS UTERI	Ž	33,1	0,0	0,0	0,0	0,0	0,0	0,0	3,3	3,7	13,9	28,8	46,7	65,6	69,4	87,0	62,4	82,3	67,7	28,3	
C55 UTERUS NON SPEC.	Ž	0,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,8	3,2	2,4	3,0	
C56 OVARIUM	Ž	17,7	0,0	0,0	0,0	2,1	1,8	3,5	2,5	7,4	13,9	13,7	28,7	24,3	32,4	29,9	37,4	42,2	37,5	37,2	
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž	2,3	0,0	0,0	0,0	0,0	0,0	0,9	0,0	0,0	0,7	3,8	1,4	5,4	3,9	6,3	6,7	7,4	0,0	1,5	
C56+C57.0-C57.4 (183 ICD IX)	Ž	19,3	0,0	0,0	0,0	2,1	1,8	3,5	2,5	7,4	14,7	15,9	29,5	28,4	35,0	35,5	41,6	47,5	37,5	37,2	

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA, PO SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020.
CANCER INCIDENCE RATES IN CROATIA IN 2020 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE

SIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C60 PENIS	M	2,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,4	1,5	2,9	5,7	5,0	7,9	5,5	6,4	12,8	14,2	
C61 PROSTATA	M	116,8	0,0	0,0	0,0	0,0	0,0	0,8	0,0	0,0	3,5	12,5	34,3	108,8	235,0	393,5	553,6	620,2	541,4	385,8	
C62 TESTIS	M	10,2	4,3	0,0	1,0	7,9	8,2	20,2	27,0	26,5	18,9	17,7	7,3	8,6	1,4	0,8	0,0	4,8	0,0	0,0	
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	0,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,0	0,0	3,5	
C64 REN EXCL. PELVIS RENALIS	M Ž UK	23,3 12,7 17,9	1,1 3,4 2,2	2,0 0,0 1,0	0,0 0,0 0,0	1,0 0,0 1,0	0,8 0,0 0,4	1,6 0,0 0,8	4,6 0,0 3,2	4,2 0,0 3,9	8,4 3,7 6,1	14,0 9,3 11,2	32,1 17,6 20,6	39,4 25,3 28,2	56,3 40,1 40,4	57,1 25,7 40,4	62,9 31,6 45,1	80,1 31,7 50,9	68,5 33,9 46,4	70,8 38,7 48,2	
C65 PELVIS RENALIS	M Ž UK	1,2 1,1 1,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,4	0,0 1,4 0,7	2,9 0,6 1,7	2,1 4,0 1,4	4,4 3,3 3,0	8,0 2,1 3,8	2,1 4,2 5,7	7,1 4,8 3,9	7,1 4,5 5,2	
C66 URETER	M Ž UK	0,8 0,5 0,6	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,7 0,7	0,0 0,7 0,0	1,4 0,0 0,0	0,0 0,0 0,0	6,6 1,7 3,8	6,4 6,3 6,4	0,0 1,2 0,8	10,6 0,0 3,1	
C67 VESICA URINARIA	M Ž UK	32,4 11,3 21,6	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	2,3 0,0 1,2	3,5 0,0 1,8	2,1 0,0 1,8	6,6 3,8 5,2	16,8 5,0 10,9	35,1 16,2 25,4	64,8 16,2 39,4	88,9 20,9 52,6	125,7 34,9 74,0	145,8 35,9 79,5	186,2 38,7 91,9	180,5 50,6 89,1		
C68 ORGANA URINARIA ALT. ET NON SPEC.	M Ž UK	0,3 0,2 0,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,4 0,7	0,0 0,0 0,0	0,0 0,0 0,4	0,8 0,0 0,9	1,1 0,8 1,9	3,2 1,1 0,1	2,1 0,0 0,8	3,5 1,5 2,1		
C69 OCULUS ET ADNEXA	M Ž UK	1,2 0,9 1,1	1,1 1,1 1,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,8 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,7 0,0 0,4	0,7 0,7 0,0	0,0 0,7 1,1	1,5 2,0 2,1	2,1 0,7 1,4	1,4 1,3 2,6	3,2 2,1 2,4	3,3 1,7 2,4	4,8 2,1 3,2	6,4 1,2 3,1	0,0 4,5 3,1	
C70 MENINGES	M Ž UK	0,2 0,2 0,2	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,7 0,4	0,0 0,0 0,0	0,7 0,0 0,0	0,0 0,0 0,3	0,0 0,0 0,0	1,1 2,5 1,9	1,6 0,0 0,6	0,0 0,0 0,0	0,0 0,0 0,0	
C71 CEREBRUM	M Ž UK	10,7 10,0 10,3	4,3 2,3 3,3	3,0 4,3 3,6	2,9 1,0 2,0	1,0 0,4 0,5	2,4 4,4 3,4	1,6 0,9 1,3	3,9 4,9 4,4	2,8 1,5 2,1	9,1 4,4 6,8	6,6 3,8 5,2	14,6 9,3 11,9	15,0 13,5 14,2	17,8 18,8 18,3	28,6 25,0 26,7	27,6 22,5 24,7	35,3 14,8 22,9	27,8 24,2 25,5	3,5 25,3 18,9	
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M Ž UK	0,3 0,4 0,3	0,0 0,0 0,0	0,0 0,0 0,0	1,0 1,0 0,5	0,0 0,0 0,5	0,0 0,9 0,4	0,0 0,0 0,0	0,0 0,0 0,7	0,7 0,0 0,0	0,0 0,0 0,4	0,7 0,0 1,1	0,7 1,4 1,1	0,0 0,0 0,0	0,0 0,0 0,4	1,1 1,7 1,4	0,0 0,0 0,0	0,0 1,2 0,8	0,0 0,0 0,0		
C73 GLANDULA THYREOIDEA	M Ž UK	7,8 24,7 16,5	0,0 0,0 0,0	0,0 0,0 0,5	1,0 10,4 5,1	0,0 14,1 9,7	5,7 30,7 18,5	7,3 24,6 16,7	9,3 35,3 22,5	10,4 41,0 25,0	7,7 36,4 25,0	14,0 30,9 19,6	8,0 37,8 26,1	13,6 35,0 23,4	10,7 28,3 17,8	15,9 37,6 19,4	7,7 28,3 17,8	9,6 23,2 5,4	4,3 6,0 3,1	0,0 4,5 3,1	
C74 GLANDULA SUPRARENALIS	M Ž UK	0,5 0,5 0,5	1,1 1,1 1,1	1,0 0,0 0,5	0,0 1,0 0,0	0,0 0,0 0,5	0,8 0,0 0,4	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,0 0,4	0,0 0,7 0,4	0,0 0,0 0,4	0,0 0,0 0,0	0,7 0,0 0,3	0,0 1,9 1,0	0,0 0,0 0,4	0,8 0,0 0,5	1,1 0,0 0,6	0,0 1,1 0,8	0,0 1,2 3,1	
C75 GLANDULAE ENDOCRINES ALTERAE	M Ž UK	0,2 0,1 0,1	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,0 0,0	0,7 0,0 0,4	0,0 0,0 0,0	0,0 0,7 0,4	0,0 0,6 0,0	1,4 0,0 1,0	0,0 0,0 0,5	1,1 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M Ž UK	0,9 1,7 1,3	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,0 0,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 1,4 0,7	2,9 1,4 2,1	0,0 1,3 0,7	1,6 1,4 1,5	1,1 1,7 1,4	4,8 4,2 4,5	0,0 8,5 5,4	24,8 19,3 21,0	
C80 MALIGNOMATA SINE REGIONE SPEC.	M Ž UK	12,8 10,3 11,5	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,8 0,0 0,0	0,0 0,0 0,0	0,8 0,0 0,4	0,7 2,2 1,4	3,5 4,4 3,9	4,4 6,5 3,4	8,0 12,9 7,2	10,7 13,5 9,0	13,6 11,7 12,6	10,7 38,1 25,2	15,9 43,0 31,8	7,7 64,1 49,0	9,6 79,2 54,9	0,0 92,0 77,5	
C81 MORBUS HODGKIN	M Ž UK	3,6 1,8 2,7	0,0 0,0 0,0	0,0 0,0 0,0	6,8 2,0 4,5	4,9 4,2 4,6	7,3 4,4 5,9	6,5 3,5 5,1	5,4 2,5 4,0	4,9 5,2 5,0	3,5 1,5 2,5	4,4 1,5 3,0	2,2 1,4 1,8	0,7 0,0 0,7	1,4 0,7 0,3	3,6 0,7 2,6	4,3 0,0 1,4	5,7 0,0 2,6	4,0 0,8 3,2	6,6 0,0 1,4	10,7 0,0 1,5
C82 LYMPHOMA NON-HODGKIN FOLLICULLARE (NODULARE)	M Ž UK	2,5 2,6 2,6	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,8 0,0 0,0	0,0 0,0 0,0	0,0 0,8 0,4	0,0 0,0 0,7	1,4 2,9 3,2	3,5 0,0 2,6	2,2 5,0 4,3	3,6 4,7 4,5	4,3 4,5 5,1	4,0 4,4 4,9	6,6 7,5 7,1	6,4 1,1 3,2	10,7 1,5 8,5	0,0 1,0 1,0	
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M Ž UK	10,7 7,9 9,3	3,2 0,0 1,7	1,0 0,0 0,5	0,0 0,0 0,0	1,0 0,0 0,5	1,6 0,0 0,8	1,6 0,0 0,8	2,3 0,3 2,8	2,1 2,2 2,1	4,2 3,7 3,9	8,8 7,2 6,0	9,5 3,0 8,3	17,2 8,1 12,5	15,7 14,9 15,3	20,6 18,1 19,3	39,7 25,0 31,3	48,1 21,1 31,8	38,5 15,7 23,9	28,3 22,3 24,1	
C84 LYMPHOMATA CELLULARUM PERIPHERICA ET CUTANEA	M Ž UK	1,1 0,7 0,9	1,1 0,0 0,6	0,0 0,0 0,0	0,0 0,0 0,5	1,0 0,0 0,0	0,0 0,0 0,0	0,0 0,0 0,4	0,0 0,0 0,0	0,0 0,8 0,7	0,0 1,5 1,1	2,2 1,4 1,4	2,2 1,5 1,4	1,5 2,9 3,3	3,6 2,9 3,8	7,8 4,1 5,8	9,5 3,9 7,8	11,0 6,7 8,5	11,2 8,4 9,5	19,3 13,3 	

Tablica B3.1

STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA, PO SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2020.
CANCER INCIDENCE RATES IN CROATIA IN 2020 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																	
			0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+
C93 LEUKAEMIA MONOCITARIA	M	0,6	1,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,7	0,7	2,4	0,0	1,6	2,1	7,1
	Ž	0,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,8	1,1	0,0	1,5
	UK	0,3	0,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,4	0,3	0,3	1,1	0,5	1,3	0,8	3,1
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA,LEUKAEMIA MEGAKARYOCYTICA)	M	0,3	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,7	0,8	1,1	0,0	2,1	0,0
	Ž	0,1	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	1,1	1,2	1,5
	UK	0,2	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,4	0,0	0,3	0,4	0,5	0,6	1,5	1,0
C95 LEUKAEMIA NON SPEC.	M	0,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,7	0,7	0,0	0,0	1,6	0,0	4,8	4,3	10,6
	Ž	0,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,8	0,0	0,0	0,6	0,0	1,7	1,1	2,4	8,9
	UK	0,6	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,4	0,0	0,7	0,4	0,0	0,3	0,7	0,9	2,5	3,1	9,4
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M	0,4	0,0	1,0	0,0	0,0	0,8	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	1,6	1,1	0,0	0,0	3,5
	Ž	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,0	0,0
	UK	0,2	0,0	0,5	0,0	0,0	0,4	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,3	0,3	0,7	0,5	0,0	1,0
SVE LOKALIZACIJE	M	626,4	33,3	16,0	21,3	22,6	41,6	53,4	87,2	89,9	126,9	230,4	438,5	778,6	1260,0	1847,7	2355,7	2560,8	2640,7	2215,9
ALL SITES	Ž	524,2	20,3	11,7	12,2	27,1	32,6	70,1	118,7	181,1	314,4	411,9	526,1	690,0	900,3	1119,5	1213,9	1320,5	1244,1	1291,8
C00 - C97	UK	573,9	27,0	13,9	16,9	24,8	37,3	61,5	102,5	134,2	218,6	319,8	482,6	733,0	1071,7	1459,8	1704,9	1813,0	1748,3	1565,3
CA IN SITU D00 - D09	M	23,2	0,0	0,0	0,0	1,0	0,0	0,8	2,3	2,1	0,7	9,6	23,3	28,6	63,4	74,6	89,3	73,7	74,9	63,7
	Ž	47,4	0,0	0,0	0,0	2,1	37,0	67,5	107,3	72,9	85,8	66,0	42,4	46,6	52,5	60,5	50,8	44,3	18,1	23,8
	UK	35,6	0,0	0,0	0,0	1,5	17,8	32,8	53,2	36,5	42,3	37,4	32,9	37,9	57,7	67,1	67,3	56,0	38,6	35,6
D06 CERVIX UTERI - CA IN SITU	Ž	28,4	0,0	0,0	0,0	2,1	36,1	60,5	102,4	68,5	64,5	44,7	21,6	21,6	13,0	9,7	5,0	4,2	4,8	4,5
D32 NEOPLASMA BENIGNUM MENINGUM	M	2,1	0,0	0,0	1,0	0,0	0,0	0,8	0,0	0,7	0,0	2,2	2,9	1,4	3,6	6,3	6,6	4,8	10,7	7,1
	Ž	5,6	0,0	0,0	0,0	0,0	0,9	0,9	0,0	0,7	2,2	6,1	6,5	12,2	5,8	12,5	13,3	14,8	16,9	7,4
	UK	3,9	0,0	0,0	0,5	0,0	0,4	0,8	0,0	0,7	1,1	4,1	4,7	7,0	4,8	9,6	10,4	10,8	14,7	7,3
D33 NEOPLASMA BENIGNUM CEREBRI	M	0,8	0,0	0,0	0,0	1,0	0,0	0,0	0,0	0,0	1,4	2,2	1,5	0,7	1,4	1,6	0,0	0,0	2,1	3,5
	Ž	1,3	1,1	0,0	1,0	0,0	0,9	0,0	0,0	1,5	0,7	1,5	2,2	0,7	2,6	2,1	3,3	2,1	0,0	3,0
	UK	1,0	0,6	0,0	0,5	0,5	0,4	0,0	0,0	0,7	1,1	1,9	1,8	0,7	2,0	1,9	1,9	1,3	0,8	3,1
D39.1 NEOPLASMA OVARIUM NON CLASS. ET BORDERLINE	Ž	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Ž	2,9	0,0	1,1	1,0	0,0	2,6	1,8	2,5	4,4	1,5	6,8	6,5	3,4	2,6	6,3	1,7	2,1	2,4	0,0
	UK	1,5	0,0	0,5	0,5	0,0	1,3	0,8	1,2	2,1	0,7	3,4	3,3	1,7	1,4	3,3	0,9	1,3	1,5	0,0
D42 NEOPLASMA MENINGUM NON CLASS.	M	0,7	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	0,0	0,0	0,0	0,7	1,4	1,6	4,4	3,2	4,3	0,0
	Ž	0,9	0,0	1,1	0,0	0,0	0,0	0,9	0,0	0,0	1,5	0,0	0,7	1,4	1,9	2,1	1,7	2,1	1,2	0,0
	UK	0,8	0,0	0,5	0,0	0,0	0,0	0,4	0,0	0,4	0,7	0,0	0,4	1,0	1,7	1,9	2,8	2,5	2,3	0,0
D43 NEOPLASMA CEREBRI NON CLASS.	M	1,4	2,1	0,0	2,9	2,0	1,6	0,8	0,8	0,0	3,5	1,5	0,7	0,0	0,7	1,6	2,2	1,6	4,3	0,0
	Ž	1,0	0,0	1,1	2,0	1,0	0,0	0,9	1,6	0,0	0,0	0,8	1,4	2,0	0,0	0,0	0,8	1,1	4,8	3,0
	UK	1,2	1,1	0,5	2,5	1,5	0,8	0,8	1,2	0,0	1,8	1,1	1,1	1,0	0,3	0,7	1,4	1,3	4,6	2,1
D45 POLYCYTHAEMIA RUBRA VERA	M	2,6	0,0	0,0	0,0	0,0	0,8	0,0	2,3	0,0	0,7	2,2	3,6	3,6	8,5	5,6	8,8	1,6	8,6	3,5
	Ž	2,1	1,1	0,0	0,0	0,0	0,0	0,0	0,0	2,9	1,5	0,8	1,4	2,0	2,6	5,6	8,3	5,3	3,6	0,0
	UK	2,3	0,6	0,0	0,0	0,0	0,4	0,0	1,2	1,4	1,1	1,5	2,5	2,8	5,4	5,6	8,5	3,8	5,4	1,0
D46 SYNDROMA MYELODISPLASTICUM	M	3,5	0,0	0,0	1,0	0,0	0,0	0,0	0,0	0,0	0,0	0,7	1,5	0,7	2,8	5,6	12,1	20,8	36,4	42,5
	Ž	2,7	0,0	0,0	1,0	0,0	0,0	0,0	0,0	0,0	1,5	0,0	1,4	2,0	0,6	3,5	9,2	10,6	14,5	13,4
	UK	3,1	0,0	0,0	1,0	0,0	0,0	0,0	0,0	0,0	0,7	0,4	1,4	1,4	1,7	4,4	10,4	14,6	22,4	22,0
D47 SYNDROMA MYELOPROLIFERATIVUM	M	4,3	0,0	1,0	1,0	1,0	0,8	1,6	0,0	1,4	0,7	2,9	2,2	4,3	7,1	11,1	14,3	19,2	10,7	28,3
	Ž	3,7	0,0	0,0	0,0	0,0	0,9	1,8	0,8	0,7	3,7	0,0	2,2	3,4	3,9	9,0	11,6	12,7	7,3	10,4
	UK	4,0	0,0	0,5	0,5	0,5	0,8	1,7	0,4	1,1	2,1	1,5	2,2	3,8	5,4	10,0	12,8	15,3	8,5	15,7

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

NOTE : EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2020. - NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2020

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNO PROŠIREN REGIONAL		UDALJENE METASTAZE DISTANT		UKUPNO TOTAL	
				BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%
C00 LABIUM ORIS	M Ž UK	40 23 63	40 22 62	14 7 21		2 3 5				24 13 37	60,0
C01 BASIS LINGVAE	M Ž UK	35 11 46	33 11 44	5 1 6		11 1 12		2 1 3		17 8 25	48,6
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M Ž UK	63 21 84	63 21 84	3 5 8		33 7 40	52,4 47,6	1 1 1		26 9 35	41,3 41,7
C03 GINGIVA	M Ž UK	22 13 35	22 12 34	4 2 4		6 2 8				12 11 23	65,7
C04 BASIS ORIS	M Ž UK	38 13 51	36 13 49	9 2 11		13 6 19	37,3	2 2		14 5 19	37,3
C05 PALATUM	M Ž UK	23 4 27	22 4 26	3 3 3		4 4				16 4 20	69,6
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M Ž UK	23 15 38	22 13 35	3 3 6		9 5 14				11 7 18	47,4
C07 GLANDULA PAROTIS	M Ž UK	16 13 29	16 13 29	2 4 6		9 2 11				5 7 12	
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M Ž UK	13 13 26	13 12 25	4 4 4		6 1 7		1 2 3		6 6 12	
C09 TONSILLA	M Ž UK	40 4 44	40 4 44	3 1 4		15 2 17	37,5 38,6			22 1 23	55,0
C10 OROPHARYNX	M Ž UK	60 11 71	59 10 69	2 3 2		23 3 26	38,3 36,6	1 1		34 8 42	56,7 59,2
C11 EPIPHARYNX	M Ž UK	17 6 23	16 6 22			7 1 8				10 5 15	65,2
C12 SINUS PIRIFORMIS	M Ž UK	15 1 16	15 1 16	1 1 1		8 8		1 1		5 1 6	
C13 HIPOPHARYNX	M Ž UK	57 6 63	56 6 62	1 1 1		21 2 23	36,8 36,5	2 2		34 3 37	59,6 58,7
C14 PHARYNX NON SPEC.	M Ž UK	13 4 17	13 3 16			3 1 4				10 3 13	
C15 OESOPHAGUS	M Ž UK	162 35 197	155 33 188	5 5		20 7 27	12,3 13,7	20 3 23	12,3 11,7	117 25 142	72,2 71,4 72,1
C16 VENTRICULUS	M Ž UK	480 318 798	456 295 751	34 21 55	7,1 6,6 6,9	95 62 157	19,8 19,5 19,7	73 59 132	15,2 18,6 16,5	278 176 454	57,9 55,3 56,9
C17 INTESTINUM TENUE INC. DUODENUM	M Ž UK	47 27 74	44 27 71	2 4 6		17 1 18	36,2 24,3	9 7 16	21,6	19 15 34	40,4 55,6 45,9
C18 INTESTINUM CRASSUM EXCL. RECTUM	M Ž UK	1193 884 2077	1138 828 1966	141 76 217	11,8 8,6 10,4	420 290 710	35,2 32,8 34,2	146 129 275	12,2 14,6 13,2	486 389 875	40,7 44,0 42,1
C19 COLON RECTOSIGMOIDEUM	M Ž UK	196 137 333	193 133 326	24 14 38	12,2 11,4	78 63 141	39,8 46,0 42,3	25 13 38	12,8 11,4	69 47 116	35,2 34,3 34,8
C20 RECTUM	M Ž UK	618 368 986	604 351 955	86 49 135	13,9 13,3 13,7	173 87 260	28,0 23,6 26,4	81 34 115	13,1 9,2 11,7	278 198 476	45,0 53,8 48,3
C21 ANUS ET CANALIS ANALIS	M Ž UK	20 32 52	19 32 51	1 3 4		2 11 13		1 1		17 17 34	85,0 53,1 65,4
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M Ž UK	336 187 523	296 168 464	13 2 15	2,9	18 16 34	5,4 8,6 6,5	36 19 55	10,7 10,2 10,5	269 150 419	80,1 80,2 80,1
C23 VESICA FELLEA	M Ž UK	40 80 120	36 68 104	8 3 11		3 14 17	14,2	6 18 24	22,5 20,0	23 45 68	57,5 56,3 56,7
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M Ž UK	90 58 148	80 54 134	9 2 11		9 7 16	10,8	9 12 21	14,2	63 37 100	70,0 63,8 67,6
C25 PANCREAS	M Ž UK	422 379 801	387 355 742	12 9 21	2,6	39 30 69	9,2 7,9 8,6	90 73 163	21,3 19,3 20,3	281 267 548	66,6 70,4 68,4
C26 TRACTUS DIGESTIVUS NON SPEC.	M Ž UK	27 26 53	25 20 45			2 2		7 9 16	30,2	18 17 35	66,7 65,4 66,0

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2020. - NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2020

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE								NEPOZNATO - UNKNOWN	
		NUMBER OF CASES		LOKALIZIRAN LOCALIZED		REGIONALNO PROŠIREN REGIONAL		UDALJENE METASTAZE DISTANT		UKUPNO TOTAL			
		UKUPNO TOTAL	IZ ONKO FROM ONKO	BROJ NUMBER		BROJ NUMBER		BROJ NUMBER		BROJ NUMBER		BROJ NUMBER	
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M Ž UK	11 8 19	11 8 19	1 1 2		3 3 3				7 7 14			
C31 SINUS PARANASALES	M Ž UK	12 6 18	12 6 18			3 3 3		2 2 2		7 6 13			
C32 LARYNX	M Ž UK	236 25 261	230 24 254	34 4 38	14,4 5,7 14,6	63 6 69	26,7 8,6 26,4	7 7 7		132 15 147	55,9 60,0 56,3		
C33 TRACHEA	M Ž UK	4 1 5	4 1 5							4 1 5			
C34 BRONCHUS ET PULMO (PRIM.)	M Ž UK	2015 1064 3079	1876 977 2853	76 61 137	3,8 5,7 4,4	209 91 300	10,4 8,6 9,7	402 203 605	20,0 19,1 19,6	1328 709 2037	65,9 66,6 66,2		
C37 THYMUS	M Ž UK	4 2 6	4 2 6			1 1 1				3 2 5			
C38 COR, MEDIASTINUM ET PLEURA	M Ž UK	12 5 17	12 5 17			2 2 2		2 2 2		10 3 13			
C39 ORGANA RESPIRATORIA ET INTRATHORAC.ALTERA ET NON SPEC.	M Ž UK	2 2 2	1 1 1							2 2 2			
C40 THELAE OSSIIUM MEMBRUM	M Ž UK	13 9 22	12 8 20	1 1 1						12 9 21		95,5	
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M Ž UK	17 16 33	17 11 28			1 1 1		2 2 2		14 16 30		100,0 90,9	
C43 MELANOMA MALIGNUM CUTIS	M Ž UK	412 341 753	409 335 744	212 174 386	51,5 51,0 51,3	87 55 142	21,1 16,1 18,9	16 18 34	3,9 5,3 4,5	97 94 191	23,5 27,6 25,4		
C45 MESOTHELIOMA	M Ž UK	59 28 87	54 28 82	2 2 2		6 6 6		5 5 10		48 21 69	81,4 75,0 79,3		
C46 SARCOMA KAPOSII	M Ž UK	4 3 7	4 3 7							4 3 7			
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M Ž UK	2 5 7	2 5 7			1 1 1		1 1 2		1 3 4			
C48 RETROPERITONEUM ET PERITONEUM	M Ž UK	4 8 12	4 8 12			1 1 1		1 1 2		2 7 9			
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M Ž UK	80 50 130	76 49 125	5 4 9		4 3 7		2 1 3		69 42 111	86,3 84,0 85,4		
C50 MAMMA	M Ž UK	25 2869 2894	25 2833 2858	6 1148 1154	40,0 39,9	9 688 697	24,0 24,1	1 98 99	3,4 3,4	9 935 944	32,6 32,6		
C51 VULVA	Ž	100	95	16	16,0	14				70	70,0		
C52 VAGINA	Ž	15	14			2				13			
C53 CERVIX UTERI	Ž	276	270	51	18,5	29	10,5	6		190	68,8		
C54 CORPUS UTERI	Ž	688	684	274	39,8	73	10,6	22	3,2	319	46,4		
C55 UTERUS NON SPEC.	Ž	9	5			1		1		7			
C56 OVARIUM	Ž	368	339	23	6,3	70	19,0	56	15,2	219	59,5		
C57 ORGANA GENITALIA FEMININA	Ž	48	48	2		15	31,3	9		22	45,8		
C60 PENIS	M	52	50	22	42,3	13		1		16	30,8		
C61 PROSTATA	M	2299	2220	684	29,8	141	6,1	67	2,9	1407	61,2		
C62 TESTIS	M	200	200	119	59,5	17	8,5	9		55	27,5		
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	3	2							3			

Tablica B4.1

BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2020. - NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2020

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN	
		NUMBER OF CASES		LOKALIZIRAN LOCALIZED		REGIONALNO PROŠIREN REGIONAL		UDALJENE METASTAZE DISTANT		UKUPNO TOTAL	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	BROJ NUMBER		BROJ NUMBER		BROJ NUMBER		BROJ NUMBER	
C64 REN EXCL. PELVIS RENALIS	M	459	438	183	39,9	54	11,8	49	10,7	173	37,7
	Ž	264	239	81	30,7	27	10,2	17	6,4	139	52,7
	UK	723	677	264	36,5	81	11,2	66	9,1	312	43,2
C65 PELVIS RENALIS	M	24	23	10		5		2		7	
	Ž	23	23	6		10		5		2	
	UK	47	46	16	34,0	15	31,9	7		9	
C66 URETER	M	16	16	5		1		2		8	
	Ž	10	10	5		2				3	
	UK	26	26	10		3		2		11	
C67 VESICA URINARIA	M	638	620	332	52,0	35	5,5	11		260	40,8
	Ž	235	228	111	47,2	11		5		108	46,0
	UK	873	848	443	50,7	46	5,3	16	1,8	368	42,2
C68 ORGANA URINARIA ALT. ET NON SPEC.	M	6	5	4						2	
	Ž	5	4	1		2				2	
	UK	11	9	5		2				4	
C69 OCULUS ET ADNEXA	M	24	23	3				1		20	83,3
	Ž	19	15			1				18	94,7
	UK	43	38	3		1		1		38	88,4
C70 MENINGES	M	4	2								
	Ž	4	4								
	UK	8	6								
C71 CEREBRUM	M	210	200								
	Ž	208	195								
	UK	418	395								
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENTRALIS	M	6	5								
	Ž	8	8								
	UK	14	13								
C73 GLANDULA THYREOIDEA	M	154	154	61	39,6	41	26,6	6		46	29,9
	Ž	514	514	273	53,1	71	13,8	3		167	32,5
	UK	668	668	334	50,0	112	16,8	9		213	31,9
C74 GLANDULA SUPRARENALIS	M	9	8	1				1		7	
	Ž	10	10	1		2				7	
	UK	19	18	2		2		1		14	
C75 GLANDULAE ENDOCRINES ALTERAE	M	4	4					1		3	
	Ž	2	2							2	
	UK	6	6					1		5	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M	17	10					3		14	
	Ž	35	23			3		4		28	80,0
	UK	52	33			3		7		42	80,8
C80 MALIGNOMATA SINE REGIONE SPEC.	M	252	220	3		45	17,9	124	49,2	80	31,7
	Ž	214	169	1		15	7,0	98	45,8	100	46,7
	UK	466	389	4		60	12,9	222	47,6	180	38,6

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

* POSTOCI NISU RAČUNATI ZA MANJE OD 15 SLUČAJEVA.

NOTE: EXCLUDED FROM "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

* PERCENTAGES ARE NOT CALCULATED ON SAMPLES CONTAINING LESS THAN 15 CASES.

Tablica B5.1

BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2020.**NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2020**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
	SEX	UKUPNO ALL SITES	C34	C50	C61	C18	C20	C67	C25	C16	C43	C64	C54	C73	C22	C80	C71	OSTALO OTHER SITES	
BJELOVARSKO- BILOGORSKA	M(M)	337	53		60	32	19	12	18	14	7	19		4	8	10	5	76	5
	Ž(F)	286	18	70		15	18	6	13	12	10	13	25	14	13	8	4	47	
	UK(T)	623	71	70	60	47	37	18	31	26	17	32	25	18	21	18	9	123	
BRODSKO- POSAVSKA	M(M)	407	66	1	75	42	15	15	14	16	8	20		7	17	8	8	95	8
	Ž(F)	360	25	82		43	12	5	2	16	11	13	31	21	8	9	2	80	
	UK(T)	767	91	83	75	85	27	20	16	32	19	33	31	28	25	17	10	175	
DUBROVAČKO- NERETVANSKA	M(M)	372	59	2	67	43	18	26	13	13	9	16		4	6	3	7	86	29
	Ž(F)	291	32	93		21	9	5	11	5	3	5	23	8	5	2	6	63	
	UK(T)	663	91	95	67	64	27	31	24	18	12	21	23	12	11	5	13	149	
GRAD ZAGREB	M(M)	2179	342	6	433	198	92	104	90	78	106	79		44	42	43	31	491	151
	Ž(F)	2362	240	708		193	70	42	74	59	75	46	149	116	45	39	46	460	
	UK(T)	4541	582	714	433	391	162	146	164	137	181	125	149	160	87	82	77	951	
ISTARSKA	M(M)	650	119		98	63	30	55	15	22	22	21		5	10	18	22	150	4
	Ž(F)	617	78	148		37	23	21	19	12	30	9	32	35	5	14	10	144	
	UK(T)	1267	197	148	98	100	53	76	34	34	52	30	32	40	15	32	32	294	
KARLOVAČKA	M(M)	364	52		58	35	18	22	18	18	13	17		1	10	10	6	86	15
	Ž(F)	323	39	87		19	13	8	9	11	8	11	14	10	6	8	10	70	
	UK(T)	687	91	87	58	54	31	30	27	29	21	28	14	11	16	18	16	156	
KOPRIVNIČKO- KRIŽEVAČKA	M(M)	329	55		83	19	19	10	8	12	12	17		5	11	4	2	72	5
	Ž(F)	242	20	53		19	13	6	10	12	4	9	15	14	4	1	4	58	
	UK(T)	571	75	53	83	38	32	16	18	24	16	26	15	19	15	5	6	130	
KRAPINSKO- ZAGORSKA	M(M)	342	47	4	64	36	30	10	9	17	7	28		3	12	4	7	64	6
	Ž(F)	290	35	61		22	12	6	12	9	8	10	26	12	1	4	5	67	
	UK(T)	632	82	65	64	58	42	16	21	26	15	38	26	15	13	8	12	131	
LIČKO-SENJSKA	M(M)	141	20	1	20	18	8	9	9	2	2	7		3	4	3	1	34	1
	Ž(F)	105	18	32		6		1	3	2	2	1	4	1	6	2	4	23	
	UK(T)	246	38	33	20	24	8	10	12	4	4	8	4	4	10	5	5	57	
MEĐIMURSKA	M(M)	359	54	1	83	32	18	14	7	10	11	11		3	8	9	4	94	17
	Ž(F)	245	15	62		21	8	1	11	17	7	5	18	3	7	6	7	57	
	UK(T)	604	69	63	83	53	26	15	18	27	18	16	18	6	15	15	11	151	
OSJEČKO- BARANJSKA	M(M)	797	155	2	131	60	55	31	28	37	19	25		3	22	17	12	200	108
	Ž(F)	656	77	178		45	32	7	23	18	13	17	44	26	9	17	13	137	
	UK(T)	1453	232	180	131	105	87	38	51	55	32	42	44	29	31	34	25	337	
POŽEŠKO- SLAVONSKA	M(M)	208	27		37	28	9	12	6	8	5	9		1	4	4	3	55	3
	Ž(F)	170	12	46		11	9	5	2	9	4	6	10	9	5	4	3	35	
	UK(T)	378	39	46	37	39	18	17	8	17	9	15	10	10	9	8	6	90	

Tablica B5.1

BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2020.**NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2020**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO ALL SITES	C34	C50	C61	C18	C20	C67	C25	C16	C43	C64	C54	C73	C22	C80	C71	OSTALO OTHER SITES	
PRIMORSKO GORANSKA	M(M)	947	160	1	190	89	48	64	40	34	29	20		8	26	19	13	206	5
	Ž(F)	847	87	248		65	27	26	28	25	34	8	34	29	11	18	22	185	
	UK(T)	1794	247	249	190	154	75	90	68	59	63	28	34	37	37	37	35	391	
SISAČKO MOSLAVAČKA	M(M)	488	105	1	64	48	26	30	14	22	23	27		4	9	16	4	95	14
	Ž(F)	406	53	100		26	8	12	11	11	8	15	30	19	4	6	6	97	
	UK(T)	894	158	101	64	74	34	42	25	33	31	42	30	23	13	22	10	192	
SPLITSKO- DALMATINSKA	M(M)	1450	211		279	169	56	74	36	62	43	47		23	54	19	28	349	91
	Ž(F)	1253	112	272		117	32	30	45	37	40	27	77	104	21	17	26	296	
	UK(T)	2703	323	272	279	286	88	104	81	99	83	74	77	127	75	36	54	645	
ŠIBENSKO- KNINSKA	M(M)	331	61	1	62	35	20	18	12	11	3	7		4	10	9	6	72	4
	Ž(F)	262	17	77		20	10	6	15	3	10	6	15	9	5	3	3	63	
	UK(T)	593	78	78	62	55	30	24	27	14	13	13	15	13	15	12	9	135	
VARAŽDINSKA	M(M)	501	63	1	103	55	24	31	12	27	18	21		4	17	12	7	106	21
	Ž(F)	424	31	96		42	16	12	17	13	23	16	33	15	6	8	6	90	
	UK(T)	925	94	97	103	97	40	43	29	40	41	37	33	19	23	20	13	196	
VIROVITIČKO- PODRAVSKA	M(M)	193	31	1	33	19	12	7	7	7	4	5			4	6	3	54	8
	Ž(F)	187	17	58		15	9	4	10	7	4	2	9	2	3	1	2	44	
	UK(T)	380	48	59	33	34	21	11	17	14	8	7	9	2	7	7	5	98	
VUKOVARSKO- SRIJEMSKA	M(M)	465	97	1	70	42	28	20	16	22	12	15		7	15	11	9	100	28
	Ž(F)	369	32	100		38	8	8	7	5	7	15	24	11	2	16	2	94	
	UK(T)	834	129	101	70	80	36	28	23	27	19	30	24	18	17	27	11	194	
ZADARSKA	M(M)	539	98		119	45	21	34	12	16	23	14		6	21	14	12	104	14
	Ž(F)	428	30	106		38	15	13	20	13	9	7	29	31	1	9	10	97	
	UK(T)	967	128	106	119	83	36	47	32	29	32	21	29	37	22	23	22	201	
ZAGREBAČKA	M(M)	927	140	2	170	85	52	40	38	32	36	34		15	26	13	20	224	53
	Ž(F)	781	76	192		71	24	11	37	22	31	23	46	25	20	22	17	164	
	UK(T)	1708	216	194	170	156	76	51	75	54	67	57	46	40	46	35	37	388	
UKUPNO RH CROATIA'S TOTAL	M(M)	12326	2015	25	2299	1193	618	638	422	480	412	459		154	336	252	210	2813	590
	Ž(F)	10904	1064	2869		884	368	235	379	318	341	264	688	514	187	214	208	2371	
	UK(T)	23230	3079	2894	2299	2077	986	873	801	798	753	723	688	668	523	466	418	5184	

NAPOMENA: UKLJUČENA SVA SIJELA, OSIM NE-MELANOMSKOG RAKA KOŽE (C44). PRIKAZAN POSEBNO I CA IN SITU CERVIXSA UTERUSA (D06)
 NOTE: INCLUDED ARE ALL SITES WITH ICD CODES, EXCEPT NON-MELANOMA SKIN CANCER (C44). UTERINE CERVICAL CA IN SITU (D06) IS SHOWN SEPARATELY.

Tablica B5.1

STOPE INCIDENCIJE RAKA NA 100 000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2020.**CANCER INCIDENCE RATES PER 100 000, FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2020**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO ALL SITES	C34	C50	C61	C18	C20	C67	C25	C16	C43	C64	C54	C73	C22	C80	C71	OSTALO OTHER SITES	
BJELOVARSKO- BILOGORSKA	M(M)	657,9	103,5	0,0	117,1	62,5	37,1	23,4	35,1	27,3	13,7	37,1		7,8	15,6	19,5	9,8	148,4	
	Ž(F)	532,7	33,5	130,4		27,9	33,5	11,2	24,2	22,4	18,6	24,2	46,6	26,1	24,2	14,9	7,5	87,5	9,3
	UK(T)	593,9	67,7	66,7		44,8	35,3	17,2	29,5	24,8	16,2	30,5		17,2	20,0	17,2	8,6	117,2	
BRODSKO- POSAVSKA	M(M)	612,8	99,4	1,5	112,9	63,2	22,6	22,6	21,1	24,1	12,0	30,1		10,5	25,6	12,0	12,0	143,0	
	Ž(F)	521,2	36,2	118,7		62,3	17,4	7,2	2,9	23,2	15,9	18,8	44,9	30,4	11,6	13,0	2,9	115,8	11,6
	UK(T)	566,1	67,2	61,3		62,7	19,9	14,8	11,8	23,6	14,0	24,4		20,7	18,5	12,5	7,4	129,2	
DUBROVAČKO- NERETVANSKA	M(M)	614,2	97,4	3,3	110,6	71,0	29,7	42,9	21,5	21,5	14,9	26,4		6,6	9,9	5,0	11,6	142,0	
	Ž(F)	469,3	51,6	150,0		33,9	14,5	8,1	17,7	8,1	4,8	8,1	37,1	12,9	8,1	3,2	9,7	101,6	46,8
	UK(T)	540,9	74,2	77,5		52,2	22,0	25,3	19,6	14,7	9,8	17,1		9,8	9,0	4,1	10,6	121,6	
GRAD ZAGREB	M(M)	569,9	89,4	1,6	113,3	51,8	24,1	27,2	23,5	20,4	27,7	20,7		11,5	11,0	11,2	8,1	128,4	
	Ž(F)	553,3	56,2	165,8		45,2	16,4	9,8	17,3	13,8	17,6	10,8	34,9	27,2	10,5	9,1	10,8	107,7	35,4
	UK(T)	561,1	71,9	88,2		48,3	20,0	18,0	20,3	16,9	22,4	15,4		19,8	10,8	10,1	9,5	117,5	
ISTARSKA	M(M)	626,0	114,6	0,0	94,4	60,7	28,9	53,0	14,4	21,2	21,2	20,2		4,8	9,6	17,3	21,2	144,5	
	Ž(F)	580,7	73,4	139,3		34,8	21,6	19,8	17,9	11,3	28,2	8,5	30,1	32,9	4,7	13,2	9,4	135,5	3,8
	UK(T)	603,1	93,8	70,4		47,6	25,2	36,2	16,2	16,2	24,8	14,3		19,0	7,1	15,2	15,2	139,9	
KARLOVAČKA	M(M)	650,2	92,9	0,0	103,6	62,5	32,2	39,3	32,2	32,2	23,2	30,4		1,8	17,9	17,9	10,7	153,6	
	Ž(F)	554,2	66,9	149,3		32,6	22,3	13,7	15,4	18,9	13,7	18,9	24,0	17,2	10,3	13,7	17,2	120,1	25,7
	UK(T)	601,2	79,6	76,1		47,3	27,1	26,3	23,6	25,4	18,4	24,5		9,6	14,0	15,8	14,0	136,5	
KOPRIVNIČKO- KRIŽEVAČKA	M(M)	640,2	107,0	0,0	161,5	37,0	37,0	19,5	15,6	23,4	23,4	33,1		9,7	21,4	7,8	3,9	140,1	
	Ž(F)	448,2	37,0	98,2		35,2	24,1	11,1	18,5	22,2	7,4	16,7	27,8	25,9	7,4	1,9	7,4	107,4	9,3
	UK(T)	541,8	71,2	50,3		36,1	30,4	15,2	17,1	22,8	15,2	24,7		18,0	14,2	4,7	5,7	123,4	
KRAPINSKO- ZAGORSKA	M(M)	562,4	77,3	6,6	105,2	59,2	49,3	16,4	14,8	28,0	11,5	46,0		4,9	19,7	6,6	11,5	105,2	
	Ž(F)	458,1	55,3	96,4		34,8	19,0	9,5	19,0	14,2	12,6	15,8	41,1	19,0	1,6	6,3	7,9	105,8	9,5
	UK(T)	509,2	66,1	52,4		46,7	33,8	12,9	16,9	20,9	12,1	30,6		12,1	10,5	6,4	9,7	105,6	
LIČKO-SENJSKA	M(M)	637,1	90,4	4,5	90,4	81,3	36,1	40,7	40,7	9,0	9,0	31,6		13,6	18,1	13,6	4,5	153,6	
	Ž(F)	478,6	82,1	145,9		27,4	0,0	4,6	13,7	9,1	9,1	4,6	18,2	4,6	27,4	9,1	18,2	104,8	4,6
	UK(T)	558,2	86,2	74,9		54,5	18,2	22,7	27,2	9,1	9,1	18,2		9,1	22,7	11,3	11,3	129,3	
MEĐIMURSKA	M(M)	671,7	101,0	1,9	155,3	59,9	33,7	26,2	13,1	18,7	20,6	20,6		5,6	15,0	16,8	7,5	175,9	
	Ž(F)	442,4	27,1	112,0		37,9	14,4	1,8	19,9	30,7	12,6	9,0	32,5	5,4	12,6	10,8	12,6	102,9	30,7
	UK(T)	555,0	63,4	57,9		48,7	23,9	13,8	16,5	24,8	16,5	14,7		5,5	13,8	13,8	10,1	138,8	
OSJEČKO- BARANJSKA	M(M)	612,0	119,0	1,5	100,6	46,1	42,2	23,8	21,5	28,4	14,6	19,2		2,3	16,9	13,1	9,2	153,6	
	Ž(F)	471,0	55,3	127,8		32,3	23,0	5,0	16,5	12,9	9,3	12,2	31,6	18,7	6,5	12,2	9,3	98,4	77,5
	UK(T)	539,1	86,1	66,8		39,0	32,3	14,1	18,9	20,4	11,9	15,6		10,8	11,5	12,6	9,3	125,0	
POŽEŠKO- SLAVONSKA	M(M)	650,5	84,4	0,0	115,7	87,6	28,1	37,5	18,8	25,0	15,6	28,1		3,1	12,5	12,5	9,4	172,0	
	Ž(F)	512,7	36,2	138,7		33,2	27,1	15,1	6,0	27,1	12,1	18,1	30,2	27,1	15,1	12,1	9,0	105,5	9,0
	UK(T)	580,3	59,9	70,6		59,9	27,6	26,1	12,3	26,1	13,8	23,0		15,4	13,8	12,3	9,2	138,2	

Tablica B5.1

STOPE INCIDENCIJE RAKA NA 100 000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2020.**CANCER INCIDENCE RATES PER 100 000, FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2020**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																	D06
		UKUPNO ALL SITES	C34	C50	C61	C18	C20	C67	C25	C16	C43	C64	C54	C73	C22	C80	C71	OSTALO OTHER SITES	
PRIMORSKO GORANSKA	M(M)	694,6	117,4	0,7	139,4	65,3	35,2	46,9	29,3	24,9	21,3	14,7		5,9	19,1	13,9	9,5	151,1	
	Ž(F)	585,3	60,1	171,4		44,9	18,7	18,0	19,3	17,3	23,5	5,5	23,5	20,0	7,6	12,4	15,2	127,8	3,5
	UK(T)	638,3	87,9	88,6		54,8	26,7	32,0	24,2	21,0	22,4	10,0		13,2	13,2	13,2	12,5	139,1	
SISAČKO MOSLAVAČKA	M(M)	695,0	149,5	1,4	91,1	68,4	37,0	42,7	19,9	31,3	32,8	38,5		5,7	12,8	22,8	5,7	135,3	
	Ž(F)	553,1	72,2	136,2		35,4	10,9	16,3	15,0	15,0	10,9	20,4	40,9	25,9	5,4	8,2	8,2	132,1	19,1
	UK(T)	622,5	110,0	70,3		51,5	23,7	29,2	17,4	23,0	21,6	29,2		16,0	9,1	15,3	7,0	133,7	
SPLITSKO- DALMATINSKA	M(M)	660,9	96,2	0,0	127,2	77,0	25,5	33,7	16,4	28,3	19,6	21,4		10,5	24,6	8,7	12,8	159,1	
	Ž(F)	549,4	49,1	119,3		51,3	14,0	13,2	19,7	16,2	17,5	11,8	33,8	45,6	9,2	7,5	11,4	129,8	39,9
	UK(T)	604,1	72,2	60,8		63,9	19,7	23,2	18,1	22,1	18,5	16,5		28,4	16,8	8,0	12,1	144,2	
ŠIBENSKO- KNINSKA	M(M)	678,7	125,1	2,1	127,1	71,8	41,0	36,9	24,6	22,6	6,2	14,4		8,2	20,5	18,5	12,3	147,6	
	Ž(F)	527,3	34,2	155,0		40,3	20,1	12,1	30,2	6,0	20,1	12,1	30,2	18,1	10,1	6,0	6,0	126,8	8,1
	UK(T)	602,3	79,2	79,2		55,9	30,5	24,4	27,4	14,2	13,2	13,2		13,2	15,2	12,2	9,1	137,1	
VARAŽDINSKA	M(M)	618,8	77,8	1,2	127,2	67,9	29,6	38,3	14,8	33,4	22,2	25,9		4,9	21,0	14,8	8,6	130,9	
	Ž(F)	502,4	36,7	113,7		49,8	19,0	14,2	20,1	15,4	27,3	19,0	39,1	17,8	7,1	9,5	7,1	106,6	24,9
	UK(T)	559,4	56,8	58,7		58,7	24,2	26,0	17,5	24,2	24,8	22,4		11,5	13,9	12,1	7,9	118,5	
VIROVITIČKO- PODRAVSKA	M(M)	550,8	88,5	2,9	94,2	54,2	34,2	20,0	20,0	20,0	11,4	14,3		0,0	11,4	17,1	8,6	154,1	
	Ž(F)	500,8	45,5	155,3		40,2	24,1	10,7	26,8	18,7	10,7	5,4	24,1	5,4	8,0	2,7	5,4	117,8	21,4
	UK(T)	525,0	66,3	81,5		47,0	29,0	15,2	23,5	19,3	11,1	9,7		2,8	9,7	9,7	6,9	135,4	
VUKOVARSKO- SRIJEMSKA	M(M)	645,0	134,5	1,4	97,1	58,3	38,8	27,7	22,2	30,5	16,6	20,8		9,7	20,8	15,3	12,5	138,7	
	Ž(F)	483,7	41,9	131,1		49,8	10,5	10,5	9,2	6,6	9,2	19,7	31,5	14,4	2,6	21,0	2,6	123,2	36,7
	UK(T)	562,0	86,9	68,1		53,9	24,3	18,9	15,5	18,2	12,8	20,2		12,1	11,5	18,2	7,4	130,7	
ZADARSKA	M(M)	648,4	117,9	0,0	143,2	54,1	25,3	40,9	14,4	19,2	27,7	16,8		7,2	25,3	16,8	14,4	125,1	
	Ž(F)	504,8	35,4	125,0		44,8	17,7	15,3	23,6	15,3	10,6	8,3	34,2	36,6	1,2	10,6	11,8	114,4	16,5
	UK(T)	575,9	76,2	63,1		49,4	21,4	28,0	19,1	17,3	19,1	12,5		22,0	13,1	13,7	13,1	119,7	
ZAGREBAČKA	M(M)	612,2	92,5	1,3	112,3	56,1	34,3	26,4	25,1	21,1	23,8	22,5		9,9	17,2	8,6	13,2	147,9	
	Ž(F)	494,1	48,1	121,5		44,9	15,2	7,0	23,4	13,9	19,6	14,6	29,1	15,8	12,7	13,9	10,8	103,8	33,5
	UK(T)	551,9	69,8	62,7		50,4	24,6	16,5	24,2	17,4	21,7	18,4		12,9	14,9	11,3	12,0	125,4	
UKUPNO RH CROATIA'S TOTAL	M(M)	626,4	102,4	1,3	116,8	60,6	31,4	32,4	21,4	24,4	20,9	23,3		7,8	17,1	12,8	10,7	143,0	
	Ž(F)	524,2	51,2	137,9		42,5	17,7	11,3	18,2	15,3	16,4	12,7	33,1	24,7	9,0	10,3	10,0	114,0	28,4
	UK(T)	573,9	76,1	71,5		51,3	24,4	21,6	19,8	19,7	18,6	17,9		16,5	12,9	11,5	10,3	128,1	

NAPOMENA: UKLJUČENA SVA SIJELA, OSIM NE-MELANOMSKOG RAKA KOŽE (C44). PRIKAZAN POSEBNO I CA IN SITU CERVIXSA UTERUSA (D06)
 NOTE: INCLUDED ARE ALL SITES WITH ICD CODES, EXCEPT NON-MELANOMA SKIN CANCER (C44). UTERINE CERVICAL CA IN SITU (D06) IS SHOWN SEPARATELY.

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2020. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2020

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOLO SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C00 LABIUM ORIS	M(M)	2	1,38	0,22	0,93	0,89	0,15	0,89	0,03	0,09
	Ž(F)	1,1	0,44	0,1	0,08	0,26	0,06	0,08	0	0,02
	UK(T)	1,6	0,85	0,11	0,5	0,54	0,08	0,48	0,02	0,05
C01 BASIS LINGVAE	M(M)	1,8	1,39	0,24	2,51	1	0,17	2,32	0,08	0,13
	Ž(F)	0,5	0,39	0,13	0,8	0,28	0,09	0,75	0,02	0,03
	UK(T)	1,1	0,87	0,13	1,64	0,63	0,1	1,52	0,05	0,08
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M(M)	3,2	2,48	0,32	4,88	1,79	0,23	4,59	0,16	0,22
	Ž(F)	1	0,63	0,15	0,93	0,45	0,11	0,91	0,03	0,06
	UK(T)	2,1	1,51	0,17	2,86	1,09	0,13	2,7	0,09	0,13
C03 GINGIVA	M(M)	1,1	0,81	0,18	1,29	0,57	0,12	1,18	0,04	0,08
	Ž(F)	0,6	0,36	0,11	0,57	0,25	0,08	0,54	0,02	0,03
	UK(T)	0,9	0,57	0,1	0,92	0,4	0,07	0,85	0,03	0,05
C04 BASIS ORIS	M(M)	1,9	1,53	0,25	3,02	1,1	0,18	2,83	0,1	0,13
	Ž(F)	0,6	0,45	0,13	0,74	0,33	0,1	0,69	0,02	0,05
	UK(T)	1,3	0,97	0,14	1,86	0,7	0,1	1,74	0,06	0,09
C05 PALATUM	M(M)	1,2	0,85	0,18	1,08	0,59	0,13	0,99	0,04	0,09
	Ž(F)	0,2	0,17	0,09	0,13	0,15	0,08	0,12	0,01	0,02
	UK(T)	0,7	0,47	0,09	0,59	0,35	0,07	0,54	0,02	0,05
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M(M)	1,2	0,9	0,19	1,66	0,65	0,14	1,6	0,05	0,07
	Ž(F)	0,7	0,48	0,13	0,81	0,36	0,1	0,8	0,03	0,05
	UK(T)	0,9	0,68	0,11	1,23	0,5	0,09	1,2	0,04	0,06
C07 GLANDULA PAROTIS	M(M)	0,8	0,55	0,14	0,48	0,36	0,1	0,46	0,01	0,04
	Ž(F)	0,6	0,36	0,1	0,37	0,25	0,07	0,34	0,01	0,04
	UK(T)	0,7	0,43	0,08	0,43	0,29	0,06	0,41	0,01	0,04
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M(M)	0,7	0,42	0,12	0,22	0,27	0,08	0,21	0,01	0,04
	Ž(F)	0,6	0,39	0,12	0,42	0,29	0,1	0,37	0,02	0,03
	UK(T)	0,6	0,39	0,08	0,32	0,27	0,06	0,29	0,01	0,03
C09 TONSILLA	M(M)	2	1,54	0,25	2,51	1,11	0,18	2,3	0,09	0,15
	Ž(F)	0,2	0,18	0,09	0,46	0,14	0,07	0,46	0,01	0,01
	UK(T)	1,1	0,82	0,13	1,45	0,6	0,09	1,35	0,05	0,08
C10 OROPHARYNX	M(M)	3	2,14	0,28	2,87	1,49	0,2	2,67	0,1	0,2
	Ž(F)	0,5	0,3	0,1	0,45	0,21	0,08	0,43	0,01	0,02
	UK(T)	1,8	1,15	0,14	1,63	0,8	0,1	1,52	0,05	0,1
C11 EPIPHARYNX	M(M)	0,9	0,67	0,17	0,9	0,5	0,13	0,88	0,03	0,07
	Ž(F)	0,3	0,24	0,1	0,34	0,18	0,08	0,29	0,01	0,02
	UK(T)	0,6	0,44	0,09	0,62	0,33	0,07	0,58	0,02	0,04
C12 SINUS PIRIFORMIS	M(M)	0,8	0,54	0,14	0,6	0,38	0,1	0,56	0,02	0,06
	Ž(F)	0	0,01	0,01	0	0,01	0,01	0	0	0
	UK(T)	0,4	0,26	0,07	0,29	0,18	0,05	0,28	0,01	0,03
C13 HIPOPHARYNX	M(M)	2,9	2,1	0,28	3,32	1,5	0,2	3,06	0,11	0,21
	Ž(F)	0,3	0,19	0,08	0,21	0,13	0,05	0,17	0,01	0,02
	UK(T)	1,6	1,08	0,14	1,72	0,78	0,1	1,58	0,06	0,11
C14 PHARYNX NON SPEC.	M(M)	0,7	0,52	0,15	0,93	0,38	0,11	0,86	0,03	0,05
	Ž(F)	0,2	0,09	0,05	0,1	0,05	0,03	0,09	0	0
	UK(T)	0,4	0,3	0,08	0,51	0,21	0,06	0,47	0,02	0,03
C15 OESOPHAGUS	M(M)	8,2	5,71	0,46	7,05	3,97	0,33	6,64	0,24	0,52
	Ž(F)	1,7	0,95	0,18	1,09	0,66	0,14	1,03	0,04	0,07
	UK(T)	4,9	3,13	0,23	3,99	2,19	0,17	3,77	0,14	0,28
C16 VENTRICULUS	M(M)	24,4	16,5	0,77	15,83	10,87	0,53	15,15	0,54	1,25
	Ž(F)	15,3	7,96	0,49	7,51	5,4	0,36	7,45	0,26	0,61
	UK(T)	19,7	11,63	0,43	11,54	7,8	0,31	11,17	0,39	0,9
C17 INTESTINUM TENUE INC. DUODENUM	M(M)	2,4	1,7	0,25	2,04	1,2	0,18	1,97	0,06	0,15
	Ž(F)	1,3	0,8	0,17	1,29	0,55	0,13	1,22	0,04	0,06
	UK(T)	1,8	1,21	0,15	1,66	0,85	0,11	1,58	0,05	0,1
C18 INTESTINUM CRASSUM EXCL. RECTUM	M(M)	60,6	40,37	1,2	35,41	27,02	0,83	33,92	1,23	3,33
	Ž(F)	42,5	23,71	0,87	26,53	16,31	0,65	25,89	0,88	1,86
	UK(T)	51,3	30,73	0,71	30,71	20,9	0,51	29,65	1,04	2,53
C19 COLON RECTOSIGMOIDEUM	M(M)	10	6,72	0,49	7,01	4,57	0,34	6,66	0,24	0,6
	Ž(F)	6,6	3,94	0,36	5,5	2,75	0,26	5,26	0,18	0,36
	UK(T)	8,2	5,13	0,29	6,21	3,55	0,21	5,92	0,21	0,47
C20 RECTUM	M(M)	31,4	21,79	0,9	24,85	15,06	0,64	23,43	0,86	1,93
	Ž(F)	17,7	9,79	0,56	11,71	6,76	0,41	11,25	0,39	0,79
	UK(T)	24,4	15,22	0,51	18,08	10,56	0,37	17,15	0,62	1,32
C21 ANUS ET CANALIS ANALIS	M(M)	1	0,77	0,18	1,38	0,58	0,14	1,36	0,04	0,07
	Ž(F)	1,5	1,08	0,21	1,89	0,78	0,16	1,84	0,05	0,08
	UK(T)	1,3	0,94	0,14	1,63	0,68	0,1	1,6	0,05	0,07
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M(M)	17,1	11,55	0,64	11,51	7,82	0,45	10,8	0,39	1,04
	Ž(F)	9	4,26	0,34	2,49	2,8	0,24	2,38	0,1	0,34
	UK(T)	12,9	7,58	0,35	6,88	5,11	0,24	6,48	0,24	0,67
C23 VESICA FELLEA	M(M)	2	1,23	0,2	0,7	0,79	0,13	0,67	0,03	0,09
	Ž(F)	3,8	1,82	0,22	1,27	1,21	0,15	1,21	0,05	0,15
	UK(T)	3	1,57	0,15	1	1,02	0,1	0,95	0,04	0,12
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M(M)	4,6	2,88	0,31	2,46	1,9	0,21	2,4	0,09	0,22
	Ž(F)	2,8	1,38	0,19	1,11	0,9	0,13	1,05	0,04	0,12
	UK(T)	3,7	2,03	0,17	1,77	1,35	0,12	1,71	0,06	0,17
C25 PANCREAS	M(M)	21,4	14,37	0,71	12,9	9,5	0,49	12,31	0,43	1,12
	Ž(F)	18,2	9,33	0,52	8,41	6,14	0,37	7,99	0,28	0,72
	UK(T)	19,8	11,57	0,43	10,59	7,65	0,3	10,09	0,35	0,9
C26 TRACTUS DIGESTIVUS NON SPEC.	M(M)	1,4	0,96	0,19	1,13	0,64	0,13	1,07	0,04	0,07
	Ž(F)	1,3	0,57	0,12	0,4	0,35	0,08	0,35	0,01	0,04
	UK(T)	1,3	0,75	0,11	0,76	0,49	0,08	0,71	0,02	0,05

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2020. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2020

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M(M) Ž(F) UK(T)	0,6 0,4 0,5	0,37 0,27 0,31	0,11 0,1 0,08	0,41 0,47 0,44	0,27 0,19 0,22	0,08 0,07 0,06	0,42 0,43 0,42	0,01 0,01 0,01	0,03 0,02 0,03
C31 SINUS PARANASALES	M(M) Ž(F) UK(T)	0,6 0,3 0,4	0,43 0,2 0,3	0,12 0,08 0,07	0,6 0,37 0,48	0,3 0,14 0,21	0,09 0,06 0,05	0,55 0,34 0,44	0,02 0,01 0,02	0,04 0,02 0,03
C32 LARYNX	M(M) Ž(F) UK(T)	12 1,2 6,4	8,59 0,76 4,37	0,57 0,16 0,28	11,96 0,89 6,28	6,06 0,52 3,1	0,41 0,11 0,2	11,19 0,81 5,86	0,4 0,03 0,21	0,84 0,07 0,43
C33 TRACHEA	M(M) Ž(F) UK(T)	0,2 0 0,1	0,14 0,03 0,08	0,07 0,02 0,04	0,11 0 0,05	0,1 0,02 0,05	0,05 0,02 0,02	0,09 0 0,04	0 0 0	0,02 0 0,01
C34 BRONCHUS ET PULMO (PRIM.)	M(M) Ž(F) UK(T)	102,4 51,2 76,1	68,86 29,89 47,12	1,56 0,97 0,88	69,58 37,68 53,09	47,14 20,88 32,66	1,09 0,71 0,63	65,74 35,82 50,26	2,41 1,29 1,83	6,37 2,74 4,41
C37 THYMUS	M(M) Ž(F) UK(T)	0,2 0,1 0,1	0,19 0,08 0,14	0,1 0,06 0,06	0,5 0 0,25	0,15 0,08 0,12	0,08 0,07 0,05	0,49 0 0,24	0,01 0 0,01	0,01 0 0,01
C38 COR, MEDIASTINUM ET PLEURA	M(M) Ž(F) UK(T)	0,6 0,2 0,4	0,54 0,25 0,39	0,17 0,13 0,1	0,22 0,08 0,15	0,53 0,31 0,41	0,19 0,18 0,13	0,21 0,08 0,15	0,03 0,01 0,02	0,05 0,02 0,03
C39 CAVITATIS THORACIS, LOCI ALTERIUS	M(M) Ž(F) UK(T)	0,1 0 0	0,06 0 0,02	0,04 0 0,01	0 0 0	0,03 0 0,01	0,02 0 0,01	0 0 0	0 0 0	0 0 0
C40 THELAE OSSIIUM MEMBRUM	M(M) Ž(F) UK(T)	0,7 0,4 0,5	0,6 0,44 0,51	0,18 0,16 0,12	0,38 0,22 0,3	0,56 0,48 0,51	0,19 0,19 0,14	0,39 0,23 0,31	0,03 0,03 0,03	0,04 0,03 0,04
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	0,9 0,8 0,8	0,67 0,49 0,58	0,17 0,14 0,11	0,26 0,22 0,24	0,55 0,41 0,48	0,15 0,14 0,1	0,25 0,23 0,24	0,03 0,02 0,02	0,06 0,04 0,05
C43 MELANOMA MALIGNUM CUTIS	M(M) Ž(F) UK(T)	20,9 16,4 18,6	15,53 11,43 13,18	0,79 0,67 0,51	19,61 16,95 18,23	11,13 8,64 9,72	0,59 0,54 0,4	18,96 16,58 17,72	0,7 0,61 0,65	1,24 0,95 1,08
C45 MESOTHELIOMA	M(M) Ž(F) UK(T)	3 1,3 2,1	1,88 0,77 1,21	0,25 0,15 0,14	0,86 0,87 0,87	1,18 0,54 0,8	0,16 0,11 0,09	0,83 0,85 0,85	0,03 0,03 0,03	0,14 0,07 0,1
C46 SARCOMA KAPOSII	M(M) Ž(F) UK(T)	0,2 0,1 0,2	0,19 0,05 0,13	0,1 0,03 0,06	0,26 0 0,13	0,2 0,03 0,12	0,12 0,02 0,06	0,28 0 0,14	0,01 0 0,01	0,01 0 0,01
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M(M) Ž(F) UK(T)	0,1 0,2 0,2	0,11 0,32 0,21	0,09 0,16 0,09	0 0 0	0,14 0,43 0,28	0,13 0,24 0,13	0 0 0	0,01 0,02 0,01	0,01 0,02 0,01
C48 RETROPERITONEUM ET PERITONEUM	M(M) Ž(F) UK(T)	0,2 0,4 0,3	0,14 0,22 0,18	0,07 0,08 0,05	0,18 0,21 0,19	0,1 0,16 0,13	0,05 0,06 0,04	0,18 0,23 0,2	0,01 0,01 0,01	0,02 0,02 0,02
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M(M) Ž(F) UK(T)	4,1 2,4 3,2	3,18 2,12 2,54	0,38 0,33 0,24	2,96 2,45 2,69	2,55 1,99 2,21	0,35 0,36 0,25	2,89 2,44 2,65	0,14 0,13 0,14	0,24 0,16 0,2
C50 MAMMA	M(M) Ž(F) UK(T)	1,3 137,9 71,5	0,85 98,61 52,1	0,18 1,97 1,02	0,74 167,34 84,71	0,58 73,43 38,4	0,13 1,53 0,78	0,67 164,16 82,96	0,03 5,42 2,75	0,06 8,36 4,38
C51 VULVA	Ž(F)	4,8	2,71	0,3	3,11	1,86	0,23	3,05	0,1	0,19
C52 VAGINA	Ž(F)	0,7	0,38	0,1	0,27	0,26	0,07	0,25	0,01	0,04
C53 CERVIX UTERI	Ž(F)	13,3	10,99	0,7	19,25	8,69	0,58	18,94	0,71	0,89
C54 CORPUS UTERI	Ž(F)	33,1	22,11	0,9	35,7	15,88	0,67	33,93	1,16	1,9
C55 UTERUS NON SPEC.	Ž(F)	0,4	0,19	0,07	0,13	0,11	0,05	0,12	0	0,01
C56 OVARIUM	Ž(F)	17,7	12,14	0,69	19,33	9	0,55	18,72	0,65	0,99
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž(F)	2,3	1,61	0,25	2,4	1,19	0,19	2,31	0,08	0,15
C60 PENIS	M(M)	2,6	1,88	0,27	2,56	1,29	0,19	2,41	0,08	0,15
C61 PROSTATI	M(M)	116,8	75,88	1,61	55,9	50,21	1,09	52,99	1,97	6,71
C62 TESTIS	M(M)	10,2	10,48	0,75	14,13	9,82	0,74	14,67	0,75	0,75

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2020. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2020

SIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOLO SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M(M) Ž(F) UK(T)	0,2 12,7 17,9	0,13 7,87 12,18	0,07 0,53 0,48	0,24 23,8 10,44 16,98	0,09 12,38 5,81 8,88	0,05 0,63 0,45 0,38	0,23 22,66 10,07 16,24	0,01 0,83 0,37 0,59	0,01 1,43 0,66 1,02
C64 REN EXCL. PELVIS RENALIS	M(M) Ž(F) UK(T)	23,3 12,7 17,9	17,24 7,87 12,18	0,83 0,53 0,48	23,8 10,44 16,98	12,38 5,81 8,88	0,63 0,45 0,38	22,66 10,07 16,24	0,83 0,37 0,59	1,43 0,66 1,02
C65 PELVIS RENALIS	M(M) Ž(F) UK(T)	1,2 1,1 1,2	0,82 0,59 0,69	0,17 0,14 0,1	0,71 0,58 0,64	0,53 0,39 0,45	0,11 0,1 0,07	0,65 0,55 0,59	0,03 0,02 0,02	0,07 0,04 0,06
C66 URETER	M(M) Ž(F) UK(T)	0,8 0,5 0,6	0,55 0,23 0,36	0,14 0,08 0,07	0,29 0,1 0,19	0,34 0,13 0,21	0,09 0,04 0,04	0,28 0,09 0,18	0,01 0 0,01	0,04 0,01 0,03
C67 VESICA URINARIA	M(M) Ž(F) UK(T)	32,4 11,3 21,6	21,45 6 12,68	0,87 0,42 0,45	18,91 6,42 12,48	14,18 3,99 8,49	0,59 0,3 0,32	17,96 6,01 11,81	0,66 0,21 0,43	1,73 0,49 1,06
C68 ORGANA URINARIA ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	0,3 0,2 0,3	0,19 0,16 0,16	0,08 0,08 0,05	0 0,26 0,13	0,11 0,11 0,1	0,04 0,06 0,03	0 0,23 0,12	0 0,01 0	0,01 0,01 0,01
C69 OCULUS ET ADNEXA	M(M) Ž(F) UK(T)	1,2 0,9 1,1	0,93 0,61 0,76	0,2 0,16 0,13	1,03 0,74 0,88	0,74 0,49 0,61	0,19 0,17 0,13	0,97 0,69 0,83	0,04 0,03 0,04	0,07 0,05 0,06
C70 MENINGES	M(M) Ž(F) UK(T)	0,2 0,2 0,2	0,15 0,13 0,14	0,08 0,07 0,05	0,22 0,13 0,18	0,11 0,09 0,1	0,06 0,05 0,04	0,23 0,12 0,17	0,01 0 0,01	0,01 0,02 0,02
C71 CEREBRUM	M(M) Ž(F) UK(T)	10,7 10 10,3	8,48 6,81 7,63	0,61 0,52 0,4	10,54 7,9 9,23	6,79 5,44 6,11	0,56 0,49 0,37	10,18 7,55 8,88	0,43 0,35 0,39	0,71 0,58 0,64
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M(M) Ž(F) UK(T)	0,3 0,4 0,3	0,28 0,35 0,32	0,12 0,13 0,09	0,39 0,39 0,39	0,26 0,32 0,29	0,12 0,14 0,09	0,39 0,37 0,39	0,02 0,02 0,02	0,03 0,03 0,03
C73 GLANDULA THYREOIDEA	M(M) Ž(F) UK(T)	7,8 24,7 16,5	6,89 22,59 14,77	0,57 1,04 0,59	10,67 36,1 23,37	5,73 19,2 12,45	0,49 0,94 0,53	10,65 36,22 23,39	0,44 1,48 0,96	0,56 1,81 1,19
C74 GLANDULA SUPRARENALIS	M(M) Ž(F) UK(T)	0,5 0,5 0,5	0,45 0,4 0,42	0,16 0,15 0,11	0,13 0,48 0,32	0,47 0,4 0,43	0,19 0,18 0,13	0,14 0,48 0,32	0,02 0,03 0,03	0,03 0,03 0,03
C75 GLANDULAE ENDOCRINES ALTERAE	M(M) Ž(F) UK(T)	0,2 0,1 0,1	0,15 0,08 0,12	0,08 0,06 0,05	0,31 0,21 0,26	0,12 0,06 0,09	0,06 0,04 0,04	0,32 0,2 0,26	0,01 0,01 0,01	0,02 0,01 0,01
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M(M) Ž(F) UK(T)	0,9 1,7 1,3	0,61 0,79 0,7	0,15 0,16 0,1	0,44 0,63 0,54	0,36 0,53 0,44	0,09 0,13 0,08	0,37 0,57 0,47	0,01 0,03 0,02	0,03 0,04 0,03
C80 MALIGNOMATA SINE REGIONE SPEC.	M(M) Ž(F) UK(T)	12,8 10,3 11,5	8,53 5,14 6,61	0,55 0,39 0,32	6,7 5,08 5,87	5,59 3,38 4,35	0,38 0,28 0,23	6,37 4,97 5,65	0,22 0,16 0,19	0,63 0,35 0,48
C81 MORBUS HODGKIN	M(M) Ž(F) UK(T)	3,6 1,8 2,7	3,66 1,98 2,82	0,45 0,34 0,28	2,89 1,82 2,36	3,66 1,99 2,84	0,47 0,36 0,3	3,01 1,89 2,46	0,24 0,13 0,19	0,27 0,14 0,21
C82 LYMPHOMA NON-HODGKIN FOLLICULARE (NODULARE)	M(M) Ž(F) UK(T)	2,5 2,6 2,6	1,94 1,87 1,9	0,28 0,27 0,2	3,32 3,28 3,3	1,44 1,38 1,41	0,22 0,21 0,15	3,25 3,16 3,21	0,11 0,1 0,11	0,16 0,17 0,16
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M(M) Ž(F) UK(T)	10,7 7,9 9,3	7,97 4,86 6,29	0,57 0,41 0,35	9,07 6,05 7,54	5,9 3,45 4,61	0,48 0,31 0,28	8,7 5,85 7,26	0,34 0,21 0,28	0,64 0,43 0,53
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M(M) Ž(F) UK(T)	1,1 0,7 0,9	0,88 0,54 0,7	0,2 0,15 0,13	1,37 0,81 1,08	0,74 0,41 0,57	0,2 0,12 0,12	1,31 0,77 1,03	0,05 0,03 0,04	0,07 0,05 0,06
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	3,9 3,2 3,5	2,78 1,89 2,26	0,33 0,26 0,2	2,85 2,7 2,76	1,97 1,33 1,61	0,25 0,19 0,15	2,75 2,64 2,68	0,11 0,08 0,1	0,21 0,15 0,18
C86 MALIGNOMATA ALTERA SPEC.	M(M) Ž(F) UK(T)	0,1 0 0	0,04 0 0,01	0,04 0 0,01	0 0 0	0,02 0 0,01	0,02 0 0,01	0 0 0	0 0 0	0 0 0
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M(M) Ž(F) UK(T)	0,9 0,9 0,9	0,58 0,59 0,57	0,14 0,14 0,1	0,35 0,72 0,54	0,39 0,42 0,4	0,1 0,11 0,07	0,32 0,69 0,51	0,01 0,03 0,02	0,06 0,06 0,06
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M(M) Ž(F) UK(T)	7,3 5,6 6,4	5 3,13 3,95	0,43 0,31 0,26	5,22 3,32 4,25	3,37 2,16 2,7	0,3 0,22 0,18	4,87 3,12 3,98	0,17 0,11 0,14	0,43 0,29 0,35
C91 LEUKAEMIA LYMPHATICA	M(M) Ž(F) UK(T)	9,7 6,2 7,9	7,49 3,97 5,57	0,58 0,41 0,35	5,84 3,36 4,56	6,32 3,37 4,77	0,61 0,45 0,38	5,54 3,29 4,37	0,31 0,17 0,24	0,58 0,3 0,43

Tablica B6.1

DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2020. GODINE
AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2020

SIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C92 LEUKAEMIA MYELOICA	M(M) Ž(F) UK(T)	5,8 4,9 5,3	4,17 3,13 3,57	0,4 0,35 0,26	3,27 3,44 3,34	3,1 2,34 2,67	0,34 0,3 0,22	3,14 3,31 3,21	0,14 0,14 0,14	0,36 0,23 0,29
C93 LEUKAEMIA MONOCITARIA	M(M) Ž(F) UK(T)	0,6 0,1 0,3	0,44 0,06 0,23	0,14 0,04 0,07	0,33 0 0,16	0,36 0,03 0,19	0,15 0,02 0,08	0,3 0 0,15	0,02 0 0,01	0,03 0 0,02
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA, LEUKAEM. MEGAKARYOCYTICA)	M(M) Ž(F) UK(T)	0,3 0,1 0,2	0,17 0,05 0,11	0,08 0,03 0,04	0,22 0 0,11	0,12 0,02 0,07	0,06 0,01 0,03	0,21 0 0,1	0,01 0 0	0,02 0 0,01
C95 LEUKAEMIA NON SPEC.	M(M) Ž(F) UK(T)	0,7 0,6 0,6	0,46 0,27 0,35	0,13 0,08 0,08	0,39 0,22 0,31	0,29 0,17 0,23	0,09 0,06 0,05	0,39 0,23 0,32	0,01 0,01 0,01	0,02 0,02 0,02
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M(M) Ž(F) UK(T)	0,4 0 5,8	0,29 0,04 4,17	0,12 0,04 0,4	0,09 0,1 3,27	0,28 0,03 3,1	0,13 0,03 0,34	0,09 0,09 3,14	0,01 0 0,14	0,03 0 0,36
SVE LOKALIZACIJE ALL SITES C00 - C97	M(M) Ž(F) UK(T)	626,4 524,2 573,9	435,67 340,43 377,5	4,04 3,56 2,62	440,27 478,86 457,51	305,1 250,6 271,69	3,02 2,85 2,04	420,3 465,67 440,88	16 16,58 16,22	37,02 28,25 32,04
CA IN SITU D00 - D09	M(M) Ž(F) UK(T)	23,2 47,4 35,6	16,16 44,34 29,54	0,77 1,48 0,81	18,85 61,84 39,99	11,31 38,04 24,11	0,56 1,33 0,7	17,94 63,11 40,13	0,66 2,9 1,75	1,48 3,46 2,42
D06 CERVIX UTERI - CA IN SITU	Ž(F)	28,4	30,69	1,28	40,76	27,67	1,19	42,34	2,18	2,25
D32 NEOPLASMA BENIGNUM MENINGUM	M(M) Ž(F) UK(T)	2,1 5,6 3,9	1,52 3,67 2,66	0,25 0,37 0,22	1,72 5,4 3,58	1,13 2,64 1,92	0,2 0,28 0,17	1,68 5,11 3,41	0,06 0,18 0,12	0,13 0,31 0,22
D33 NEOPLASMA BENIGNUM CEREBRI	M(M) Ž(F) UK(T)	0,8 1,3 1	0,66 1,06 0,87	0,18 0,22 0,14	1,2 1,49 1,35	0,54 0,92 0,74	0,15 0,23 0,14	1,21 1,49 1,35	0,04 0,06 0,05	0,05 0,09 0,07
D39.1 NEOPLASMA OVARII NON CLASS. ET BORDERLINE	Ž(F)	2,9	2,67	0,36	4,29	2,28	0,33	4,27	0,17	0,21
D42 NEOPLASMA MENINGUM NON CLASS.	M(M) Ž(F) UK(T)	0,7 0,9 0,8	0,47 0,66 0,55	0,13 0,17 0,1	0,42 0,85 0,64	0,32 0,56 0,43	0,09 0,16 0,09	0,41 0,83 0,62	0,01 0,04 0,03	0,04 0,06 0,05
D43 NEOPLASMA CEREBRI NON CLASS.	M(M) Ž(F) UK(T)	1,4 1 1,2	1,38 0,87 1,13	0,28 0,22 0,18	1,12 0,71 0,92	1,43 0,82 1,13	0,32 0,23 0,2	1,17 0,64 0,92	0,08 0,05 0,07	0,1 0,06 0,08
D45 POLYCYTHAEMIA RUBRA VERA	M(M) Ž(F) UK(T)	2,6 2,1 2,3	1,96 1,42 1,67	0,28 0,24 0,18	2,82 1,83 2,3	1,47 1,11 1,27	0,22 0,22 0,15	2,72 1,83 2,24	0,11 0,06 0,08	0,18 0,13 0,16
D46 SYNDROMA MYELODISPLASTICUM	M(M) Ž(F) UK(T)	3,5 2,7 3,1	2,2 1,33 1,64	0,27 0,2 0,16	0,87 0,92 0,89	1,36 0,89 1,06	0,19 0,16 0,12	0,84 0,86 0,84	0,03 0,03 0,03	0,12 0,1 0,11
D47 SYNDROMA MYELOPROLIFERATIVUM	M(M) Ž(F) UK(T)	4,3 3,7 4	3,15 2,24 2,63	0,36 0,28 0,22	2,87 2,2 2,52	2,35 1,64 1,96	0,3 0,23 0,19	2,8 2,14 2,46	0,12 0,09 0,1	0,25 0,19 0,22

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).
 NOTE: EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Podaci Registra za rak Republike Hrvatske u zadnjih godinu dana korišteni su za:**Projekti:**

Projekti i programi Europske komisije:

- iPAAC (*Innovative Partnership for Action Against Cancer*), www.ipaac.eu
- ECIS – *European Cancer Information System* – ecis.jrc.ec.europa.eu

Projekti i programi Svjetske zdravstvene organizacije:

- *Global cancer observatory* (GLOBOCAN 2020) - gco.iarc.fr

Ostali projekti:

- CONCORD (*Global surveillance of cancer survival*), London School of Hygiene and Tropical Medicine, <http://csg.lshtm.ac.uk/research/themes/concord-programme/>
- IICC (*International Incidence of Childhood Cancer*), Međunarodna agencija za istraživanje raka (IARC), iicc.iarc.fr/
- GBD (*Global Burden of Disease*) - <http://www.healthdata.org/gbd/2019>

Izlaganja na znanstvenim i stručnim skupovima:

- Dan mimoza 2022., on-line sastanak (siječanj 2022.)
- Svjetski dan raka 2022., on-line sastanak (veljača 2022.)
- Panel o Nacionalnom strateškom okviru protiv raka, Novinarski dom, Zagreb (ožujak 2022.)
- 2. studentski kongres o oralnom karcinomu, Stomatološki fakultet Zagreb (ožujak 2022.)
- 5. kongres kirurške onkologije, Vodice (travanj 2022.)
- 31. znanstveni sastanak „Bolesti dojke“, HAZU, Zagreb (rujan 2022.)
- 14. kongres Hrvatskog društva za internističku onkologiju, Šibenik (listopad 2022.)
- 9. znanstveni sastanak „Tumori prostate“, HAZU, Zagreb (studeni 2022.)

Izrada doktorskih disertacija, specijalističkih radova, diplomskih radova i znanstveno-stručnih radova:

U pripremi je nekoliko disertacija i drugih radova u kojima se koriste podaci Registra za rak. Obranjen je jedan diplomski rad na Medicinskom fakultetu u Zagrebu u kojima su korišteni podaci Registra za rak. Podaci o objavljenim znanstvenim i stručnim radovima navedeni su u idućem odlomku.

Objavljeni znanstveni i stručni radovi:

1. Botta L, Gatta G, Capocaccia R, Stiller C, Canete A, Dal Maso L, et al. (**Šekerija M**) Long-term survival and cure fraction estimates for childhood cancer in Europe (EUROCORE-6): results from a population-based study. *The Lancet Oncology*. 2022.
2. Girardi F, Matz M, Stiller C, You H, Marcos Gragera R, Valkov MY, et al. (**Šekerija M**) Global survival trends for brain tumors, by histology: analysis of individual records for 556,237 adults diagnosed in 59 countries during 2000-2014 (CONCORD-3). *Neuro-oncology*. 2022.
3. GBD Cancer Risk Factors Collaborators. (**Šekerija M**) The global burden of cancer attributable to risk factors, 2010-19: a systematic analysis for the Global Burden of Disease Study 2019. *Lancet* (London, England). 2022;400(10352):563-91.
4. Vener C, Rossi S, Minicozzi P, Marcos-Gragera R, Poirel HA, Maynadie M, et al. (**Šekerija M**) Clear Improvement in Real-World Chronic Myeloid Leukemia Survival: A Comparison With Randomized Controlled Trials. *Frontiers in oncology*. 2022;12:892684.

5. Ssenyonga N, Stiller C, Nakata K, Shalkow J, Redmond S, Bulliard JL, et al. **(Šekerija M)** Worldwide trends in population-based survival for children, adolescents, and young adults diagnosed with leukaemia, by subtype, during 2000-14 (CONCORD-3): analysis of individual data from 258 cancer registries in 61 countries. *The Lancet Child & adolescent health*. 2022;6(6):409-31.
6. GBD Colorectal Cancer Risk Factors Collaborators. **(Šekerija M)** Global, regional, and national burden of colorectal cancer and its risk factors, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. *The Lancet Gastroenterology & hepatology*. 2022;7(7):627-47.
7. Di Carlo V, Stiller CA, Eisemann N, Bordoni A, Matz M, Curado MP, et al. **(Šekerija M)** Does the morphology of cutaneous melanoma help to explain the international differences in survival? Results from 1 578 482 adults diagnosed during 2000-2014 in 59 countries (CONCORD-3). *The British journal of dermatology*. 2022;187(3):364-80.
8. GBD Diabetes Mortality Collaborators **(Šekerija M)**. Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. *The lancet Diabetes & endocrinology*. 2022;10(3):177-92.
9. Kocarnik JM, Compton K, Dean FE, Fu W, Gaw BL, et al. **(Šekerija M)** Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019: A Systematic Analysis for the Global Burden of Disease Study 2019. *JAMA Oncol*. 2022;8(3):420-44.
10. Neamtiu L, Martos C, Giusti F, Negrao Carvalho R, Randi G, Dimitrova N, et al. **(Šekerija M)** Impact of the first wave of the COVID-19 pandemic on cancer registration and cancer care: a European survey. *Eur J Public Health*. 2022;32(2):311-5.
11. GBD Adolescent Young Adult Cancer Collaborators. **(Šekerija M)** The global burden of adolescent and young adult cancer in 2019: a systematic analysis for the Global Burden of Disease Study 2019. *The Lancet Oncology*. 2022;23(1):27-52.
12. Šupe Parun A, Čukelj P, Tešić V, Jelavić M, Brkljačić B. Results of the National Breast Cancer Screening Program in Croatia (2006-2016). *Croat Med J*. 2022 Aug 31;63(4):326-334.